




Designed By: Cyndi Hershey
Finished Quilt Size: 56½" x 73"



FABRIC REQUIREMENTS	
Design:	Yards
24048 X	one 36" panel
24049 G	2 ¼
24050 A	¾
24050 G	¾
24051 A	½
24052 JS (binding)	⅝
23528 F	½
23528 R	½
24049 A (Backing)	3½

Cutting Directions:

Note: All strips are cut across the width of the fabric (perpendicular to the selvages) unless noted otherwise.

A. 24048 X: Panel

- Cut panel ¼" beyond motif area. This measures approximately 33 ½" x 40 ½".

B. 24049 G: Green Truck Print

- Cut four 6 ½" strips on the length of the fabric (parallel to the selvages).

C. 24050 A: Tan Motif Toss

- Cut two 4 ¾" strips; subcut fourteen 4 ¾" squares.

D. 24050 G: Green Motif Toss

- Cut two 4 ¾" strips; subcut fourteen 4 ¾" squares.

E. 24051 A: Tan Tonal Texture

- Cut three 3 ⅞" strips; subcut twenty-eight 3 ⅞" squares. Cut each square in half diagonally to yield fifty-six half-square triangles.

F. 24052 JS: Diagonal Stripe

- Cut seven 2 ½" strips for binding.

G. 23528 F: Avocado Tonal

- Cut three 3 ⅞" strips; subcut twenty-eight 3 ⅞" squares. Cut each square in half diagonally to yield fifty-six half-square triangles.

H. 23528 R: Red Tonal

- Cut ten 1 ½" strips. Cut two strips to measure 1 ½" x 35 ½" and two strips to measure 1 ½" x 40 ½". Sew the remaining strips together end to end with diagonal seams; press. Use to cut two 1 ½" x 50" strips and two 1 ½" x 70" strips.

Construction:

1. Sew one (H) 1 ½" x 40 ½" strip to the top and bottom of the panel. Press toward the strips. Sew one (H) 1 ½" x 35 ½" strip to the sides of the panel; press.

Blocks (6" finished)

2. Sew one (G) 3 ⅞" triangle to opposite sides of one (C) 4 ¾" square. Press toward the triangles. Repeat to sew triangles to remaining sides of square. Make fourteen Block A.




Make 14

3. Sew one (E) 3 ⅞" triangle to opposite sides of one (D) 4 ¾" square. Press toward the triangles. Repeat to sew triangles to remaining sides of square. Make fourteen Block B.



Make 14

4. Sew four of Block A alternately with three of Block B. Press toward Block B. Repeat.



Make 2

5. Sew four of Block B alternately with three of Block A. Press toward Block B. Repeat.



Make 2

6. Sew one row from step 4 with one row from step 5. Press. Repeat to make two pieced borders.



Make 2

7. Referring to quilt image for placement, sew one pieced border to the top and bottom of the panel.



8. Sew one (H) 1 1/2" x 70" strip to one (B) 6 1/2" strip centering strips to each other. Press toward the (B) strip. Repeat. Center one border unit to one side of the quilt. Sew border to the quilt beginning and ending a generous 1/4" from the edges of the quilt. Repeat for other side of the quilt.

9. Sew one (H) 1 1/2" x 50" strip to one (B) 6 1/2" strip centering strips to each other. Press toward the (B) strip. Repeat. Center one border unit to the top of the quilt. Sew border to the quilt beginning and ending a generous 1/4" from the edges of the quilt. Repeat for bottom of the quilt.



Finishing:

1. Prepare backing using two widths with horizontal seams. Press. Layer quilt top, batting and batting. Quilt as desired.
2. Trim layers even with quilt top.
3. Prepare binding using (F) 2 1/2" strips. Sew binding to quilt using your preferred method.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.