

Arles

Designed by Robert Kaufman Fabrics

Featuring

Vincent van Gogh




















Finished quilt measures: 54" x 72"

Pattern Level: Confident Beginner

*"I have basic block construction down
and would like to learn a new trick!"*

ROBERT KAUFMAN
F A B R I C S

Fabric and Supplies Needed

| Color | Fabric | Name/SKU | Yardage | Color | Fabric | Name/SKU | Yardage |
|--|--------|--------------------------|----------------|--|--------|--------------------------|-------------|
|  | A | AVG-15101-238 GARDEN | 1-1/3 yards |  | J | AVG-15103-161 STRAW | 1/4 yard |
|  | B | AVG-15102-34 SAGE | 1/4 yard |  | K | AVG-15103-270 MEADOW | 1/4 yard |
|  | C | AVG-15102-44 FOREST | 1/4 yard |  | L | AVG-15104-15 IVORY | 1 yard |
|  | D | AVG-15102-173 CAMEL | 1/4 yard |  | M | AVG-15104-36 ALOE | 1/4 yard |
|  | E | AVG-15102-264 SPA | 1/4 yard |  | N | AVG-15104-45 MOSS | 1/4 yard |
|  | F | AVG-15103-46 PEAR | 1/4 yards |  | O | AVG-15104-69 MIDNIGHT | 1/4 yard |
|  | G | AVG-15103-69 MIDNIGHT | 1/4 yard |  | P | AVG-15104-73 LAKE | 1/4 yard |
|  | H | AVG-15103-73 LAKE | 1/4 yard |  | Q | AVG-15104-158 WHEAT | 1/4 yard |
|  | I | AVG-15103-158 WHEAT | 1/4 yard | <p>You will also need: 1/2 yard Binding 4 yards Backing Fabric and Batting</p> | | | |

Notes Before You Begin

- Please read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Press all seam allowances open after each seam is sewn, unless otherwise noted.
- Remember to measure twice and cut once!

Cutting Instructions

Fabric A

- Fussy-cut two rectangles 22-1/2" x 28-1/2" from the center image.
- Fussy-cut two rectangles 7" x 23-1/2" from the side images.

Fabric B, C, D, F, I, J, K, M, N, Q

- From each fabric, cut two strips 2-1/2" x 22-1/2"

Fabric E, G, H, O, P

- From each fabric cut one strip 5-1/2" x 15"


Fabric L

- Cut ten strips 3-1/2" x WOF.
 - Subcut one strip into five lengths about 8" long.

Assembly Instructions


Step 1

- Sew the fabric O, G, H, E, and P rectangles together along their long sides and in the order pictured.
- Cut the strip set lengthwise into two identical strip sets measuring 7" x 25-1/2".




Step 2

- Sew one strip set to the **right** side of a Fabric A 7" x 23-1/2" rectangle and one strip set to the **left** side of a Fabric A 7" x 23-1/2" rectangle.



Step 3

- Sew Fabric K, C, M, N, F, B, J, Q, I and D strips together along their long sides and in the order pictured.
- Trim the strip set so that it measures 20-1/2" x 22-1/2"
- Repeat with remaining strips to make a second, identical, strip set.



Step 4

- Sew one strip set to the **right** side of a Fabric A 22-1/2 x 28-1/2" rectangle and one strip set to the **left** side of a Fabric A 22-1/2" x 28-1/2" rectangle.



Step 5

- Sew a Fabric A 3-1/2" x 8" strip to the short end of a Fabric A 3-1/2" x WOF strip to create one long sashing strip.
- Repeat to make a total of five long sashing strips.
- Lay the units out as pictured and sew a sashing strip between each row and also to the top and bottom of the quilt. Press seams toward sashing and trim excess from sides.
- Sew two Fabric A 3-1/2" x WOF strips together and sew the sashing strip to the left side of the quilt top. Trim excess from top and bottom.
- Repeat to sew sashing to the right side of the quilt top.



Your quilt is complete!
Baste, quilt, bind and enjoy.