

Approx. 60" x 75" quilt by Grace Wilson Sew Purrfect Flannel and Woolies Flannel fabrics by Bonnie Sullivan for Maywood Studio




## MAYWOOD STUDIO




Designed by Grace Wilson Sew Purrfect Flannel and Woolies Flannel fabrics by Bonnie Sullivan for Maywood Studio


 Block Center: Sew one Fabric B small triangle to each side of one 6<sup>1</sup>/<sub>2</sub>" Fabric A square. Press out towards the Fabric B triangles. Sew one Fabric B small triangle to the top and bottom of the 6<sup>1</sup>/<sub>2</sub>" Fabric A square. Press out towards the Fabric B triangles. Make 12.



 Scenic Block: Sew one Fabric C large triangle to each side of one Block Center. Press out towards the Fabric C triangles. Sew one Fabric C large triangle to the top and bottom of the block center. Press out towards the Fabric C triangles to make one 121/2" block. Make 12.



Block Row: Using the diagram as a guide, sew together three Blocks and four 3" x 12<sup>1</sup>/<sub>2</sub>" Fabric D strips. Make 4.




4. **Sashing Row:** Sew together four 3" Fabric E squares and three 3" x 12½" Fabric D strips, alternating them to make one sashing row. Make 5.



## Use the Quilt Top Layout Diagram below as a guide to complete the following steps:

- 5. Sew together the five sashing rows and four block rows, alternating them to make the  $46\frac{1}{2}$  x 61 <sup>"</sup> quilt top.
- 6. Sew one  $6\frac{1}{2}$  x 61 "Fabric F strip to each side of the quilt top. Sew one  $6\frac{1}{2}$  x  $58\frac{1}{2}$ " Fabric F strip to the top and bottom of the quilt top.
- 7. Press your quilt top and layer it. Quilt as desired.
- Sew the seven 2½" x 42" Binding strips together with diagonal seams pressed open. Fold the binding in half, wrong sides together and press to make a double binding. Sew to the quilt with a ¾" seam, mitering the corners.



Scrappy Cat 60″ x 75″ Quilt		
Sku	Fabric #	Cut(s)
	Fabric A <b>MASF8318-JA</b> exactly <sup>2</sup> / <sub>3</sub> yd (three rows, cut in the middle of green ric rac.)	Fussy cut (12) 6½″ panel squares.
	Fabric B <b>MASF1841-E2</b> ¾ yd	Cut (4) 5¼″ x 42″ strips into: (24) 5¼″ squares Cut each square diagonally once to make (48) small triangles
	Fabric C <b>MASF8317-JA</b> 1⅓ yds	Cut (5) 6‰ x 42″ strips into: (24) 6‰ squares Cut each square diagonally once to make (48) large triangles.
	Fabric D <b>MASF18506-TJ</b> 1¼ yds	Cut (3) 12½″ x 42″ strips into: (31) 3″ x 12½″ strips for sashing
	Fabric E <b>MASF18503-R</b> ¼ yd	Cut (2) 3″ x 42″ strips into: (20) 3″ squares
	Fabric F <b>MASF8315-JA</b> 2 yds	Cuts are parallel to the selvage: (2) 6½″ x 61″ strips and (2) 6½″ x 58½″ strips for outer border
	Backing <b>MASF8316-JA</b> 4 yds	Cut (2) 68" x 42" pieces. Sew the pieces together on the short edges and trim to make (1) 68" x 84" backing piece.
	Binding <b>MASF18506-JA</b> 5/8 yd	Cut (7) 2½" x WOF strips.