

Quiet Bunny & Noisy Puppy

by Lisa McCue



Throw Quilt: 52-1/2" x 62-1/4"

Wilmington Prints: A World of Possibilities

www.wilmingtonprints.com

Quiet Bunny and Noisy Puppy

Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following:

Fabric A - Fussy cut 1/4" beyond outside edges of 12 panels to approximately 7-1/4" x 9-1/2", noting the page number of each

Fabric B - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 10" x 46" stripe borders

Fabric C - Fussy cut (4) 7-1/4" x 9-1/2" rectangles with motifs centered

Fabric D - Cut (5) 2" strips, sewn together end to end and cut into (2) 2" x 46" and (2) 2" x 37-3/4" borders

Cut (6) 1-1/4" strips, subcut (12) 1-1/4" x 11" and (12) 1-1/4" x 7-3/4" strips

Cut (2) 1" strips, subcut (4) 1" x 10-1/2" and (4) 1" x 7-1/4" strips

Fabric E - Cut (6) 2-1/2" strips (binding)

Cut (6) 2" strips, sewn together end to end and cut into (2) 2" x 59-3/4" and (2) 2" x 53" borders

Cut (6) 1-1/4" strips, subcut (12) 1-1/4" x 11" and (12) 1-1/4" x 7-3/4" strips

Cut (2) 1" strips, subcut (4) 1" x 10-1/2" and (4) 1" x 7-1/4" strips

Fabric F - Cut (7) 1-3/4" strips, sewn together end to end and cut into (2) 1-3/4" x 43", (2) 1-3/4" x 35-1/4", and (3) 1-3/4" x 40-1/2" strips

Fabric G - Cut (3) 2-1/2" strips, sewn together end to end and cut into (2) 2-1/2" x 59-3/4" borders

Fabric H - Cut (6) 1-1/4" strips, sewn together end to end and cut into (2) 1-1/4" x 59-3/4" and (2) 1-1/4" x 50" strips

Arrows indicate orientation of directional prints.

2. Piecing Order:

1. Sew 1-1/4" x 7-3/4"


Fabric E strips to sides of the page 1 **Fabric A** panel.

Trim strip ends even. Add

1-1/4" x 11" **Fabric E** strips to top and bottom of panel. **Trim**

bordered panel to 8-1/4" x 10-1/2"

(unfinished). Repeat with **Panel A** pages 3, 4, 6, 8, and 11.




2. Sew 1-1/4" x 7-3/4"

Fabric D strips to sides of the page 2 **Fabric A** panel. Trim strip ends even. Add

1-1/4" x 11" **Fabric D** strips to top and bottom of panel. Trim

bordered panel to 8-1/4" x 9-1/2"

(unfinished). Repeat with **Panel A** pages 5, 7, 9, 10, and 12.




3. Stitch 1" x 7-1/4" **Fabric D**

strips to sides of a **Fabric C** 7-1/4" x 9-1/2" rectangle.

Add 1" x 10-1/2" **Fabric D** strips to top and bottom of

rectangle. Repeat to make a total of 2 **Block 1a**

(8-1/4" x 10-1/2" unfinished).




4. Stitch 1" x 7-1/4" **Fabric E**

strips to sides of a **Fabric C** 7-1/4" x 10-1/2" rectangle.

Add 1" x 10-1/2" **Fabric E** strips to top and bottom of

rectangle. Repeat to make a total of 2 **Block 1b**

(8-1/4" x 10-1/2" unfinished).



5. Refer to Quilt Layout (Page 3) for arrangement and placement of bordered panels, blocks, and borders.

6. Arrange bordered panels and blocks in 4 rows. Stitch together bordered panels and blocks within each row. Sew a **Fabric F**

1-3/4" x 40-1/2" strip to bottom of the top 3 rows. Sew rows together to complete quilt center (35-1/4" tall x 40-1/2" wide unfinished).

Quiet Bunny and Noisy Puppy

7. Stitch 1-3/4" x 35-1/4" **Fabric F** strips to right and left sides of quilt center. Add 1-3/4" x 43" **Fabric F** strips to top and bottom.

8. Sew **Fabric D** 2" x 37-3/4" borders to right and left sides of quilt. Add **Fabric D** 2" x 46" borders to top and bottom.

9. Stitch **Fabric B** 10" x 46" borders to top and bottom of quilt.

10. Sew **Fabric G** 2-1/2" x 59-3/4" borders to right and left sides of quilt.

11. Fold and press each of the 1-1/4" x 59-3/4" and 1-1/4" x 50" **Fabric H** strips in half lengthwise right side out so the strips are 5/8" wide. Baste the 59-3/4" strips to right and left sides with raw edges even with **Fabric G** borders, creating a flat piping. In the same manner, baste the 50" **Fabric H** strips to top and bottom **Fabric B** borders.

12. Sew 2" x 59-3/4" **Fabric E** borders to right and left sides of quilt. Add 2" x 53" **Fabric E** borders to top and bottom. Press so flat piping lays flat on the **Fabrics G** and **B** borders.

13. The quilt measures approximately 53" x 62-3/4" (unfinished). Make backing (**Fabric D**) at least 8" larger than the top.


14. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric E**) and enjoy!!

Quiet Bunny and Noisy Puppy

QUILT LAYOUT

Border measurements are the cut size.

Arrows indicate orientation of directional prints.



Q1404 Quiet Bunny & Noisy Puppy by Lisa McCue



Fabric A
Q1404-71628-421
1 Panel (2/3 yard)



Fabric B
Q1404-71629-412
1-1/2 yards



Fabric C
Q1404-71630-124
5/8 yard



Fabric D
Q1404-71631-411
3/4 yard (piecing)
3-1/2 yards (backing)



Fabric E
Q1404-71631-441
1-1/3 yards (includes binding)



Fabric F
Q1404-71632-413
1/2 yard



Fabric G
Q1404-71633-471
1/3 yard



Fabric H (Essentials)
Q1402-26035-302
1/3 yard (flat insert only)

