



Little House on the Prairie®



BY KATHY HALL



Ma and Pa
Quilt Design:
Heidi Pridemore
Quilt Size: **64" x 64"**
andoverfabrics.com



LITTLE HOUSE ON THE PRAIRIE® and associated character names and trademarks are owned and licensed by Friendly Family Productions, LLC. All rights reserved. ©2015 Friendly Family Productions, LLC

andover • makower uk
• The Henley Studio
•

Free Pattern Download Available

1384 Broadway New York, NY 10018
Tel. (800) 223-5678 • andoverfabrics.com

Ma and Pa



Featuring Andover Fabrics new Collection: Little House on the Prairie by Kathy Hall

Quilt designed by Heidi Pridemore

Quilt finished 64" x 64"

Cutting Directions

Note: Read assembly directions before cutting patches. Borders are cut to exact length required plus $\frac{1}{4}$ " seam allowance. WOF designates the width of fabric from selvedge to selvedge (approximately 42" wide).

Fabric A Cut (1) $11\frac{1}{2}$ " x WOF strip. Sub-cut the strip into (2) $11\frac{1}{2}$ " squares. Cut the squares across one diagonal to make (4) corner setting triangles.
Cut (1) 21" x WOF strips. Sub-cut the strip into (2) 21" squares. Cut the squares across both diagonals to make (8) side setting triangles.
Cut (1) $2\frac{1}{2}$ " x WOF strip. Sub-cut the strip into (3) $2\frac{1}{2}$ " squares, (2) 2" x $6\frac{1}{2}$ " strips and (2) 2" x $3\frac{1}{2}$ " strips.
Cut (7) $2\frac{1}{2}$ " x WOF strips for the binding.

Fabric B Cut (4) $2\frac{1}{2}$ " x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) $2\frac{1}{2}$ " x 64" strips.
Cut (4) $2\frac{1}{2}$ " x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) $2\frac{1}{2}$ " x 60" strips.

Fabric C Cut (2) $12\frac{1}{2}$ " x WOF strips. Sub-cut strips into (36) 2" x $12\frac{1}{2}$ " strips.

Fabric D Cut (2) 2" x WOF strips. Sub-cut the strips into (24) 2" squares.
Cut (1) $3\frac{1}{2}$ " x WOF strip. Sub-cut the strip into (8) $3\frac{1}{2}$ " squares.
Cut (1) $2\frac{1}{2}$ " x WOF strip. Sub-cut the strip into (4) $2\frac{1}{2}$ " x $4\frac{1}{2}$ " strips.
Cut (1) $6\frac{7}{8}$ " x WOF strip. Sub-cut the strip into (1) $6\frac{7}{8}$ " square. Cut the square across (1) diagonal to make (2) triangles.

Fabric Requirements

		Yardage	Fabric
Fabric A	blocks, setting triangles, binding	$2\frac{1}{8}$ yards	7949-K
Fabric B	borders	$\frac{3}{8}$ yard	7954-RN
Fabric C	sashing	$\frac{7}{8}$ yard	7958-TL
Fabric D	cornerstones, blocks	$\frac{2}{3}$ yard	7957-TK
Fabric E	blocks	$\frac{1}{3}$ yard	7954-TK
Fabric F	blocks	$\frac{3}{4}$ yard	7955-T
Fabric G	blocks	$\frac{1}{2}$ yard	7956-N
Fabric H	blocks	$\frac{1}{3}$ yard	7953-R
Fabric I	blocks	$\frac{1}{4}$ yard	7953-N
Fabric J	blocks	$\frac{2}{3}$ yard	7955-R
Fabric K	blocks	$\frac{1}{4}$ yard	7949-T
Fabric L	blocks	$\frac{1}{2}$ yard	7923-L
Fabric M	blocks	$\frac{1}{4}$ yard	7955-N
Fabric N	blocks	$\frac{1}{4}$ yard	7947-N
Fabric O	blocks	$\frac{1}{3}$ yard	7924-L
Fabric P	blocks	$\frac{1}{4}$ yard	7951-G
Fabric Q	blocks	$\frac{1}{3}$ yard	7956-TL
Fabric R	blocks	$\frac{1}{4}$ yard	7951-R
Fabric S	blocks	$\frac{1}{4}$ yard	7949-N
Fabric T	blocks	$\frac{1}{4}$ yard	7957-RO
Fabric U	blocks	$\frac{1}{4}$ yard	7958-NL
Fabric V	blocks	$\frac{1}{4}$ yard	7953-T
Fabric W	blocks	$\frac{1}{4}$ yard	7925-R
Fabric X	blocks	$\frac{1}{4}$ yard	7924-B
Fabric Y	blocks	$\frac{1}{4}$ yard	7952-K
Fabric Z	blocks	$\frac{1}{4}$ yard	7947-B
Backing		4 yards	7947-K

Fabric E Cut (1) $3\frac{1}{2}$ " x WOF strip. Sub-cut the strip into (8) $3\frac{1}{2}$ " squares.
Cut (1) $5\frac{1}{2}$ " x WOF strip. Sub-cut the strip into (1) $5\frac{1}{2}$ " square and (1) $4\frac{1}{2}$ " square.

Fabric F Cut (1) $8\frac{1}{2}$ " x WOF strip. Sub-cut the strip into (2) 2" x $8\frac{1}{2}$ " strips, (2) 2" x $5\frac{1}{2}$ " strips, (2) $3\frac{1}{2}$ " x $6\frac{1}{2}$ " strips and (2) $7\frac{1}{4}$ " squares. Cut the $7\frac{1}{4}$ " squares across both diagonals to make (8) triangles. *You will only use (6) of the triangles.*
Cut (1) $4\frac{7}{8}$ " x WOF strip. Sub-cut the strip into (2) $4\frac{7}{8}$ " squares and (8) $3\frac{7}{8}$ " squares. Cut the $3\frac{7}{8}$ " squares across (1) diagonal to make (16) triangles.
Cut (1) $2\frac{1}{2}$ " x WOF strip. Sub-cut the strip into (5) $2\frac{1}{2}$ " squares.

Ma and Pa


- Fabric G** Cut (1) 4 1/4" x WOF strip. Sub-cut the strip into (4) 4 1/4" squares. Cut the squares across both diagonals to make (16) triangles.
Cut (1) 3 7/8" x WOF strip. Sub-cut the strip into (6) 3 7/8" squares.
Cut (1) 3 1/2" x WOF strip. Sub-cut the strip into (8) 3 1/2" squares.
- Fabric H** Cut (1) 7 1/4" x WOF strip. Sub-cut the strip into (1) 7 1/4" square and (4) 4 1/4" squares. Cut the squares across both diagonals to make (4) 7 1/4" triangles and (16) 4 1/4" triangles.
- Fabric I** Cut (1) 6 1/2" x WOF strip. Sub-cut the strip into (1) 6 1/2" square, (2) 3 1/2" x 6 1/2" strips.
- Fabric J** Cut (1) 6 1/2" x WOF strip. Sub-cut the strip into (6) 3 1/2" x 6 1/2" strips and (4) 3 1/2" squares.
Cut (1) 2 1/2" x WOF strip. Sub-cut the strip into (11) 2 1/2" squares.
Cut (1) 3 7/8" x WOF strip. Sub-cut the strip into (4) 3 7/8" squares and (8) 2" squares.
- Fabric K** Cut (1) 7 1/4" x WOF strip. Sub-cut the strip into (1) 7 1/4" square and (4) 3 1/2" squares. Cut the 7 1/4" square across both diagonals to make (4) triangles. You will only use (2) of the triangles.
- Fabric L** Cut (1) 3 1/2" x WOF strip. Sub-cut the strip into (4) 3 1/2" x 6 1/2" strips and (4) 3 1/2" squares.
Cut (1) 8 1/2" x WOF strip. Sub-cut the strip into (4) 2 1/2" x 8 1/2" strips and (4) 2 1/2" x 4 1/2" strips.
- Fabric M** Cut (1) 3 7/8" x WOF strip. Sub-cut the strip into (6) 3 7/8" squares and (4) 2 1/2" squares.
- Fabric N** Cut (1) 2 1/2" x WOF strip. Sub-cut the strip into (8) 2 1/2" squares.
- Fabric O** Cut (1) 4 1/2" x WOF strip. Sub-cut the strip into (8) 2 1/2" x 4 1/2" strips and (4) 3 1/2" squares.
Cut (1) 3 1/2" x WOF strip. Sub-cut the strip into (12) 3 1/2" squares.
- Fabric P** Cut (1) 6 1/2" x WOF strip. Sub-cut the strip into (1) 6 1/2" square and (2) 3 1/2" x 6 1/2" strips.
- Fabric Q** Cut (1) 3 7/8" x WOF strip. Sub-cut the strip into (2) 3 7/8" squares and (8) 3 1/2" squares.
Cut (1) 4 7/8" x WOF strip. Sub-cut the strip into (2) 4 7/8" squares and (4) 2 1/2" x 4 1/2" strips.
- Fabric R** Cut (1) 6 7/8" x WOF strip. Sub-cut the strip into (1) 6 7/8" square and (4) 3 1/2" x 6 1/2" strips. Cut the 6 7/8" square across (1) diagonal to make (2) triangles.
- Fabric S** Cut (1) 7 1/4" x WOF strip. Sub-cut the strip into (1) 7 1/4" square, (2) 3 7/8" squares and (2) 2 1/2" squares. Cut the 7 1/4" square across both diagonals to make (4) triangles.
- Fabric T** Cut (1) 7 1/4" x WOF strip. Sub-cut the strip into (1) 7 1/4" square and (3) 2 1/2" squares. Cut the 7 1/4" square across both diagonals to make (4) triangles. *You will only use (2) of the triangles.*
- Fabric U** Cut (1) 7 1/4" x WOF strip. Sub-cut the strip into (1) 7 1/4" square and (6) 3 7/8" squares. Cut the 7 1/4" square across both diagonals to make (4) triangles.
- Fabric V** Cut (1) 7 1/4" x WOF strip. Sub-cut the strip into (1) 7 1/4" square and (2) 3 7/8" squares and (4) 3 1/2" squares. Cut the 7 1/4" square across both diagonals to make (4) triangles. *You will only use (2) of the triangles.*
- Fabric W** Cut (1) 7 1/4" x WOF strip. Sub-cut the strip into (1) 7 1/4" square. Cut the 7 1/4" square across both diagonals to make (4) triangles.
- Fabric X** Cut (1) 3 7/8" x WOF strip. Sub-cut the strip into (4) 3 7/8" squares and (5) 3 1/2" squares.
- Fabric Y** Cut (1) 3 7/8" x WOF strip. Sub-cut the strip into (4) 3 7/8" squares.
- Fabric Z** Cut (1) 6 1/2" x WOF strip. Sub-cut the strip into (2) 6 1/2" squares and (4) 3 7/8" squares.
- Backing** Cut (2) 72" x WOF strips. Sew the strips together and trim to make (1) 72" x 72" backing.

Ma and Pa

Making the Quilt

1. Block Assembly

Place (1) $3\frac{7}{8}$ " Fabric G square on top of (1) $3\frac{7}{8}$ " Fabric Z square, right sides together. Draw a line across the diagonal of the top square (Diagram 1). Sew $\frac{1}{4}$ " away from each side of the drawn diagonal line (Diagram 1). Cut the two squares apart on the drawn diagonal line (Diagram 1) to make (2) ZG units. Trim the ZG units to measure $3\frac{1}{2}$ " square. Repeat to make (8) ZG units total.



2. Sew (1) Fabric F $3\frac{7}{8}$ " triangle, (1) Fabric G triangle and (1) Fabric H $4\frac{1}{4}$ " triangle together to make (1) FGH unit (Diagram 2). Repeat to make (8) FGH units total.




3. Sew (1) Fabric H $4\frac{1}{4}$ " triangle, (1) Fabric G triangle and (1) Fabric F $3\frac{7}{8}$ " triangle together to make (1) HGF unit (Diagram 3). Repeat to make (8) HGF units total.




4. Sew (1) FGH unit and (1) HGF unit together to make (1) side strip. Repeat to make (8) side strips total.

5. Place (1) $3\frac{1}{2}$ " Fabric E square on the top left corner of (1) $6\frac{1}{2}$ " Fabric Z square, right sides together (Diagram 4). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Diagram 4). Flip open the triangle formed and press (Diagram 4). Trim away the excess fabric from behind the triangle $\frac{1}{4}$ " away from the sewn seam.




7. Repeat Steps 4-5 to make a second Z-block.


8. Sew (1) side strip to each side of (1) Z-block. Sew (1) ZG unit to each end of (1) side strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Z-block to make (1) Block One (Diagram 5). Repeat to make a second Block One.



9. Sew (1) Fabric S triangle, (1) Fabric F $7\frac{1}{4}$ " triangle, (1) Fabric H $7\frac{1}{4}$ " triangle and (1) Fabric W triangle together to make (1) SH unit (Diagram 6). Repeat to make (4) SH units total.




10. Sew (4) SH units together to make (1) Block Two (Diagram 7).




11. Repeat Step 1 using (2) $3\frac{7}{8}$ " Fabric Q squares and (2) $3\frac{7}{8}$ " Fabric M squares to make (4) $3\frac{1}{2}$ " MQ units (Diagram 8).



12. Repeat Steps 5-6 using (1) $6\frac{1}{2}$ " Fabric P square and (4) $3\frac{1}{2}$ " Fabric D squares to make (1) P-block (Diagram 9).



13. Place (1) $3\frac{1}{2}$ " Fabric Q square on the left side of (1) $3\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric J strip, right sides together (Diagram 10). Sew across the diagonal of the square from the upper right corner to the lower left corner (Diagram 10). Flip open the triangle formed and press (Diagram 10). Trim away the excess fabric from behind the triangle, leaving a $\frac{1}{4}$ " seam allowance.




Ma and Pa


14. Place another 3 1/2" Fabric Q square on the right side of the 3 1/2" x 6 1/2" Fabric J strip, right sides together (Diagram 10). Sew across the diagonal of the square from the upper left corner to the lower right corner (Diagram 10). Flip open the triangle formed and press (Diagram 10). Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance to make (1) QJQ unit.

15. Repeat Steps 13-14 to make (4) QJQ units total.


16. Sew (1) QJQ unit to each side of (1) P-block. Sew (1) MQ unit to each end of QJQ unit. Repeat to make a second strip. Sew the strips to the top and to the bottom of the P-block to make (1) Block Three (Diagram 11).




17. Repeat Steps 13-14 using (4) 3 1/2" x 6 1/2" Fabric L strips, (4) 3 1/2" Fabric D squares and (4) 3 1/2" Fabric K squares to make (4) DLK units (Diagram 12).




18. Repeat Steps 5-6 using (1) 6 1/2" Fabric I square and (4) 3 1/2" Fabric J squares to make (1) I-block (Diagram 13).




19. Sew (1) DLK strip to each side of the I-block. Sew (1) 3 1/2" Fabric L square to each end of (1) DLK unit. Repeat to make a second strip. Sew the strips to the top and to the bottom of the I-block to make (1) Block Four (Diagram 14).



20. Repeat Step 1 using (2) 3 7/8" Fabric S squares and (2) 3 7/8" Fabric G squares to make (4) 3 1/2" GS units (Diagram 15).




21. Repeat Steps 13-14 using (4) 3 1/2" x 6 1/2" Fabric R strips and (8) 3 1/2" Fabric G squares to make (4) GRG units (Diagram 16).




22. Sew (2) Fabric F 7 1/4" triangles and (2) Fabric K 7 1/4" triangles together to make (1) FK unit (Diagram 17).




23. Sew (1) GRG strip to each side of the FK unit. Sew (1) GS unit to each end of (1) GRG strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the FK unit to make (1) Block Five (Diagram 18).




24. Repeat Step 1 using (2) 4 7/8" Fabric Q squares and (2) 4 7/8" Fabric F squares to make (4) 4 1/2" QF units (Diagram 19).




25. Sew (1) 2 1/2" x 4 1/2" Fabric Q strip and (1) 2 1/2" x 4 1/2" Fabric D strip together lengthwise to make (1) QD unit. Repeat to make (4) QD units total (Diagram 20).




26. Sew (1) QD unit to each side of (1) 4 1/2" Fabric E square. Sew (1) QF unit to each end of (1) QD unit. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Fabric E square to make (1) Block Six (Diagram 21).



27. Sew (1) 2 1/2" Fabric T square, (1) 2 1/2" Fabric A square, (1) 2 1/2" Fabric F square and (1) 2 1/2" Fabric J square together to make (1) TJ unit (Diagram 22).



28. Sew (1) 2 1/2" x 4 1/2" Fabric L strip to each side of the TJ unit. Sew (1) 2 1/2" Fabric J square to the left end of (1) 2 1/2" x 4 1/2" Fabric L strip. Sew (1) 2 1/2" Fabric F square to the right end of the Fabric L strip. Sew this strip to the top of the TJ unit. Sew (1) 2 1/2" Fabric A square to the left end of (1) 2 1/2" x 4 1/2" Fabric L strip. Sew (1) 2 1/2" Fabric T square to the right end of the strip. Sew this strip to the bottom of the TJ unit (Diagram 23).



Ma and Pa

- 29.** Sew (1) 2 1/2" x 8 1/2" Fabric L strip to each side of the TJ unit. Sew (1) 2 1/2" Fabric T square to the left end of (1) 2 1/2" x 8 1/2" Fabric L strip. Sew (1) 2 1/2" Fabric A square to the right end of the Fabric L strip. Sew this strip to the top of the TJ unit. Sew (1) 2 1/2" Fabric F square to the left end of (1) 2 1/2" x 8 1/2" Fabric L strip. Sew (1) 2 1/2" Fabric J square to the right end of the strip. Sew this strip to the bottom of the TJ unit (Diagram 24) to make (1) Block Seven.




Diagram 24

- 30.** Sew (1) Fabric U triangle, (1) Fabric V triangle and (1) Fabric D triangle together to make (1) UVD unit (Diagram 25).




Diagram 25

- 31.** Sew (1) 2 1/2" Fabric F square to the lower right corner of (1) UVD unit, right sides together. Sew across the diagonal of the smaller square from the upper right corner to the lower left corner. Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle 1/4" away from the sewn seam to make (1) UVDF unit (Diagram 26).




Diagram 26




Diagram 27

- 32.** Repeat Steps 30-31 to make a second UVDF unit (Diagram 27).

- 33.** Repeat Steps 30-31 using (2) Fabric U, (2) Fabric T and (2) Fabric R triangles and (2) 2 1/2" Fabric S squares to make (2) UTRS units (Diagrams 28-30).




Diagram 28




Diagram 29




Diagram 30

- 34.** Sew the (2) UVDE units and (2) UTRS units together to make (1) Block Eight (Diagram 31).

Block Eight




Diagram 31

- 35.** Sew (1) 2" x 5 1/2" Fabric F strip to each side of (1) 5 1/2" Fabric E square. Sew (1) 2" x 8 1/2" Fabric F strip to the top and to the bottom of the Fabric E square to make (1) FE-block (Diagram 32).




Diagram 32

- 36.** Repeat Steps 13-14 using (4) 2 1/2" x 4 1/2" Fabric O strips, (4) 2 1/2" Fabric N squares and (4) 2 1/2" Fabric J squares to make (4) NOJ units (Diagram 33).




Diagram 33

- 37.** Repeat Steps 13-14 using (4) 2 1/2" x 4 1/2" Fabric O strips, (4) 2 1/2" Fabric J squares and (4) 2 1/2" Fabric N squares to make (4) JON units (Diagram 34).



Diagram 34

- 38.** Sew (1) NOJ and (1) JON strip together end to end to make (1) O-strip. Repeat to make (4) O-strips total.

- 39.** Sew (1) O-strip to each side of the FE-block. Sew (1) 2 1/2" Fabric M square to each end of (1) O-strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the FE-block to make (1) Block Nine (Diagram 35).

Block Nine




Diagram 35

- 40.** Repeat Step 1 using (2) 3 7/8" Fabric U squares and (2) 3 7/8" Fabric V squares to make (4) 3 1/2" VU units (Diagram 36).




Diagram 36

- 41.** Repeat Step 1 using (2) 3 7/8" Fabric U squares and (2) 3 7/8" Fabric J squares to make (4) 3 1/2" JU units (Diagram 37).




Diagram 37

- 42.** Repeat Step 1 using (2) 3 7/8" Fabric U squares and (2) 3 7/8" Fabric Y squares to make (4) 3 1/2" YU units (Diagram 38).






Diagram 38

Ma and Pa


- 43.** Repeat Step 1 using (2) $3\frac{7}{8}$ " Fabric J squares and (2) $3\frac{7}{8}$ " Fabric Y squares to make (4) $3\frac{1}{2}$ " JY units (Diagram 39).




- 44.** Follow Diagram 40 and sew (4) VU units, (4) JU units, (4) YU units and (4) JY units together to make (1) Block Ten.




- 45.** Repeat Steps 13-14 using (2) $3\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric I strips and (4) $3\frac{1}{2}$ " Fabric O squares to make (2) OIO units (Diagram 41).




- 46.** Repeat Steps 13-14 using (2) $3\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric P strips and (4) $3\frac{1}{2}$ " Fabric O squares to make (2) OPO units (Diagram 42).




- 47.** Repeat Steps 13-14 using (2) $3\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric J strips and (4) $3\frac{1}{2}$ " Fabric O squares to make (2) OJO units (Diagram 43).




- 48.** Repeat Steps 13-14 using (2) $3\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric F strips and (4) $3\frac{1}{2}$ " Fabric O squares to make (2) OFO units (Diagram 44).




- 49.** Follow Diagram 45 and sew (2) OIO units, (2) OPO units, (2) OJO units and (2) OFO units together to make (1) Block Eleven.



- 50.** Sew (1) 2 " x $3\frac{1}{2}$ " Fabric A strip to each side of (1) $3\frac{1}{2}$ " Fabric X square. Sew (1) 2 " x $6\frac{1}{2}$ " Fabric A strip to the top and to the bottom of the Fabric X square to make (1) X-block (Diagram 46).





- 51.** Repeat Steps 5-6 using (1) X-block and (4) $3\frac{1}{2}$ " Fabric V squares to make (1) VX-block (Diagram 47).




- 52.** Repeat Step 1 using (4) $3\frac{7}{8}$ " Fabric M squares and (4) $3\frac{7}{8}$ " Fabric X squares to make (8) $3\frac{1}{2}$ " MX units (Diagram 48).



- 53.** Sew (1) 2 " Fabric J square to the upper right corner of (1) MX unit, right sides together. Sew across the diagonal of the smaller square from the upper left corner to the lower right corner. Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle $\frac{1}{4}$ " away from the sewn seam to make (1) MXJ unit (Diagram 49). Repeat to make (8) MXJ units total (Diagram 50).



- 54.** Sew two MXJ units together to make (1) strip. Repeat to make (4) strips total. Sew (1) strip to each side of (1) VX-block. Sew (1) $3\frac{1}{2}$ " Fabric X square to each end of the remaining (2) strips. Sew the strips to the top and to the bottom of the VX-block to make (1) Block Twelve (Diagram 51).



Quilt Top Assembly:

(Refer to the Quilt Layout when assembling the quilt top.)

Note: Refer to Diagram 52 for Steps 55-59.

- 55.** Sew (1) 2 " x $12\frac{1}{2}$ " Fabric C strip to each side of the Block One. Sew (1) 2 " Fabric D square to each end of (1) 2 " x $12\frac{1}{2}$ " Fabric C strip to make (1) CD strip. Sew this strip to the top of the Block One. Sew (1) Fabric A side setting triangle to each side of the Block One. Sew (1) Fabric A corner setting triangle to the top of the Block One to make Row One. Repeat To make Row Five except sew the CD strip to the bottom of the Block One.

Ma and Pa

56. Sew (4) 2" x 12 1/2" Fabric C strips, (1) Block Two, (1) Block Three and (1) Block Four together to make (1) Row Two strip. Sew (4) 2" Fabric D squares and (3) 2" x 12 1/2" Fabric C strips together, alternating them. Sew this strip to the top of the Row Two strip. Sew (1) Fabric A side setting triangle to each end of the Row Two strip to make Row Two.

57. Sew (6) 2" x 12 1/2" Fabric C strips, (1) Block Five, (1) Block Six, (1) Block Seven, (1) Block Eight and (1) Block Nine together to make (1) Row Three strip. Sew (6) 2" Fabric D squares and (5) 2" x 12 1/2" Fabric C strips together, alternating them, to make (1) strip. Repeat to make second strip. Sew the strips to the top and to the bottom of the Row Three strip. Sew (1) Fabric A corner setting triangle to each end of the Row Three strip to make (1) Row Three.

58. Sew (4) 2" x 12 1/2" Fabric C strips, (1) Block Ten, (1) Block Eleven and (1) Block Twelve together to make (1) Row Four strip. Sew (4) 2" Fabric D squares and (3) 2" x 12 1/2" Fabric C strips together, alternating them. Sew this strip to the bottom of the Row Four strip. Sew (1) Fabric A side setting triangle to each end of the Row Two strip to make Row Four.

59. Sew the (5) rows together to make the quilt top. Trim to measure 60 1/2" x 60 1/2".

60. Sew (1) 2 1/2" x 60" Fabric B strip to each side of the quilt top. Trim the Fabric B strips even with the quilt top.

61. Sew (1) 2 1/2" x 64 1/2" Fabric B strip to the top and to the bottom of the quilt top. Trim the strips even with the quilt top. The quilt should measure approximately 64" x 64".

Finishing the Quilt

62. Layer and quilt as desired.

63. Sew the (7) 2 1/2" x WOF Fabric A strips together, end to end with a 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.

64. Bind as desired.





Diagram 52

Ma and Pa



Quilt Layout

Little House on the Prairie®



BY KATHY HALL



Blend with fabrics from *Dimples* by Andover Fabrics



Fabrics shown are 25% of actual size.

About Our Fabrics

A recognized leader in the quilting industry, Andover Fabrics features designs by a wide variety of talented fabric artists. Catering to the tastes of creative and dedicated quilters, Andover has a style for every look — authentic reproductions, romantic florals, exotic Orientals, ethnic influence, whimsical, funky, playful or basic. Collections are supported with “free-to-use” patterns on their website.

andover

makower uk
The Henley Studio

Free Pattern Download Available

1384 Broadway New York, NY 10018
Tel. (800) 223-5678 • andoverfabrics.com