

## Box Trot Quilt (Q-003)



# Fabric requirements Fabric A: 214-0001 White 7/8 yard



Fabric C



Fabric B:

3/8 yard

Fabric D

3240202 #1

3240204 #2

Fabric E 3240203 #1 1/4 yard



Fabric G



Fabric H 3240207 #2 3240205 #3 1/4 yard 1/4 yard



Fabric I 3240207 #3 1/4 yard

Fabric J 3240201 #2 1/4 yard



Fabric K Fabric L 3240205 #2 3240204 #3 1/4 yard 1/4 yard



Fabric M (Binding) 3240206 #2


3/8 yard

Fabric N

3240201 #1 1/4 yard



Fabric O (Backing) 3240202 #2 2-7/8 yards



Exclusive Quilt Design by Chris Hoover of Whirligig Designs for Camelot Fabrics Fabric collection: Flourish by Ciana Bodini for Camelot Fabrics The direction of the fabrics in the digital imagery may not be accurate to the final product.

## Whirligig Designs &



Blog, Facebook, Twitter @CamelotFabrics Pinterest, YouTube & Instagram @Camelot\_Fabrics camelotfabrics.com • camelotfabricsblog.com Toll-Free: 1-800-361-4120 • 514-382-2400 info@camelotfabrics.com • www.camelotfabrics.com

Finished Quilt Size: 44" x 51"

### Other Tools & Supplies

- Rotary Cutter, Mat, Rulers, Straight Pins, Sewing machine, and threads to match your fabrics.
- 1-1/3 yards of quilt batting (58" wide)

#### **General Instructions:**

For best results, read all directions before beginning. Use an accurate  $\frac{1}{4}$ " seam allowance for all sewing. WOF = width of fabric.

### Cutting

#### Fabric A:

Cut 13 – 2" strips WOF for sashing.

From 10 strips, cut 10 – 2" x 41 ½" rectangles.

#### Fabric B:

Cut 12 – 1" strips WOF.

From strips, cut 26 – 1" x 6 ½" rectangles, 46 – 1" x 4 ½" rectangles and 20 – 1" x 3 ½" rectangles.

#### Fabric C, Fabric E, Fabric F, Fabric H and Fabric J:

From each fabric, cut 1 – 4 ½" strip WOF.

From each strip, cut 2 – 4 ½" x 13 ½" rectangles and 1 – 4 ½" x 7 ½" rectangle. You will have extras.

#### Fabric D:

Cut 1 – 4 ½" strip WOF.

From strip, cut 2 – 4 ½" x 13 ½" rectangles.

#### Fabric G and Fabric I:

From each fabric, cut 1 – 4 ½" strip WOF.

From each strip, cut 1 – 4 ½" x 13 ½" rectangle and 2 – 4 ½" x 7 ½" rectangles. You will have extras.

#### Fabric K:

Cut 1 – 3 ½" strip WOF.

From strip, cut 4 – 3 ½" squares and 3 – 3 ½" x 6 ½" rectangles.

#### Fabric L:

Cut 1 – 3 ½" strip WOF.

From strip, cut  $6 - 3 \frac{1}{2}$ " squares and  $2 - 3 \frac{1}{2}$ " x  $6 \frac{1}{2}$ " rectangles.

#### Fabric M:


Cut 5 – 2 1/4" strips WOF for binding.

#### Fabric N:

Cut 2 – 3 ½" strips WOF.

From strips, cut 8 – 3 ½" x 6 ½" rectangles.

## Piecing:



Fabric K - Make (4) Fabric L - Make (6)


#### 1. For 3 1/2" Fabric K and Fabric L squares:

Sew two 1" x 3 ½" Fabric B rectangles to opposite sides of a Fabric K square. Sew two 1" x 4 ½" Fabric B rectangles to the remaining two sides of the Fabric K square; Make 4. Repeat process for Fabric L squares; Make 6.




#### 2. For 3 ½" x 6 ½" Fabric K, Fabric L and Fabric N rectangles:

Sew two 1" x 6 ½" Fabric B rectangles to the top and bottom of the fabric K rectangle. Sew two 1" x 4 ½" Fabric B rectangles to the remaining two sides of the fabric K rectangle; Make 3. Repeat process for Fabric L rectangles; Make 2. Repeat process for Fabric N rectangles; Make 8.



## Putting it all together:

1. Arrange squares and rectangles from last 2 steps, 4 ½" x 7 ½" and 4 ½" x 13 ½" assorted rectangles and 10 – 2" x 41 ½" Fabric A rectangles, referring to the quilt illustration on Page 1. Sew together in rows. Sew rows and Sashing strips together, top-to-bottom, as shown below.



- 2. Sew remaining  $3 2^n$  Fabric A strips together end to end. Cut  $2 2^n$  x 51  $\frac{1}{2}^n$  rectangles and sew to sides of quilt center.
- 3. Cut Fabric O (backing) into two equal lengths (approximately 51  $\frac{3}{4}$ ") and seam together along the selvedge. Layer quilt top with batting and backing. Baste and quilt as desired, and bind with 2  $\frac{1}{4}$ " Fabric M strips.

