


LODGE LIFE

by Jackie Decker

Quilt design by Mary Lou Hallenbeck of H.D. Designs

Quilt size: approximately 64" x 88"



FABRIC REQUIREMENTS:

Yardages are based on 40" wide, unwashed fabric.

- A. Pattern #26127 – MULIF $\frac{3}{4}$ yard
- B. Pattern #26131 – CREIF $2\frac{1}{4}$ yards
- C. Pattern #26131 – BLAIF $2\frac{3}{8}$ yards
- D. Pattern #26128 – WINIF 2 yards
- E. Pattern #26128 – GREIF $\frac{1}{4}$ yard
- F. Pattern #26128 – DKGOLIF $\frac{5}{8}$ yard
- G. Pattern #26133 – REDIF $\frac{1}{8}$ yard
- H. Pattern #26133 – BEIIF $\frac{1}{2}$ yard
- I. Pattern #26132 – BLAIF $\frac{3}{8}$ yard
- J. Pattern #26129 – GREIF $\frac{1}{3}$ yard
- K. Pattern #26129 – REDIF $\frac{1}{3}$ yard
- L. Pattern #26130 – BLUIF $\frac{7}{8}$ yard
- Backing $5\frac{1}{2}$ yards
- Batting $76" \times 96"$

Additional supplies: clear template plastic

CUTTING INSTRUCTIONS:

Please read all instructions carefully before beginning. $\frac{1}{4}"$ seam allowance is included in measurements and all strips are cut across the width of the fabric unless noted otherwise. Label pieces and keep together until ready to sew. These instructions are based on unwashed fabrics. LOF = length of fabric. WOF = width of fabric. Prepare templates for the B and E triangles.

A. Pattern #26127 – MULIF (main print):

- Fussy-cut four $11\frac{1}{2}"$ squares.

B. Pattern #26131 – CREIF (toss):

- Cut two $4\frac{1}{2}" \times 72\frac{1}{2}"$ strips and two $4\frac{1}{2}" \times 56\frac{1}{2}"$ strips along LOF.

- Fussy-cut four triangles with bear centered using Template B, cutting two for right positions and two for left positions as shown in the cover quilt.

C. Pattern #26131 – BLAIF (toss):

- Cut two $4\frac{1}{2}" \times 80\frac{1}{2}"$ strips and two $4\frac{1}{2}" \times 64\frac{1}{2}"$ strips along LOF.
- Fussy-cut one $7\frac{1}{2}" \times 9\frac{1}{2}"$ rectangle, centering moose.

D. Pattern #26128 – WINIF (bears):

- Cut seven $3\frac{1}{2}" \times$ LOF strips. Sub-cut six $3\frac{1}{2}" \times 48\frac{1}{2}"$ strips, six $3\frac{1}{2}" \times 12\frac{1}{2}"$ strips and four $3\frac{1}{2}" \times 9\frac{1}{2}"$ strips.
- Cut five $2\frac{1}{4}" \times$ LOF strips for binding.

E. Pattern #26128 – GREIF (bears):

- Cut two triangles using Template E.

F. Pattern #26128 – DKGOLIF (bears):

- Cut one $4\frac{7}{8}" \times$ WOF strip. Sub-cut two $4\frac{7}{8}"$ squares and eight $2\frac{7}{8}"$ squares. Cut the $4\frac{7}{8}"$ squares in half diagonally to make four triangles.
- Cut three $2\frac{1}{2}" \times$ WOF strips. Sub-cut eight $2\frac{1}{2}" \times 12\frac{1}{2}"$ strips.
- Cut three $1\frac{1}{2}" \times$ WOF strips. Sub-cut eight $1\frac{1}{2}" \times 6\frac{1}{2}"$ strips, eight $1\frac{1}{2}" \times 4\frac{1}{2}"$ strips and two $1\frac{1}{2}" \times 2"$ rectangles.

G. Pattern #26133 – REDIF (animal tracks):

- Cut one $2\frac{1}{2}" \times$ WOF strip. Sub-cut four $2\frac{1}{2}"$ squares.

H. Pattern #26133 – BEIIF (animal tracks):

- Cut two $1\frac{1}{2}" \times$ WOF strips. Sub-cut eight $1\frac{1}{2}" \times 2\frac{1}{2}"$ strips, eight $1\frac{1}{2}" \times 4\frac{1}{2}"$

strips and four $1\frac{1}{2}" \times 2\frac{3}{4}"$ strips.

- Cut one $2\frac{7}{8}" \times$ WOF strip. Sub-cut eight $2\frac{7}{8}"$ squares. From remainder sub-cut four $2\frac{1}{2}"$ squares.
- Cut one $3\frac{3}{4}" \times$ WOF strip. Sub-cut two $3\frac{3}{4}" \times 6\frac{1}{8}"$ rectangles. Cut one rectangle in half from upper right narrow end corner to lower left and the second in half from upper left narrow end corner to lower right to make two triangles and two reverse triangles.
- Cut six $1" \times$ WOF strips. Sub-cut eight $1" \times 12\frac{1}{2}"$ strips and eight $1" \times 11\frac{1}{2}"$ strips.

I. Pattern #26132 – BLAIF (words):

- Cut one $6\frac{1}{2}" \times$ WOF strip. Sub-cut four $6\frac{1}{2}" \times 8"$ rectangles.
- Cut one $2\frac{1}{2}" \times$ WOF strip. Sub-cut sixteen $2\frac{1}{2}"$ squares.

J. Pattern #26129 – GREIF (check):

- Cut two $2\frac{1}{2}" \times$ WOF strips. Sub-cut eight $2\frac{1}{2}" \times 9\frac{1}{2}"$ rectangles.

K. Pattern #26129 – REDIF (check):

- Cut two $2\frac{1}{2}" \times$ WOF strips. Sub-cut eight $2\frac{1}{2}" \times 8\frac{1}{2}"$ rectangles.

L. Pattern #26130 – BLUIF (fish):

- Cut five $2" \times$ WOF strips.
- Cut five $2" \times$ WOF strips. Sub-cut two $2" \times 10\frac{1}{2}"$ strips, two $2" \times 9\frac{1}{2}"$ strips, eight $2" \times 8\frac{1}{2}"$ strips and twelve $2" \times 6\frac{1}{2}"$ strips.
- Cut two $1\frac{1}{2}"$ strips. Sub-cut eight $1\frac{1}{2}" \times 6\frac{1}{2}"$ rectangles.

PIECING INSTRUCTIONS:

A. Framed Blocks:

- Sew $1" \times 11\frac{1}{2}"$ H strips to the sides of the A $11\frac{1}{2}"$ squares. Press seams toward H. Sew $1" \times 12\frac{1}{2}"$ H strips to the top and bottom. Press seams toward H (Figure 1).
- Sew a $2\frac{1}{2}" \times 12\frac{1}{2}"$ F strip to opposite sides to complete four $16\frac{1}{2}" \times 12\frac{1}{2}"$ Framed blocks. Press seams toward F (Figure 1.)




Figure 1
Make 4.

B. Bear Paw Blocks:

- Sew one F triangle together with one B cream bear triangle to create one $4\frac{1}{2}"$ half square triangle (HST) unit. Open and press toward F. Make a total of two of each direction large HST units (Figure 2).




Figure 2
Make 2 of each.

- Lightly draw a diagonal line on eight F $2\frac{7}{8}"$ squares. Place each right sides together with an H $2\frac{7}{8}"$ square. Sew $\frac{1}{4}"$ away from each side of the drawn line. Cut in half on the drawn line. Open and press toward F. Creates sixteen $2\frac{1}{2}"$ half square triangle (HST) small units (Figure 3).



Figure 3
Make 16.

- Sew together four small HST, one large HST and one H $2\frac{1}{2}"$ square as shown to make a $6\frac{1}{2}"$ Bear Paw unit (Figure 4). Press seams toward the large HST and to the F sides. Make four units, two in each direction.




Figure 4
Make 2 of each.

- Sew one L $1\frac{1}{2}" \times 6\frac{1}{2}"$ strip to the top and bottom of each unit (Figure 5). Press toward L.
- Sew one L $2" \times 8\frac{1}{2}"$ strip to the sides of each unit (Figure 5). Press toward L.
- Sew a J $2\frac{1}{2}" \times 9\frac{1}{2}"$ strip to the top and bottom of each unit (Figure 6). Press toward J.
- Sew an I $2\frac{1}{2}"$ square to each end of the eight K $2\frac{1}{2}" \times 8\frac{1}{2}"$ strips. Press toward K. Sew strips to the sides of each unit to make four $12\frac{1}{2}" \times 12\frac{1}{2}"$ Bear Paw blocks (Figure 6). Press toward I/K strips.




Figure 5




Figure 6
Make 2 of each.

C. Rows 1 & 5:

- Sew a Bear Paw block to each side of a Framed block (Figure 7). Press toward the Framed block.




Figure 7
Make 2.

- Sew a D $3\frac{1}{2}$ " x $12\frac{1}{2}$ " strip to each end to make a $12\frac{1}{2}$ " x $48\frac{1}{2}$ " row as shown (Figure 7). Make two rows. Press toward D.

D. Row 3:

- Sew an L 2 " x $9\frac{1}{2}$ " strip to opposite sides of the C $7\frac{1}{2}$ " x $9\frac{1}{2}$ " rectangle (Figure 8). Press toward L.
- Sew an L 2 " x $10\frac{1}{2}$ " strip to the top and bottom of the C $7\frac{1}{2}$ " x $9\frac{1}{2}$ " rectangle (Figure 8). Press toward L.
- Sew a Framed block to the sides of the pieced rectangle (Figure 9). Press toward the Framed blocks.
- Sew a D $3\frac{1}{2}$ " x $12\frac{1}{2}$ " strip to each end to complete the $12\frac{1}{2}$ " x $48\frac{1}{2}$ " row as shown (Figure 9). Press toward D.





Figure 9

E. Log Cabin Blocks:

- Sew one H $1\frac{1}{2}$ " x $2\frac{1}{2}$ " strip to opposite sides of G $2\frac{1}{2}$ " squares (Figure 10). Press toward H.
- Sew one H $1\frac{1}{2}$ " x $4\frac{1}{2}$ " strip to the top and bottom of the piece from Step 1 (Figure 10). Press toward H.
- Repeat with F $1\frac{1}{2}$ " x $4\frac{1}{2}$ " strips and F $1\frac{1}{2}$ " x $6\frac{1}{2}$ " strips to make four $6\frac{1}{2}$ " Log Cabin units. Press toward F.
- Sew one L 2 " x $6\frac{1}{2}$ " strip to one side of each unit to make four 8 " x $6\frac{1}{2}$ " Log Cabin blocks. (Figure 11). Press toward L.




Figure 10

Make 4.




Figure 11

Make 4.

F. Word Blocks:

- Sew one L 2 " x $6\frac{1}{2}$ " strip to opposite sides of the I $6\frac{1}{2}$ " x 8 " rectangles to make four 11 " x $6\frac{1}{2}$ " Word blocks (Figure 12). Press toward L.



Figure 12

Make 4.

G. Pine Tree Blocks:

- Sew one H $3\frac{3}{4}$ " x $6\frac{1}{8}$ " triangle and reverse triangle to opposite sides of E triangle. Make two (Figure 13). Press toward H.
- Sew one H $1\frac{1}{2}$ " x $2\frac{3}{4}$ " strip to opposite sides of one F $1\frac{1}{2}$ " x 2 " rectangle (Figure 13). Press toward H. Make two.
- Sew strip to bottom of H/E unit to complete one $6\frac{1}{2}$ " x $6\frac{1}{2}$ " Pine Tree block (Figure 13). Press toward the bottom section. Make two.




Figure 13

Make 2.

H. Rows 2 & 4:

- Sew together two Log Cabin blocks, two Word blocks and one Pine Tree block to make a $6\frac{1}{2}$ " x $42\frac{1}{2}$ " row as shown (Figure 14). Press toward Word blocks. Make two.
- Sew the 2 " x WOF L strips short ends together to make a long strip. Press seams open. Cut four 2 " x $42\frac{1}{2}$ " strips. Sew the strips to the top and bottom of the rows (Figure 14). Press toward the strips.
- Sew a D $3\frac{1}{2}$ " x $9\frac{1}{2}$ " strip to each end of the pieced strips to make two $9\frac{1}{2}$ " x $48\frac{1}{2}$ " rows as shown (Figure 14). Press toward D.





Figure 14 Make 2.

ASSEMBLY INSTRUCTIONS: (refer to quilt diagram)


- Sew the rows together with the D $3\frac{1}{2}$ " x $48\frac{1}{2}$ " strips to complete the $48\frac{1}{2}$ " x $72\frac{1}{2}$ " quilt center. Press toward D.
- Sew B $4\frac{1}{2}$ " x $72\frac{1}{2}$ " strips to the long sides of the quilt center and B $4\frac{1}{2}$ " x $56\frac{1}{2}$ " strips to the top and bottom. Press toward B strips.
- Sew C $4\frac{1}{2}$ " x $80\frac{1}{2}$ " strips to the long sides of the quilt center and C $4\frac{1}{2}$ " x $64\frac{1}{2}$ " to the top and bottom to complete the top. Press toward C strips.

FINISHING:


- Prepare backing with a vertical seam to measure 76 " x 96 ".
- Layer backing, batting and quilt top. Baste layers together.
- Quilt as desired.
- Trim layers even with top.
- Join five $2\frac{1}{4}$ " D binding strips together with diagonal seams. Press seams open. Press strip in half lengthwise with wrong sides together to make double-fold binding. Sew binding to quilt using your favorite method.
- Make a label and sew to back of the quilt.




Quilt Diagram



Scale Check for pdf files. When you print these templates, this ruler should measure 2 inches long. If it does not, change, "page scaling" to "none" in the print dialog box.



**Template B
100%
Cut four.**



**Template E
100%
Cut two.**

