



Exclusive Quilt Design by Larene Smith of The Quilted Button for Camelot Fabrics  
Fabric collection: Mama & Me by Andrea Turk of Cinnamon Joe Studio for Camelot Fabrics  
The direction of the fabrics in the digital imagery may not be accurate to the final product.



Blog, Facebook, Twitter @CamelotFabrics  
Pinterest, YouTube & Instagram @Camelot\_Fabrics  
camelotfabrics.com • camelotfabricsblog.com  
Toll-Free: 1-800-361-4120 • 514-382-2400  
info@camelotfabrics.com • www.camelotfabrics.com

## Fabric requirements



Fabric A  
9140605 #1  
1/4 yard



Fabric B  
9140601 #3  
1/2 yard



Fabric C  
9140605 #1  
1/3 yard



Fabric D  
9140603 #1  
1 yard  
(includes binding)



Fabric E  
2144-0028  
1/4 yard



Fabric F  
2142-0085  
1/4 yard



Fabric G  
9140604 #2  
1/4 yard




Fabric H  
9140602 #3  
1/2 yard



Fabric I  
2141-0028  
1/4 yard



Fabric J  
9140603 #3  
1/2 yard



Fabric K  
9140604 #1  
2-1/4 yards



Fabric L  
9140605 #2  
1/4 yard




Fabric M  
2144-0085  
1/3 yard



Fabric N  
9140604 #3  
1/2 yard



Fabric O  
2141-0028  
1/4 yard



Fabric P (Sashing)  
214-0001 White  
1-1/3 yards



Backing:  
9140605 #3  
3-5/8 yards

Finished Quilt Size: 56" x 71"

## OTHER TOOLS & SUPPLIES

2-1/4 yds quilt batting (58" wide)

Rotary Cutter, Mat, Rulers (a 15-1/2" square ruler would be helpful), Straight Pins, Sewing machine, and threads to match your fabrics.

## NOTES

For best results, read all directions before beginning.

Use an accurate 1/4" seam allowance for all sewing.

WOF = Width of Fabric.

Press all seams open unless directed, to decrease bulk.

Finished Block is 15" square.

Sashing is 1/2" finished.

To prevent confusion, group the pieces as you cut, according to their intended blocks.

## CUTTING

Fabric A – Cut (1) strip at 7" x WOF

Sub-cut into (5) 7" x 4-1/2" rectangles

(Blocks F, H, I, J, K).

Fabric B – Cut (1) strip at 11-1/2" x WOF

Sub-cut into (5) 11-1/2" x 7" rectangles

(Blocks B, C, D, E, G).

Fabric C – Cut (2) strips at 4" x WOF

Sub-cut into (4) 4" x 11-1/2" rectangles

(Blocks F, H, I, J, K).

Fabric D – Cut (1) strip at 15-1/2" x WOF

Sub-cut into (5) 15-1/2" x 4" rectangles

(Blocks F, H, I, J, K).

Cut (7) 2-1/2" x WOF strips for Binding.

Fabric E – Cut (1) strip at 4-1/2" x WOF

Sub-cut into (2) 4-1/2" squares

(Blocks A and L).

Fabric F – Cut (1) strip at 7" x WOF

Sub-cut into (5) 7" x 4-1/2" rectangles

(Blocks B, C, D, E, G).

Fabric G – Cut (1) strip at 4" x WOF

Sub-cut into (2) 4" x 11-1/2" rectangles

(Blocks A and L).

Fabric H – Cut (1) strip at 15-1/2" x WOF

Sub-cut into (2) 15-1/2" x 4" rectangles

(Blocks A and L).

Fabric I – Cut (1) strip at 4-1/2" x WOF

Sub-cut into (5) 4-1/2" squares

(Blocks F, H, I, J, K).

Fabric J – Cut (1) 7" x WOF strip -  
sub-cut (2) 11-1/2" x 7" rectangles  
(Blocks A and L).

Fabric K - Cut as follows:

a. Cut (3) strips at 4" x WOF. Join  
end-to-end, then sub-cut into

(2) 4" x 56" rectangles

(Top/Bottom Outer Border).

b. Cut (2) strips at 4-1/4" x 64" along the  
selvage

(Sides Outer Border).

c. From the balance of the fabric cut (4)  
7" x 11-1/2" rectangles

(Blocks F, H, I, J, K).

Fabric L – Cut (1) strip at 7" x WOF

Sub-cut into (2) 7" x 4-1/2" rectangles

(Blocks A and L).

Fabric M – Cut (2) strips at 4" x WOF

Sub-cut into (5) 4" x 11-1/2" rectangles

(Blocks B, C, D, E, G).

Fabric N – Cut (1) strip at 15-1/2" x WOF

Sub-cut into (5) 15-1/2" x 4" rectangles

(Blocks B, C, D, E, G).

Fabric O – Cut (1) strip at 4-1/2" x WOF

Sub-cut into (5) 4-1/2" squares

(Blocks B, C, D, E, G).



## Fabric R (Sashing)

### Sashing within Blocks:

- a. Cut (1) strip at  $15\frac{1}{2}$ " x WOF – Sub-cut into (12)  $15\frac{1}{2}$ " x 1" rectangles.
- b. From the balance of the fabric cut (24)  $11\frac{1}{2}$ " x 1" rectangles and (12)  $4\frac{1}{2}$ " x 1" rectangles.

### Sashing between Blocks:


- c. Cut (4) strips at 1" x WOF – Sub-cut into (8) 1" x  $15\frac{1}{2}$ " rectangles (Vertical Sashing between Blocks).
- d. Cut (5) strips at 1" x WOF and join end-to-end, then sub-cut into (3) 1" x  $46\frac{1}{2}$ " rectangles (Horizontal Sashing between Blocks).

### Inner Borders:


- e. Cut (6) strips at  $1\frac{1}{2}$ " x WOF and join end-to-end, then sub-cut into (2)  $1\frac{1}{2}$ " x 62" rectangles (Sides Inner Border) and (2)  $1\frac{1}{2}$ " x  $48\frac{1}{2}$ " rectangles (Top/Bottom Inner Border).

## SEWING THE BLOCKS

Note: The same method is used for sewing each block, except that Blocks B, D, F, H, J & L are sewn with the fabrics' patterns "upside down" as these blocks will be rotated 180° in the quilt's final assembly. Use the Cover image and the Block Layout on page 6 as guides, and sew (1) block at a time.




1. Sew (1) Sashing 1" x  $4\frac{1}{2}$ " rectangle to the Bottom of (1)  $4\frac{1}{2}$ " x 7" rectangle. Add (1)  $4\frac{1}{2}$ " square below the Sashing.




2. Sew (1) Sashing 1" x  $11\frac{1}{2}$ " rectangle and (1) 7" x  $11\frac{1}{2}$ " rectangle to the Left of this unit to measure  $11\frac{1}{2}$ " square.







3. Sew (1) 1" x 11-1/2" Sashing rectangle to the Bottom of this square.



4. Sew (1) 4" x 11-1/2" rectangle to the Bottom of the Sashing just sewn to measure 11-1/2" x 15-1/2".



5. Sew (1) 1" x 15-1/2" Sashing rectangle to the Right side of this composite rectangle.




6. Sew (1) 4" x 15-1/2" rectangle to the Sashing just sewn to finish at 15-1/2" square.

This completes Block A; all other blocks are sewn in the same manner, using different fabrics as indicated in the Block Layout diagram. Remember to pay special attention to the blocks' orientation!

## QUILT CENTER

Row 1 – Block A, Fabric R 1" x 15-1/2" Vertical Sashing, Block B, Fabric R 1" x 15-1/2" Vertical Sashing, Block C to measure 46-1/2" x 15-1/2".















Rows 2, 3, and 4 are prepared exactly the same as Row 1, except that they use the remaining blocks as shown in the Block Layout.

Sew the rows together by inserting a Horizontal Sashing strip (1" x 46-1/2") between each row to finish the quilt center at 46-1/2" x 62".

# BLOCK LAYOUT

Note - Grey letters indicate which fabric is used in each piece.



## BORDERS

1. Sew (1) Fabric P 1-1/2" x 62" Inner Border to each side, then sew (1) Fabric P 1-1/2" x 48-1/2" Inner Border each to the Top and Bottom to measure 48-1/2" x 64".
2. Sew (1) Fabric K 4-1/4" x 64" Outer Border to each side, then sew (1) Fabric K 4" x 56" Outer Border each to the Top and Bottom to finish the quilt top at 56" x 71".

## FINISHING

1. Layer the backing, batting, and quilt top and quilt as desired.
2. Bind the quilt with Fabric J strips joined end-to-end.

