

# Into the Woods

SIZE 60 1/2" x 72 1/2"



Liz Goodrick-Dillon LIZ GOODRICK-DILLON







24718-AE



24719-AJ

(also binding)











24716-A (Backing)

KIT REQUIREMENTS Yards Design 24715-A 1 panel 11/2 24716-AE 24716-G 5/8 24717-G 2 24718-AE 3/8 2 24719-AJ 24719-G 5/8 24716-A 41/2 (Backing)

# Cutting

**Note:** All strips are cut across the width of the fabric (perpendicular to the selvages) and all seams are 1/4" unless noted otherwise.

#### A. 24715-A (panel)

- Cut twelve rectangular blocks 6" x 81/2" keeping blocks centered.
- Cut six square blocks 5½" x 5½" keeping blocks centered.

#### B. 24716-AE (taupe scenic toile)

- Cut eight 21/2" strips; subcut twenty four 21/2" x 10½" strips. (Horizontal Sashing)
- Cut two 10½" strips; sub cut twenty five 10½" x 21/2" strips. (Vertical sashing)

#### C. 24716-G (olive scenic toile)

- Cut four 2" strips; subcut sixteen 2" x 8½" strips.
- Cut one 5½" strip; sub cut sixteen 5½" x 2" strips.
- Cut two 2½" strips; subcut thirty 2½" squares.

#### D. 24717-G (dark olive animal patch toss)

- From the length of the fabric (parallel to the selvages), cut two 41/2" x 601/2" strips and two 41/2" x 641/2" strips.
- From remaining fabric, cut two 6" squares.

#### E. 24718-AE (taupe leaves & pinecones)

• Cut six 1½" strips; subcut twenty-four 1½" x 8½" strips.

#### F. 24719-AJ (brown/black woven texture)

- Cut six 13/4" strips; subcut twenty-four 13/4" x 81/2"
- Cut twenty-four 1½" strips; subcut sixteen 1½" x  $8\frac{1}{2}$ " strips and forty  $1\frac{1}{2}$ " x  $10\frac{1}{2}$ " strips. Sew six strips together end to end with diagonal seams; press. From this, cut two 11/2" x 521/2" strips and two 11/2" x 621/2" strips.
- Cut seven 2½" strips for binding.

#### G. 24719-G (olive woven texture)

 Cut seven 2½" strips; subcut ninety-eight 2½" squares.



Lz Goodrick-Dillon LIZ GOODRICK-DILLON

#### Construction

#### Block A (10" finished)

- 1. Sew one (E) 11/2" x 81/2" strip to both sides of one (A) 6" x 8  $\frac{1}{2}$ " block. Press toward the strips.
- 2. Sew one (F)  $1\frac{3}{4}$ " x  $8\frac{1}{2}$ " strip to both sides of the block. Press toward the strips. Sew one (F) 11/2"  $x 10\frac{1}{2}$ " strip to the top and bottom of the block. Press toward the strips. Repeat to make twelve Block A.



Make 12. (centers will be varied)

# Block B (10" finished)

- 1. Sew one (C) 2" x 5½" strip to both sides of one (A) 51/2" square. Press toward the strips. Sew one (C) 2" x 81/2" strip to the top and bottom of the block. Press toward the strips.
- 2. Sew one (F) 1½" x 8½" strip to both sides of the block. Press toward the strips. Sew one (F) 11/2" x  $10\frac{1}{2}$ " strip to the top and bottom of the block. Press toward the strips. Repeat to make six Block B.



Make 6. (centers will be varied)

# Block C (10" finished)

- 1. Sew one (C) 2" x 51/2" strip to both sides of one (D) 51/2" square. Press toward the strips. Sew one (C) 2" x 81/2" strip to the top and bottom of the block. Press toward the strips.
- 2. Sew one (F) 11/2" x 81/2" strip to both sides of the block. Press toward the strips. Sew one (F) 11/2"  $x 10\frac{1}{2}$ " strip to the top and bottom of the block. Press toward the strips. Repeat to make two Block C.



Make 2.

### Sashing Units

1. Draw a diagonal line on the back side of each (G) 2½" square. Referring to diagram and with right sides together, place one marked square on the end of one (B) 21/2" x 101/2" strip. Sew on drawn line. Trim seam to 1/4" and press toward the resulting triangle. Sew one marked square to the opposite end of the strip and press. Repeat to make 24 horizontal sashing and 25 vertical sashing units.



Make 24.

Make 25.



Lz Goodrick-Dillon LIZ GOODRICK-DILLON

## **Assembly**

- 1. Referring to quilt image, lay blocks into rows. Place one vertical sashing strip between blocks and at the beginning and end of each row. Sew sashing and blocks together into rows. Press toward the blocks. Make five rows.
- 2. Referring to quilt image, sew five (C) 2½" squares alternately with four sashing units. Press toward the squares. Repeat to make six horizontal sashing rows.



Make 6.

- 3. Starting with a sashing row, alternately sew block rows and sashing rows together ending with a sashing row. Press toward the block rows.

- 4. Sew one (F) 11/2" x 621/2" strip to both sides of the quilt. Press toward the strips. Sew one (F) 11/2" x 52½" strip to the top and bottom of the quilt. Press toward the strips.
- 5. Sew one (D)  $4\frac{1}{2}$ " x  $64\frac{1}{2}$ " strip to both sides of the quilt. Press toward the strips. Sew one (D) 41/2" x 601/2" strip to the top and bottom of the quilt. Press toward the strips.

## **Finishing**

- 1. Prepare backing using two lengths and vertical seams. Press seams open.
- 2. Layer prepared backing, batting and quilt top. Quilt as desired.
- 3. Trim layers even with guilt top.
- 4. Prepare binding using (F) 2½" strips. Sew binding to quilt using your preferred method.