

WATERCOLOR WILDLIFE

Designed by Robert Kaufman Fabrics Featuring Wilderness Expressions
www.robertkaufman.com



Finished quilt measures: 49-1/2" x 51"

Pattern Level: Confident Beginner

*"I have basic block construction down
and would like to learn a new trick!"*

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 44" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AQM-15952-267 ADVENTURE	2/3 yard (one panel)		D	AQM-15949-155 STONE <i>*includes binding</i>	1 yard
	B	AQM-15953-267 ADVENTURE	1-1/8 yard		E	AQM-15949-340 LIMESTONE	1/8 yard
	C	AQM-15949-169 EARTH	7/8 yard		F	AQM-15949-13 TAN	1/4 yard
<p>Copyright 2016, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 3-1/4 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 44" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

Fabric A

Fussy cut eight panel blocks to 9-1/2" x 11"

Fabric B

Cut two strips 5" x WOF

trim to 5" x 42-1/2" - cut selvages sparingly

Cut one strip 12" x WOF- fussy cut for directionality if desired

sub cut two strips 12" x 5-1/2"

From remainder of Fabric B fussy cut 18 squares on point using Template A. Label as SIAS1.

Fabric C

Cut ten strips 1" x WOF

sub cut four strips into sixteen 1" x 9-1/2" strips

sub cut six strips into sixteen 1" x 12" strips

Cut five strips 2-1/2" x WOF

cut one 2-1/2" x 10" strip off one strip - save remaining fabric from strip

Fabric D

Cut five strips 2" x WOF

trim two strips to 2" x 42-1/2"

Cut two strips 3" x WOF

sub cut strips into eighteen 3" squares

cut each square once on the diagonal and label as SIAS2

Cut six 2-1/2" x WOF strips - set aside for binding

Fabric E

Cut two strips 1-1/2" x WOF

Fabric F

Cut one strip 2" x WOF

Cut two strips 3" x WOF

sub cut strips cut into eighteen 3" squares

cut each square once on the diagonal and label as SIAS3

Assemble the Panel Blocks

Step 1 Sew a 1" x 9-1/2" Fabric B strip to the top and bottom of each Fabric A panel block. Press seams towards Fabric B.

Step 2 Sew a 1" x 12" Fabric B strip to the left and right sides of the panels from Step 1. Press seams towards Fabric B. Finished size should be 10-1/2" x 12"




Assemble the Strip Pieced Units (SPU)

Step 3 Sew a 1-1/2" x WOF Fabric E strip to either side of the 2" x WOF fabric F strip to make a strip set. Press seams in same direction.




Step 4 Cut strip set into 4-1/2" segments. A total of nine segments are needed. Label as SPUs and set aside.




Assemble the Square in a Square Blocks

Step 5 Gather two SIAS2 triangles, two SIAS3 triangles and one SIAS1 fussy cut square. To mark the center of each piece, first finger press the pieces in half. Sew a SIAS2 triangle to one side of the SIAS1 square, aligning the centers on both pieces. Press the seam away from the center square. Sew a SIAS3 triangle to the opposite side of the SIAS1 square.




Step 6 Sew the remaining SIAS2 and SIAS3 triangles to the opposite sides of the square - noting the orientation and fabric placement of the finished blocks at Step 7. Place and pin both triangles to the square then sew each seam consecutively and press both seams after sewing to save time. Trim the excess so the block measures 4-1/2" square.



Step 7 Repeat Steps 5 & 6 to make nine SIAS1 blocks and nine SIAS2 blocks.



SIAS1



SIAS2

Assemble the Square in a Square Blocks

Step 8 Sew an SIAS1 block to the top of a SPU from Step 4, and an SIAS2 block to the bottom of the SPU. Press seams in same direction as SPU. See diagram.



Step 9 Gather the Step 2 panel blocks. Sew the Step 8 units to the panels as shown in the diagram, in the quantity indicated. Press toward Fabric C.



Unit 1 - make 4



Unit 2 - make 3



Unit 3 - make 1

Step 10 Sew three Units 2s together in a row. Press seams toward Fabric C. Label as Row 1 and set aside.

Step 11 Repeat with three Unit 1s. Label as Row 3 and set aside.

Step 12 Sew the one remaining Unit 1 block to the Unit 3 block then sew a 5-1/2" x 12" Fabric B strip to either side. Press all seams toward Fabric C. Label as Row 2 and set aside.



Step 13 Sew a 5" x 42-1/2" Fabric B strip between Row 1 and Row 2. Press toward Fabric B.

Step 14 Sew a 5" x 42-1/2" Fabric B strip between Row 2 and Row 3. Press toward Fabric B.

Add the Borders

Step 15 Sew a 2" x 42-1/2" Fabric D strip to the top and bottom of your quilt top. Press toward Fabric D.

Step 16 Sew three 2" Fabric D strips together, end-to-end, and trim to create two strips 2" x 47". Sew the two strips to the left and right sides of the quilt top and press toward Fabric D.

Step 17 Sew two 2-1/2" Fabric C strips, and the 2-1/2" x 10" strip together, end-to-end, and trim to create two strips 2-1/2" x 45-1/2". Sew strips to the top and bottom of quilt top and press toward Fabric C.

Step 18 Sew three 2-1/2" Fabric C strips together, end-to-end, and trim to create two strips 2-1/2" x 51". Sew strips to the left and right sides of the quilt top and press toward Fabric C.

Finishing the Quilt

Step 19 Cut backing fabric into two pieces 1-5/8yds x WOF. Sew together along selvage edge, press seam, and trim as desired.

Step 20 Layer your backing face down, then batting, then your quilt top face up.

Step 21 Baste through all layers, then quilt as desired. Bind using fabric D.

