



Interlace X B²

A FREE PATTERN FROM FROND DESIGN STUDIOS



Interlace x B² 70" x 94"

Made with Stephanie Brandenburg Fabric line Interlace

Read all instructions thoroughly before cutting wof is width of fabric

All seams are ¼" unless otherwise indicated Press all seams as you go

Materials

Interlace

•	Blush	¼ yard
•	Camelia	1/4 yard
•	Hot	¼ yard
•	Cool Water	1/4 yard
•	New Shoots	1/4 yard
•	Primrose	1/4 yard
•	Sea Grass	1/4 yard
•	Shore	1/4 yard
•	Silk	¼ yard


Cotton
 2-1/8 yards (sashing, border & binding)

Backing 3 yards



Cutting Instructions

- 1. From each of the (9) 1/4 yard cuts
 - a. Cut (8) 4" squares
 - b. Cut (2) 6-1/2" squares
 - c. Cut 2+ ft. of 7/8" strips (for small flange border)



- 2. From the cotton interlace, cut
 - a. (34) 1-1/2" x 6-1/2"
 - b. (52) 1-1/2" x 8-1/2"
 - c. (36) 1-1/2" x 4"
 - d. (6) 2-1/2" x wof (border)
 - e. (6) 2-1/4 x wof (binding)

Block Assembly

Block A

- 1. Sort the 4" squares into (18) piles of (4) blocks each, balancing the colors.
- 2. Select (1) pile of 4" squares, (2) 1-1/2" x 4" rectangles and (1) 1-1/2" x 8-1/2" rectangle.



- 3. Join (2) 4" squares and (1) 1-1/2" x 4"rectangle. Repeat for other 2 squares. (Fig A)
- 4. Join these (2) sections with the 1-1/2" x 8-1/2" rectangle. (Fig. B)
- 5. Repeat for a total of (18) blocks.



Block B

- 1. Select (1) 6-1/2" square, (2) 1-1/2" x 6-1/2" rectangles and (2) 1-1/2" x 8-1/2" rectangles.
- 2. Join a 1-1/2" x 6-1/2" rectangle to each side of the square. (Fig. C)
- 3. Join a 1-1/2" x 8-1/2" rectangle to the top. Join a 1-1/2" x 8-1/2" rectangle to the bottom. (Fig D.)
- 4. Repeat for a total of (17) blocks.



Finishing

Assemble the Blocks

- 1. Lay the blocks out on your design wall (or the floor) balancing the colors, in 7 rows with 5 blocks in each row. Row 1 starts with a Block A. (Refer to Fig. E).
- 2. When the color placement is pleasing to your eye, join the 5 blocks in each row together.
- 3. Join the (7) rows together.

Border

- 1. Join the (6) 2-1/2" border strips together diagonally end-to-end.
- 2. Measure the length of the quilt, top to bottom, through the center of the quilt. Cut (2) border strips this length. Sew one to each side of the quilt.
- 3. Measure the width of the quilt, side to side (including the borders), through the center of the quilt. Cut (2) border strips this length and sew to the top and bottom of the quilt.

Almost Done...

- 1. Sandwich
- 2. Quilt as desired
- 3. Cut the 7/8" flange strips to various lengths, approximately 12" to 20".
- 4. Join the 7/8" flange strips together diagonally end-to-end for a total of about 20 feet.
- 5. Fold the flange in half lengthwise and press.
- 6. Cut (2) flange strips the length of the quilt and (2) the width of the quilt. Place on the edge of the quilt, raw edges even, overlapping at the corners. Baste.
- 7. Join the (6) 2-1/4" binding strips together diagonally end-to-end. Fold in half lengthwise and use to bind the quilt.






Fig. E