


# Vintage Onyx

Fabric by Faye Burgos



52½" Square



Finished Size: 52½" square


## FABRIC REQUIREMENTS &amp; CUTTING GUIDE

<b>Fabric A</b>	4422-0192	beige texture	½ yd
	<b>Binding</b> - At least 220" of a continuous 2¼" wide strip		
<b>Fabric B</b>	4770-0155	black/cream medallion	½ yd
	Four 2½" x 40½"		
<b>Fabric C</b>	4771-0155	black ground floral	1¼ yds
	Five 12½" squares (fussy cut)		
	Four 2½" x 42½"		
<b>Fabric D</b>	4772-0155	beige/cream/black check	½ yd
	Two 2½" x 36½"		
	Two 2½" x 40½"		
	Four 3½" squares <b>marked</b> diagonally once		
<b>Fabric E</b>	4773-0155	black/cream diamond dot	¾ yd
	Four 2½" squares		
	Four 2½" x 3½"		
	Four 2½" x 5½"		
	Five 2½" x WOF strips. <i>Sew all strips together and subcut.</i>		
	Two 2½" x 44½"		
	Two 2½" x 48½"		
<b>Fabric F</b>	4775-0112	black/cream lacey floral	½ yd
	Twelve 3⅞" squares		
<b>Fabric G</b>	4775-0155	cream/beige lacey floral	½ yd
	Twenty 3⅞" squares		
	Eight 3½" squares <b>marked</b> diagonally once		
<b>Fabric H</b>	4776-0155	taupe/black scroll	½ yd
	Sixteen 3⅞" squares		
	Eight 3½" squares <b>marked</b> diagonally once		
<b>Fabric I</b>	4777-0155	tan/beige floral vine	½ yd
	Sixteen 3⅞" squares		


continued

HST (Half-Square Triangles) Assembly:


1. Draw a diagonal line on the WS of all **M**s. Draw another line 1/4" to facing sides of the center line. Lay a marked **M** and a **Q** RS together. Sew to the inside of the 1/4" lines. Cut on the center line. Make 32 **M/Q** units. HSTs measure 3 1/2" square.



2. Repeat process with the remaining **M**s and four **O**s. Make 8 **M/O** HSTs. HSTs measure 3 1/2" square. (Fig. 2)




3. Draw a diagonal line on the WS of remaining **O**s. Draw another line 1/4" to facing sides of the center line. Lay a marked **O** and an **L** RS together. Sew to the inside of the 1/4" lines. Cut on the center line. Make 24 **O/L** HSTs. HSTs measure 3 1/2" square. (Fig. 3)



Block Assembly:

4. Lay a marked **N** in the upper left corner of a **B** oriented as shown. Sew along the diagonal line. Cut the corner off leaving a 1/4" seam allowance. Repeat with another **N** in the opposite diagonal corner. (Fig. 4)




5. Repeat the process with **P**s in the remaining diagonal corners the **B/N** unit. Make one Block 1. (Fig.5)

6. Lay a marked **F** in the upper left corner of a **B** oriented as shown. Sew along the diagonal line. Cut the corner off leaving a 1/4" seam allowance. (Fig. 6)

7. Repeat the process with an **N** in the opposite diagonal corners of the **B/F** unit. (Fig. 7)


8. Repeat the process sewing a **P** in the two remaining diagonal corners of the **B/F/N** unit. Make two Block 2s. (Fig 8)



9. Lay a marked **F** in the upper left corner of a **B** oriented as shown. Sew along the diagonal line. Cut the corner off leaving a 1/4" seam allowance. (Fig. 6)

10. Repeat the process sewing a **P** in the opposite diagonal corner of the **B/F** unit. (Fig. 9)

11. Repeat the process sewing an **N** in the two remaining diagonal corners of the **B/F/P** unit. Make two Block 3s. (Fig 10)




12. Sew two **O/L** HSTs together oriented as shown. Sew an **O/L** and **M/O** HST together oriented as shown. Sew the two columns together. Make 8 units. Measures 6 1/2". (Fig. 11)

13. Sew two sets of **M/Q** HSTs together oriented as shown. Sew the two columns together. Make 8 units. Measures 6 1/2". (Fig. 12)

continued

- Sew an **O/L/M/O** unit and a **M/Q** unit together. Make 2 measuring 6½" x 12½". Sew these two columns together turning one 180 degrees. Make four Block 4s. Measures 12½". (Fig. 13)



*Quilt Body Assembly:*

- Sew rows together oriented as shown in the following order:
  - Row 1 ~ Block 2, Block 4, and Block 3
  - Row 2 ~ Block 4, Block 1, and Block 4
  - Row 3 ~ Block 3, Block 4, and Block 2 (Fig. 14)
- Sew a **D** to facing sides of the quilt.
- Sew an **E** to the top and bottom of the quilt.
- Sew an **A** to facing sides of the quilt.
- Sew a **G** to facing ends of the remaining **As**. Sew the **G/A** units to the top and bottom of the quilt.
- Sew a **J** to facing sides of the quilt. Sew a **K** to the top and bottom of the quilt.
- Sew an **H** to facing ends of a **C**. Make 2.
- Sew an **I** to facing ends of a **C**. Make 2.
- Sew the **H/C** unit to facing sides of the quilt.
- Sew the **I/C** unit to the top and bottom of the quilt. (Fig. 15)
- Quilt and bind as desired.

