


# Shine

by Jacqueline Paton

*Shine Star quilt design by Lucy Fazely*




Quilt size: approximately 57" square  
Wall Hanging size: approximately 27" x 21"



Wall hanging  
instructions  
included!

[www.redroosterfabrics.com](http://www.redroosterfabrics.com)





## FABRIC REQUIREMENTS:

Yardages are based on 40" wide, unwashed fabric.

A. Pattern #26430 – MUL1 .....	one panel*
B. Pattern #26431 – MUL1 .....	1 $\frac{3}{4}$ yards
C. Pattern #26433 – MUL1 .....	$\frac{1}{2}$ yard
D. Pattern #26434 – LTRED1 .....	$\frac{1}{8}$ yard
E. Pattern #26435 – DKBRO1 .....	$\frac{1}{4}$ yard
F. Pattern #26435 – RED1 .....	$\frac{7}{8}$ yard
G. Pattern #26436 – BLU1 .....	$\frac{1}{3}$ yard
H. Pattern #26436 – RED1 .....	$\frac{1}{4}$ yard
I. Pattern #26437 – LTBEI1 .....	$\frac{1}{4}$ yard
Backing (Pattern #26437 – BLU1 suggested) .....	3 $\frac{3}{4}$ yards
Batting .....	65" x 65"

\*Reserve sunrise panel section for the wall hanging.

## CUTTING INSTRUCTIONS:

Please read all instructions carefully before beginning.  $\frac{1}{4}$ " seam allowance is included in measurements and all strips are cut across the width of the fabric unless noted otherwise. Label pieces and keep together until ready to sew. These instructions are based on unwashed fabrics. LOF = length of fabric, parallel to selvage.

### A. Pattern #26430 – MUL1 (panel):

1. Fussy cut large tree panel 14" wide x 14 $\frac{1}{2}$ " tall with design centered.
2. Fussy cut four smaller panels each 7 $\frac{1}{2}$ " square with design centered.

### B. Pattern #26431 – MUL1 (border stripe):

1. Cut four identical 10 $\frac{1}{2}$ " x LOF strips (**NOTE:** Border stripes may be narrower than 10 $\frac{1}{2}$ ". It is important that all four strips are identical, even if they are narrower.)

### C. Pattern #26433 – MUL1 (butterflies):

1. Cut two 2" strips. Sub-cut eight 2" x 4" and eight 2" x 2 $\frac{1}{2}$ " strips.
2. Cut four 1 $\frac{1}{2}$ " strips. Sub-cut two 1 $\frac{1}{2}$ " x 34 $\frac{1}{2}$ " and two 1 $\frac{1}{2}$ " x 32 $\frac{1}{2}$ " borders.
3. Cut two 1 $\frac{1}{2}$ " strips. Sub-cut four 1 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " and four 1 $\frac{1}{2}$ " x 7 $\frac{1}{2}$ " borders.

### D. Pattern #26434 – LTRED1 (stars):

1. Cut one 2 $\frac{1}{2}$ " strip. Sub-cut eight 2 $\frac{1}{2}$ " squares.

### E. Pattern #26435 – DKBRO1 (dots):

1. Cut one 1 $\frac{1}{2}$ " strip. Sub-cut two 1 $\frac{1}{2}$ " x 16 $\frac{1}{2}$ "
2. Cut one 1 $\frac{3}{4}$ " strip. Sub-cut two 1 $\frac{3}{4}$ " x 14 $\frac{1}{2}$ " strips.

### F. Pattern #26435 – RED1 (dots):

1. Cut seven 2 $\frac{1}{2}$ " strips (binding).
2. Cut four 2" strips. Sub-cut eight 2" x 8 $\frac{1}{2}$ " and eight 2" x 7" pieces.

### G. Pattern #26436 – BLU1 (geometric):

1. Cut four 2" strips. Sub-cut two 2" x 37 $\frac{1}{2}$ " and two 2" x 34 $\frac{1}{2}$ " borders.

### H. Pattern #26436 – RED1 (geometric):

1. Cut two 2" strips. Sub-cut eight 2" x 5 $\frac{1}{2}$ " and eight 2" x 4" pieces.

### I. Pattern #26437 – LTBEI1 (leaves):

1. Cut three 2" strips. Sub-cut eight 2" x 7" and eight 2" x 5 $\frac{1}{2}$ " pieces.

## PIECING INSTRUCTIONS:

### A. Quilt Center Assembly:

1. Sew 1 $\frac{3}{4}$ " x 14 $\frac{1}{2}$ " E strips to right and left sides of A tree panel. Add 1 $\frac{1}{2}$ " x 16 $\frac{1}{2}$ " E strips to top and bottom of panel to make the 16 $\frac{1}{2}$ " square center panel (Figure 1). Press toward E.
2. Stitch one 2 $\frac{1}{2}$ " D square to long edge of one 2" x 2 $\frac{1}{2}$ " C strip. Working in a clockwise direction, add one 2" x 4" C strip as shown (Figure 2). Press toward C.



Figure 1



Figure 2

3. Continuing to work in a clockwise direction and pressing seams to each added strip, add one 2" x 4" H strip and then one 2" x 5 $\frac{1}{2}$ " H strip as shown (Figure 3).
4. Add one 2" x 5 $\frac{1}{2}$ " I strip and then one 2" x 7" I strip as shown (Figure 4).
5. Add one 2" x 7" F strip and then one 2" x 8 $\frac{1}{2}$ " F strip as shown (Figure 5) to finish one 8 $\frac{1}{2}$ " square Log Cabin block.
6. Make a total of eight Log Cabin blocks (Figure 6).




Figure 3



Figure 4




Figure 5



Figure 6  
Make 8.

7. Stitch one 1 $\frac{1}{2}$ " x 7 $\frac{1}{2}$ " C strip to left side of the 7 $\frac{1}{2}$ " sun A panel. Add one 1 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " C strip to top of to complete one 8 $\frac{1}{2}$ " square bordered panel (Figure 7). Press toward C.
8. In the same manner, add C strips to remaining 7 $\frac{1}{2}$ " panels referring to Figure 8 for positioning of strips.




Figure 7



Figure 8



Figure 8



Figure 8

## QUILT ASSEMBLY: (refer to Quilt Photo and Diagram)

1. Arrange two Log Cabin blocks as shown (Figure 9). Stitch together. Press seam open. Make a total of four 8 $\frac{1}{2}$ " x 16 $\frac{1}{2}$ " sets.
2. Arrange bordered panels and Log Cabin sets in three rows. Stitch into rows. Press toward Log Cabin sets. Sew rows together to complete 32 $\frac{1}{2}$ " square quilt center. Press toward center row.




Figure 9  
Make 4 sets.

3. Stitch 1 $\frac{1}{2}$ " x 32 $\frac{1}{2}$ " C borders to right and left sides of quilt center. Add 1 $\frac{1}{2}$ " x 34 $\frac{1}{2}$ " C borders to top and bottom of quilt center. Press toward C.
4. Stitch 2" x 34 $\frac{1}{2}$ " G borders to right and left sides of quilt. Add 2" x 37 $\frac{1}{2}$ " G borders to top and bottom of quilt. Press toward G.
5. Center 10 $\frac{1}{2}$ " x LOF B borders on all sides of quilt center referring to Quilt Diagram for positioning of stripe. Stitch borders to sides starting and stopping  $\frac{1}{4}$ " from corners of quilt center. Do not trim. Press borders out (Figure 10).




Figure 10

6. Working with one corner at a time, fold the quilt right sides together so the outside edges of the borders line up. Using a 45° ruler, mark from the end of border seams to outer edges of borders. Stitch along marked line. Trim seam allowance to  $\frac{1}{4}$ ". Press corner seam open. Repeat on remaining corners to complete the top (Figure 11).




Figure 11

**FINISHING:**

1. Prepare backing with a vertical seam to measure 65" x 65".
2. Layer backing, batting and quilt top. Baste layers together.
3. Quilt as desired.
4. Trim layers even with top.

5. Join seven 2½" F binding strips with diagonal seams. Press seams open. Press in half lengthwise with wrong sides together. Sew to quilt using your favorite method.
6. Make a label and sew to back of the quilt.



Quilt Diagram





## FABRIC REQUIREMENTS:

Yardages are based on 40" wide, unwashed fabric.

A. Pattern #26430 – MUL1 .....	one panel*
B. Pattern #26431 – MUL1 .....	3/4 yard
C. Pattern #26433 – MUL1 .....	1/4 yard
D. Pattern #26434 – LTGOL1 .....	1/4 yard
E. Pattern #26435 – DKBRO1 .....	1/3 yard
F. Pattern #26435 – DKGRE1 .....	1/8 yard
Backing (Pattern #26437 – BLU1 suggested) .....	7/8 yard
Batting .....	29" x 35"

\*Reserve remainder of panel for the quilt.

## CUTTING INSTRUCTIONS:

Please read all instructions carefully before beginning. 1/4" seam allowance is included in measurements and all strips are cut across the width of the fabric unless noted otherwise. Label pieces and keep together until ready to sew. These instructions are based on unwashed fabrics. LOF = length of fabric, parallel to selvage.

### A. Pattern #26430 – MUL1 (panel):

1. Fussy cut sunrise panel 1/4" beyond outer edges to approximately 10<sup>5</sup>/<sub>8</sub>" x 16".

### B. Pattern #26431 – MUL1 (border stripe):

1. Cut four identical 3" x LOF "sunshine" strips. Subcut two 3" x 22<sup>1</sup>/<sub>2</sub>" strips and two 3" x 16<sup>1</sup>/<sub>2</sub>" strips.

### C. Pattern #26433 – MUL1 (butterflies):

1. Cut one 2<sup>1</sup>/<sub>2</sub>" strip, recut four 2<sup>1</sup>/<sub>2</sub>" squares and two 1<sup>3</sup>/<sub>4</sub>" x 10<sup>3</sup>/<sub>4</sub>" strips.
2. Cut one 1<sup>3</sup>/<sub>4</sub>" strip, recut two 1<sup>3</sup>/<sub>4</sub>" x 18<sup>1</sup>/<sub>2</sub>" strips.

### D. Pattern #26434 – LTGOL1 (stars):

1. Cut two 2<sup>1</sup>/<sub>2</sub>" strips. Sub-cut two 2<sup>1</sup>/<sub>2</sub>" x 18<sup>1</sup>/<sub>2</sub>" and two 2<sup>1</sup>/<sub>2</sub>" x 12<sup>1</sup>/<sub>2</sub>" strips.

### E. Pattern #26435 – DKBRO1 (dots):

1. Cut three 2<sup>1</sup>/<sub>2</sub>" strips (binding).

### F. Pattern #26435 – DKGRE1 (dots):

1. Cut one 3" strip. Sub-cut four 3" squares.

## PIECING INSTRUCTIONS:

1. Sew 1<sup>3</sup>/<sub>4</sub>" x 10<sup>3</sup>/<sub>4</sub>" C strips to the sides of A panel. Press toward C. Trim ends even with panel. Then add 1<sup>3</sup>/<sub>4</sub>" x 18<sup>1</sup>/<sub>2</sub>" C strips to the top and bottom of panel. Press toward C. Trim to 12<sup>1</sup>/<sub>2</sub>" x 18<sup>1</sup>/<sub>2</sub>" (Figure 1).
2. Sew 2<sup>1</sup>/<sub>2</sub>" x 12<sup>1</sup>/<sub>2</sub>" D strips to the sides of the bordered panel. Press toward D. Sew a 2<sup>1</sup>/<sub>2</sub>" C square to each end of 2<sup>1</sup>/<sub>2</sub>" x 18<sup>1</sup>/<sub>2</sub>" D strips then add these to the top and bottom of the bordered panel. Press toward D (Figure 2).
3. Sew 3" x 16<sup>1</sup>/<sub>2</sub>" B border strips to the sides of the quilt, rounded design to the outside. Press toward B. Sew a 3" F square to each end of two 3" x 22<sup>1</sup>/<sub>2</sub>" B border strips then add these to the top and bottom of the quilt, rounded design to the outside. Press toward B (Figure 3).

## FINISHING:

1. Prepare backing to measure 35" x 29".
2. Layer backing, batting and top. Baste layers together.
3. Quilt as desired.
4. Trim layers even with top.
5. Join three 2<sup>1</sup>/<sub>2</sub>" E binding strips with diagonal seams. Press seams open. Press in half lengthwise with wrong sides together. Sew to quilt using your favorite method.
6. Make a label and sew to back of the quilt.



Figure 1




Figure 2




Figure 3

## Shine fabrics:



26430 – MUL1



26431 – MUL1



26433 – MUL1



26434 – LTGOL1



26434 – LTRED1




26435 – DKBRO1



26435 – DKGRE1



26435 – RED1




26436 – BLU1



26436 – RED1



26437 – LTBE11



26437 – BLU1