



# Cozy Camping



56" SQUARE QUILT – DESIGNED BY RACHEL SHELBURNE



ROAM SWEET HOME FABRIC COLLECTION BY KRIS LAMMERS

MAYWOOD  STUDIO

**Alternate Paper Templates**  
**(for use in lieu of suggested tool)**




After printing this page, measure this square to ensure that the templates are of accurate size. If not, adjust print settings until correct.


**1 inch square**

## Assembling the Units


1. Layer a Fabric 2 triangle on top of a Fabric 3 triangle. Sew on the right edge as shown. Press toward the Fabric 3 triangle. Make 36 units.



2. Layer a Fabric 3 triangle on top of a Fabric 2 triangle. Sew on the right edge as shown. Press toward the Fabric 2 triangle. Make 36 units.




3. Layer a Fabric 5 triangle on top of a Fabric 4 triangle. Sew on the right edge as shown. Press toward the Fabric 4 triangle. Make 36 units.




4. Layer a Fabric 4 triangle on top of a Fabric 5. Sew on the right edge as shown. Press toward the Fabric 5 triangle. Make 36 units.




5. Sew Step 1 and Step 3 units together to make a square, matching and pinning the center intersection. Twist the center to pop a few threads so the seam allowances spin around the center. Make 36 units. At this point the squares should measure 4½" square.




6. Sew Step 2 and Step 4 units together to make a square, matching and pinning the seam intersection and pressing as before. Make 36 units. At this point the squares should measure 4½" square.



7. Sew the Step 5 and 6 units together to make 36 larger units measuring 4½" x 8½". Press the center seam open.



8. Layer a Fabric 6 triangle on top of a Fabric 7 triangle. Sew on the right edge of the triangle. Press toward Fabric 7. Repeat to make 8 pairs.



9. Sew the Step 8 triangles together into squares, matching and pinning the seam intersection. Twist the center to pop a few stitches so the seam allowances can spin around the center. Press. Make 4 units measuring 8½" square.




## **Assembling the Quilt Top**

1. Arrange the small and large Fabric 9 setting triangles, the Step 7 units, the Fabric 1 squares, the large Step 9 units and the Fabric 8 squares in diagonal rows following the diagram (shown below Step 4).

2. Sew the units together in rows, pressing toward the setting triangles and the small and large squares.

NOTE: The setting triangles will be larger than needed. Put any excess at the edge of the quilt for trimming later.



3. Match and pin the seam intersections when joining the rows. Press the seams all one direction. Add the corner triangles last.

4. Carefully trim the edges of the quilt, leaving at least ¼" seam allowance from the corners of the blocks.



## **Borders**

1. Measure the quilt through the middle. Piece and trim two borders to this length. Sew to the top and bottom of the quilt. Press toward the borders.













2. Repeat this procedure for the sides of the quilt.

## **Finishing the Quilt**

1. Layer, baste and quilt as desired.

2. Sew the binding strips together with diagonal seams pressed open. Fold the binding in half, wrong sides together and press to make a double binding. Sew to the quilt with a 3/8" seam allowance, mitering the corners.

3. Trim the excess batting and backing, then turn the binding to the back side of the quilt and stitch down by hand with matching thread.

FABRIC		CUTTING	FABRIC		CUTTING	
	Fabric 1 MAS8220-K 2 yds	From Fabric 1, cut: Fussy-cut 9—8½" squares on the diagonal		Fabric 8 MAS8226-W ⅓ yd	From Fabric 8, cut: 2 — 4½" WOF strips, into: 12 — 4½" squares	
	Fabric 2 MAS609-KK1 ½ yd			Fabric 9 MAS8223-W 1 yd	From Fabric 9, cut: 1 — 13" WOF strip, into: 2 — 13" squares 1 — 7" WOF strip, into: 3 — 7" squares cut twice diagonally 1 — 8" WOF strip, into: 2 — 8" squares cut once diagonally (for corner triangles)	
	Fabric 3 MAS513-PP ½ yd		From each of Fabrics 2-5, cut: 6 — 2½" WOF strips, into: 72 — 2½" Companion Angle Triangles		Fabric 10 MAS609-P2 ⅝ yd	From Fabric 10, cut: 6 — 2½" WOF strips for border
	Fabric 4 MAS8232-UW ½ yd				Fabric 11 MAS8228-R ⅝ yd	From Fabric 11, cut: 6 — 2½" WOF strips for binding
	Fabric 5 MAS8227-R ½ yd				Fabric 6 MAS8222-K ⅓ yd	From Fabrics 6 and 7, cut: 2 — 4½" WOF strips, into: 8 — 4½" Companion Angle Triangles
	Fabric 7 MAS8230-P ⅓ yd			Backing MAS8221-K 3⅓ yds	Suggested Tool (optional): Companion Anlge™ by Wrights	

