



Designed By: Karla Schulz
Finished Quilt Size: 64" x 46"

Designed by: Karla Schulz





24988 X



24989 F



24990 A



23528 AE



23528 FJ

QUILT REQUIREMENTS		
		12 Kits
Design:	Yards	Bolts
24988 X	1 Panel	1
24989 F	1 ¼	1
24990 A	¾	1
23528 AE (includes backing)	3 ½	4
23528 FJ (includes binding)	1 ⅞	1

Cutting Directions

WOF = width of fabric selvage to selvage.

* Pay careful attention when cutting directional fabrics.

24988 X: Bison Panel

- Fussy cut the panel to measure 41½" x 23½".

24989 F: Forest Packed Bison

- Trim selvage from each side of fabric length.
- Cut (2) 5½" strips along the length of fabric. Trim the two strips to measure 5½" x 36½" for Fourth border sides.
- Cut (4) 5½" strips across the width of remaining fabric for the Fourth border top and bottom.

24990 A: Brown Bush Blender

- Trim selvage from each side of fabric length.
- Cut (2) 4" strips along the length of fabric. Trim the two strips to measure 4" x 26½" for the Second border side pieces.
- Cut (3) 4" strips across the width of the remaining fabric for the top and bottom Second border pieces.

23528 AE: Camel Tonal

- Cut (1) 5½" x WOF strip. Sub-cut (4) 5½" x 5½" squares. Sub-cut (4) 4" x 4" squares from the remainder of the strip.
- Cut (1) 2" x WOF strip. Sub-cut (8) 2" x 2" squares.
- Cut (2) 52" x WOF pieces for backing.

23528 FJ: Evergreen Tonal

- Cut (6) 2½" x WOF strips for binding.
- Cut (9) 2" x WOF strips for borders 1 and 3.

Piercing Instructions:

Use ¼" seam allowances.

Note: Pay careful attentions to the placement of the directional fabrics.

1. Sew the 2" Evergreen tonal strips to make one long strip. *First border:* Cut (2) 2" x 41½" top and bottom border strips. Cut (2) 2" x 23½" side border strips. *Third border:* Cut (2) 2" x 51½" top and bottom border strips. Cut (2) 2" x 33½" side border strips.
2. *First border:* Sew the 2" x 41½" top and bottom border pieces to the Bison panel. Press seams toward the border.
3. Sew a 2" x 2" Camel square to each end of the Evergreen 2" x 23½" side border pieces. Press seams toward the strip. Sew a pieced unit to opposite sides of the quilt center. Press seams toward the border.



4. *Second border:* Sew the three 4" x 32" Brown Bush strips together to make one long strip. Sub-cut (2) 4" x 44½" top and bottom border pieces. Sew to the top and bottom of the quilt center. Press seams toward the border strip.



5. Sew a 4" x 4" Camel square to each end of a 4" x 26½" side border piece. Press the seams toward the strip. Join the 4" x 33½" Brown Bush unit to opposite sides of the quilt center. Press seams toward the borders.

6. *Third border:* In the same manner as used in the first border, sew a 2" x 51½" Evergreen strip to the top and bottom of the quilt center. Press seam toward border.

7. Sew a 2" x 2" Camel square to each end of the Evergreen 2" x 33½" side border pieces. Press seams toward the strip. Sew the pieced units to opposite sides of the quilt center. Press seams toward the border.



8. *Fourth Border:* Sew the 5½" x 36½" Bison border strips to opposite sides of the quilt center. Press seams toward the border.



9. Sew the remaining 5½" Bison border strips into one long strip. Sub-cut (2) 5½" x 54½" top and bottom border pieces.

10. Sew a 5½" x 5½" Camel square to each end of the Bison border pieces.



11. Join the Bison border strips to the top and bottom of the quilt center to complete the quilt top.



12. Remove the selvages from the two 52" x WOF backing fabric pieces. Sew together along the 52" side. Press seam open. Trim to measure 52" x 70".

13. Layer, quilt and bind using your favorite methods.