



Designed By: Karla Schulz
Finished Quilt Size: 48" x 60½"

Designed by: Karla Schulz





25933 Q



25934 Q



25935 K



25936 S



25938 Q



23528 KZ



25935 Q

QUILT REQUIREMENTS		
Design:	Yards	12 Kits Bolts
25933 Q	2	2
25934 Q	$\frac{3}{4}$	1
25935 K	$\frac{3}{8}$	1
25936 S (includes binding)	$1\frac{1}{3}$	2
25938 Q	$\frac{2}{3}$	1
23528 KZ	1	1
25935 Q (backing)	3	3

Cutting Directions

WOF = Width of Fabric selvege to selvege.

* Pay careful attention when cutting directional fabrics.

25933 Q: Light Teal Patches

- Cut (2) $5\frac{1}{2}$ " x WOF strips. Sub-cut (2) $5\frac{1}{2}$ " x $37\frac{1}{2}$ " top and bottom border pieces.
- Trim selvege from one side of fabric length.
- Cut (2) $5\frac{1}{2}$ " strips along the length of fabric. Trim each strip to measure $5\frac{1}{2}$ " x 50" for the side borders pieces.
- Fussy cut (6) $7\frac{1}{4}$ " x $7\frac{1}{4}$ " A squares from remaining fabric. *Note: the image is on point*

25934 Q: Teal Scenic

- Fussy cut (6) $7\frac{1}{4}$ " x $7\frac{1}{4}$ " B squares. *Note: the image is on point.*

25935 K: Light Gray Hummingbirds

- Cut (3) $3\frac{1}{2}$ " x WOF strips. Sub-cut (24) $3\frac{1}{2}$ " x $3\frac{1}{2}$ " squares. Cut each square on one diagonal for (48) C triangles.

25936 S: Yellow Tonal

- Cut (1) $12\frac{1}{2}$ " x WOF strip. Sub-cut (16) 1" x $12\frac{1}{2}$ " sashing strips. Sub-cut (8) 1" x $5\frac{1}{2}$ " strips for border corner sashing pieces.
- Cut (5) 1" x WOF strips. Sub-cut (5) 1" x $38\frac{1}{2}$ " horizontal sashing pieces.
- Cut (2) $3\frac{5}{8}$ " x WOF strips. Sub-cut (12) $3\frac{5}{8}$ " x $3\frac{5}{8}$ " squares. Cut each square on both diagonals for (48) F triangles.
- Cut (6) $2\frac{1}{2}$ " x WOF strips for binding.

25938 Q: Dark Teal Feathers

- Cut (1) $5\frac{1}{2}$ " x WOF strip. Sub-cut (4) $5\frac{1}{2}$ " x $5\frac{1}{2}$ " border corner squares.
- Cut (4) $3\frac{1}{4}$ " x WOF strips. Sub-cut (48) $3\frac{1}{4}$ " x $3\frac{1}{4}$ " squares. Cut each diagonally for (96) E triangles.

23528 KZ: Gray Color Blend

- Cut (3) $7\frac{1}{4}$ " x WOF strips. Sub-cut (48) $7\frac{1}{4}$ " x $2\frac{1}{4}$ " G rectangles.
- Cut (2) $3\frac{1}{4}$ " x WOF strips. Sub-cut (24) $3\frac{1}{4}$ " x $3\frac{1}{4}$ " squares. Cut each square diagonally for (48) D triangles.

25935 Q: Light Teal Hummingbirds

- Cut (2) 54" x WOF backing rectangles.

Piecing Instructions:

Use $\frac{1}{4}$ " seam allowances.

Press all seams open unless stated otherwise.

1. Sew a G rectangle to opposite sides of a A square. Make (6) AG units. Repeat using the B squares. Make (6) BG units.



2. Sew an F triangle to opposite ends of a G rectangle. Make 24 FG units.



3. Sew to opposite sides of AG units. Press seams toward the center. Make (6)




Repeat using the BG units. Make (6)



4. Sew an E triangle to opposite sides of a D triangle. Make (48) ED units.



5. Sew a C triangle to an ED unit. Make (48) block corners.



6. Join the corners to each side of the A square units to complete the A blocks. Repeat for the B blocks.



Make 6 A Blocks



Make 6 B Blocks

7. Blocks should measure $12\frac{1}{2}$ " x $12\frac{1}{2}$ ". Refer to the quilt diagram for correct placement. Arrange the blocks into rows. Sew yellow 1 " x $12\frac{1}{2}$ " sashing strips as shown. Press seams toward strips.



8. Sew the 1 " x $38\frac{1}{2}$ " horizontal sashing strips as shown. Press seams toward strips.



9. Sew a 1 " x $5\frac{1}{2}$ " yellow strip to each end of a $5\frac{1}{2}$ " x $37\frac{1}{2}$ " top and bottom border strip. Press seams toward border strip.



10. Join the top and bottom border units to the quilt center. Press seams toward the border unit.



14. Remove selvage edges from from the backing rectangles and join on the 54" sides using a 1/2" seam allowance. Press seam open.

15. Layer quilt and bind using your favorite methods.

11. Sew a 1" x 5 1/2" yellow sashing strip to opposite ends of a 50" side border strip. Press seams toward the sashing strip.



12. Sew a 5 1/2" x 5 1/2" teal corner square to each end of the side border strips. Press seams toward the sashing strip.

13. Sew to opposite sides of quilt center to complete the quilt top. Press seams toward the border strips.

