# After The Snow by Bob Fair



Throw Quilt: 50-1/2" x 63-1/2"



Wilmington Prints: A World of Possibilities www.wilmingtonprints.com



Please read all instructions carefully AND identify all fabrics before beginning. All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

#### 1. Cut the following:

Fabric A - PLEASE NOTE: Panels do not always print the size intended. For this pattern, the panel has a coping border added then trimmed so the panel will fit the quilt correctly. Fussy cut 1/4" beyond outside edges of panel to approximately 23" x 42"

Fabric B - Referring to the guilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 2-1/2"x 68" and (2) 2-1/2"x 55" tree stripe borders and (2) 6-1/2" x 44-1/2" house stripe borders

Fabric C - Fussy cut (10) 9-3/4" squares with motifs centered

Fabric D - Cut (1) 6-1/2" strip, subcut (4) 5" x 6-1/2" pieces and (3) 5-3/8" squares Cut (1) 5-3/8" strip, subcut (7) 5-3/8" squares, then cut (5) 5-3/8" squares in half diagonally in 1 direction and (5) 5-3/8" squares in the other direction for a total of 20 triangles

Fabric E - Cut (7) 2-1/2" strips (binding) Cut (3) 1-1/2" strips, sewn together end to end then cut into (2) 1-1/2"x 45-1/2" and (1) 1-1/2" x 26-1/2" strips Cut (1) 1-1/2" strip, subcut (1) 1-1/2" x 26-1/2" strip

Fabric F - Cut (2) 5-3/8" strips, subcut (10) 5-3/8" squares, then cut 5 in half diagonally in 1 direction and 5 squares in the other direction for a total of 20 triangles

Fabric G - Cut (4) 2-3/4" strips, subcut (2) 2-3/4" x 28" borders Cut (6) 1-3/4" strips, sewn together end to end and cut into (2) 1-3/4" x 57-1/2" and (2) 1-3/4" x 47" borders

Arrows indicate orientation of directional prints.


#### 2. Piecing Order:

 On a 6-1/2" x 44-1/2" Fabric B border stripe, measure and mark 6-1/8" on short ends up from bottom corners and 4-5/8" in from bottom corners, Trim corners between marks, Repeat to trim top corners from the second 6-1/2"x 44-1/2" Fabric B border stripe.




2. Trim 5" x 6-1/2" Fabric D pieces using the Triangle Template, trimming a different corner from each piece as shown and using the template wrong side up to trim Trim 1 each reverse DR pieces.


Sew the trimmed Fabric D pieces to corners of Fabric B trimmed border stripes as shown to make 1 each Blocks 1a and 1b (6-1/2" x 44-1/2" unfinished).



4. Mark the center point on all sides of a Fabric C 9-3/4" square. Trim corners from the square as shown. Repeat with 9 remaining Fabric C 9-3/4" squares.

Sew 2 each Fabrics D and F 5-3/8" triangles to trimmed Fabric C squares to make 5 each Blocks 2a and 2b as shown (9-1/2" square unfinished).






- Refer to Quilt Layout (Page 3) for arrangement and placement of blocks, panel, strips, and borders.
- 7. Stitch Fabric G 2-3/4" strips to sides of the Fabric A panel. Trim strip ends even. Add 2-3/4" x 28" Fabric G strips to top and bottom of panel. Trim bordered panel to 26-1/2" x 45-1/2" (unfinished).
- Fold Fabric E 1-1/2" x 45-1/2" and 1-1/2" x 26-1/2" strips in half lengthwise, right side out, forming 3/4" wide flat piping strips.
- 9. Baste 3/4" x 45-1/2" Fabric E flat piping strips on top of sides of quilt, with raw edges even with raw edges of Fabric G border. Baste 3/4" x 26-1/2" Fabric E flat piping on top of top and bottom of quilt, with raw edges even with raw edges of Fabric G border.
- 10. Arrange 5 Block 2a on left side and 5 Block 2b on right side of bordered panel. Sew blocks into vertical rows (9-1/2" x 45-1/2" unfinished). Sew rows to bordered panel pressing seams under blocks so flat piping lavs over Fabric G border.
- 11. Stitch Blocks 1a and 1b to top and bottom of quilt. Press seams under blocks so flat piping lays over Fabric G border.
- Sew Fabric G 1-3/4" x 57-1/2" borders to right and left sides of quilt center. Add Fabric G 1-3/4"x 47" borders to top and bottom of quilt center.

13. Center Fabric B 2-1/2" x 68" borders

on right and left sides of quilt center and Fabric B 2-1/2"x 55" borders on top and bottom of quilt center with bottom of stripe next to quilt center. Stitch borders to sides starting and stopping 1/4" from corners of quilt center. Do not trim. Press Quilt borders out.

14. Working with 1 corner at a time, fold the quilt right sides together so the outside edges of the borders line up. Using a 45-degree ruler, mark from the end of border seams to outer edges of borders. Stitch along marked line. Trim seam allowance to 1/4". Press corner seam open. Repeat on remaining corners.



- 15. The guilt measures approximately 51" x 64" (unfinished). Make backing (Fabric H) approximately 8" larger than the top.
- 16. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (Fabric E) and enjoy!!

Letters in italics indicate wrong side of fabric.

1/4"

detail

90

Center




Please check size since printers may vary. Enlarge or reduce on a copier as needed.

#### QUILT LAYOUT

Border measurements are the cut size.

Arrows indicate orientation of directional prints.



## Q3005 After The Snow by Bob Fair



Fabric A (24" x 43") Q3005-72251-431 2/3 yd. (1 panel)



Fabric B (24" repeat) Q3005-72252-487 2-1/8 yds.



Fabric C Q3005-72253-418 1-1/2 yds.



Fabric D Q3005-72254-471 1/2 yd.



Fabric E (includes binding) Q3005-72255-259 1 yd.



Fabric F Q3005-72256-441 1/2 yd.



Fabric G (Sonoma Solids) Q1343-0111 7/8 yd.



Fabric H (backing only) Q3005-72256-856 3-3/8 yds.