

Wall Quilt: 34" x 53"



Autumn Road

by Katie Doucette

Throw Quilt: 53" x 71"



Autumn Road

Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following for Wall Quilt:


Fabric A - PLEASE NOTE: Panels do not always print the size intended. For this pattern, the panel has a coping border added then trimmed so the panel will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of panel to approximately 23" x 42"

Fabric D - Cut (3) 5" strips, sewn together end to end and cut into (2) 5" x 44-1/2" and (1) 5" x 25-1/2" borders


Cut (1) 5" strip, subcut (1) 5" x 25-1/2" border

Fabric E - Cut (4) 2-1/4" strips, subcut (2) 2-1/4" x 27" borders

Fabric F - Cut (1) 2-3/8" strip, subcut (8) 2-3/8" squares then cut in half diagonally  for 16 triangles

Cut (1) 2" strip, subcut (16) 2" squares

Fabric H - Cut (5) 2-1/2" strips (binding)

Fabric J - Cut (1) 2-3/8" strip, subcut (8) 2-3/8" squares [then cut in half diagonally  for 16 triangles], (4) 2" squares, and (8) 1-1/2" squares

2. Piecing Order for Wall Quilt:

1. Stitch **Fabrics F** and **J** 2-3/8" triangles together along their long edges. Make a total of 16 Unit 1 (2" square unfinished).



2. Draw a diagonal line across the wrong side of all the **Fabric J** 1-1/2" squares. 

3. Place a marked

Fabric J 1-1/2" square right sides together on a corner of a

Fabric F 2" square as shown.

Stitch along marked line.

Trim seam allowance to 1/4". Press triangle out. Repeat on the opposite corner with

another **Fabric J** 1-1/2" square. Make a total of 4 Unit 2 (2" square unfinished).



Unit 2
Make 4

4. Arrange 4 Unit 1 (U1), 1 Unit 2 (U2), 1 **Fabric J** 2" square, and 3 **Fabric F** 2" squares in 3 rows as shown. Stitch into rows. Sew rows together. Make a total of 4 **Block 1** (5" square unfinished)



Block 1
Make 4

5. Refer to Wall Quilt Layout (Page 2) for arrangement and placement of panel, strips, borders, and blocks.

6. Stitch **Fabric E** 2-1/4" strips to sides of the **Fabric A** panel. Trim strip ends even. Add 2-1/4" x 27" **Fabric E** strips to top and bottom of panel. **Trim bordered panel to 25-1/2" x 44-1/2" (unfinished).**

7. Sew **Fabric D** 5" x 44-1/2" borders to right and left sides of bordered panel. Stitch a **Block 1** to both ends of each of the **Fabric D** 5" x 25-1/2" borders then add to the top and bottom of the bordered panel.

8. The wall quilt measures approximately 34-1/2" x 53-1/2" (unfinished). Make backing (**Fabric E**) approximately 8" larger than the top.


9. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric H**) and enjoy!!

Autumn Road

WALL QUILT LAYOUT

Arrow indicates orientation of directional print.

Border measurements are the cut size.





3. Cut the following for Throw Quilt:

Fabric B - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 2" x 54-1/2" leaf stripe borders, (2) 2" x 39-1/2" leaf stripe borders, and (3) 6-1/2" x 36-1/2" bicycle stripe borders


Fabric C - Cut (3) 4-1/2" strips, sewn together end to end and cut into (2) 4-1/2" x 57-1/2" borders

Cut (2) 4-1/2" strips, subcut
(2) 4-1/2" x 39-1/2" borders


Fabrics D and H - From each fabric:


Cut (1) 3-7/8" strip, subcut (8) 3-7/8" squares [then cut in half diagonally  for 16 triangles] and (2) 2-7/8" squares [then cut in half diagonally  for 4 triangles]
Cut (2) 3-1/2" strips, subcut (16) 3-1/2" squares and (2) 2-1/2" squares

Fabrics E and G - From each fabric:

Cut (1) 3-7/8" strip, subcut (8) 3-7/8" squares then cut in half diagonally  for 16 triangles
Cut (2) 3-1/2" strips, subcut (16) 3-1/2" squares

Fabric I - Cut (7) 2-1/2" strips (binding)

Fabric J - Cut (1) 2-7/8" strip, subcut (4) 2-7/8" squares [then cut in half diagonally  for 8 triangles] and (4) 2-1/2" squares

Fabric K - Cut (4) 3-7/8" strips, subcut (32) 3-7/8" squares [then cut in half diagonally  for 64 triangles] and (4) 3-1/2" squares

Cut (6) 3-1/2" strips, sewn together end to end and cut into (2) 3-1/2" x 65-1/2" and (2) 3-1/2" x 53-1/2" borders

Cut (1) 3-1/2" strip, subcut (12) 3-1/2" squares

Cut (2) 2-1/2" strips, subcut (32) 2-1/2" squares

4. Piecing Order for Throw Quilt:

1. Stitch **Fabrics D** and **J** 2-7/8" triangles together along their long edges. Make a total of 4 Unit 3a (2-1/2" square unfinished). Make 4 Unit 3b using **Fabrics J** and **H** 2-7/8" triangles.



2. Arrange 2 Unit 3a (U3a) and 1 each **Fabrics D** and **J** 2-1/2" squares in 2 rows as shown. Stitch into rows. Sew rows together. Make a total of 2 **Block 2a** (4-1/2" square unfinished). In the same manner, make 2 **Block 2b** using **Fabrics J** and **H** 2-1/2" squares and Units 3b.



3. Stitch **Fabric K** 3-7/8" triangles together with **Fabrics D, E, G,** and **H** 3-7/8" triangles along their long edges to make 16 each Units 4a-4d (3-1/2" square unfinished).



4. Draw a diagonal line across the wrong side of all of the **Fabric K** 2-1/2" squares.




5. Place a marked **Fabric K** 2-1/2" square right sides together on a corner of a **Fabric D** 3-1/2" square as shown. Stitch along marked line. Trim seam allowance to 1/4". Press triangle out. Repeat on the opposite corner with another **Fabric K** 2-1/2" square. Make a total of 4 Unit 5a (3-1/2" square unfinished). In the same manner, make 4 each Units 5b-5d using fabrics indicated.



6. Arrange 4 Unit 4a (U4a), 1 Unit 5a (U5a), 1 **Fabric K** 3-1/2" square, and 3 **Fabric D** 3-1/2" squares in 3 rows as shown. Stitch into rows. Sew rows together. Make a total of 4 **Block 3a** (9-1/2" square unfinished).



7. In the same manner, make 4 each **Blocks 3b-3d** using fabrics and units shown.



8. Refer to Throw Quilt Layout (Page 4) for arrangement and placement of blocks and borders.

9. Arrange **Blocks 3a-3d** and **Fabric B** 6-1/2" x 36-1/2" bicycle border stripes in 7 rows as shown. Stitch blocks into rows. Sew block rows and **Fabric B** strips together into quilt center (36-1/2" x 54-1/2" unfinished).

10. Sew **Fabric B** 2" x 54-1/2" borders to right and left sides of quilt center. Stitch **Fabric B** 2" x 39-1/2" borders to the top and bottom of the quilt center.

11. Sew **Fabric C** 4-1/2" x 57-1/2" borders to right and left sides of quilt. Stitch 1 each **Blocks 2a** and **2b** to ends of **Fabric C** 4-1/2" x 39-1/2" borders then add to the top and bottom of the quilt.

12. Sew **Fabric K** 3-1/2" x 65-1/2" borders to right and left sides of quilt center. Stitch **Fabric K** 3-1/2" x 53-1/2" borders to the top and bottom of the quilt center.

13. The throw quilt measures approximately 53-1/2" x 71-1/2" (unfinished). Make backing (**Fabric E**) approximately 8" larger than the top.

14. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric I**) and enjoy!!


Letters in italics indicate wrong side of fabric.

Autumn Road

THROW QUILT LAYOUT

Border measurements are the cut size.

Arrows indicate orientation of directional prints.




Q1897 *Autumn Road* by Katie Doucette

W=Wall Quilt, T=Throw Quilt



Fabric A (24" x 43" panel)
Q1897-54530-128
W 2/3 yd. (1 panel)



Fabric B (24" repeat)
Q1897-54531-172
T 1-3/4 yds.



Fabric C
Q1897-54532-293
T 3/4 yd.



Fabric D
Q1897-54533-387
W 2/3 yd. T 1/2 yd.



Fabric E (piecing)
Q1897-54534-275
W 3/8 yd. T 1/2 yd.



Fabric E (backing)
Q1897-54534-275
W 1-7/8 yds. T 3-1/2 yds.



Fabric F
Q1897-54534-775
W 1/4 yd.




Fabric G
Q1897-54535-285
T 1/2 yd.



Fabric H
Q1897-54535-852
W 1/2 yd. T 1/2 yd.
(binding only)



Fabric I
Q1897-54536-333
T 5/8 yd.
(binding only)



Fabric J (Essentials)
Q1817-39080-200
W 1/8 yd. T 1/8 yd.



Fabric K (Essentials)
Q1825-85507-777
T 1-5/8 yds.

Patterns shown at 25% unless otherwise indicated.



Wilmington Prints: A World of Possibilities

www.wilmingtonprints.com