

# UNDER A SPELL

BY JENNIFER PUGH

Throw Quilt: 45 1/4" x 55"



Wall Quilt: 32" x 41"



Wilmington Prints: A World of Possibilities [www.wilmingtonprints.com](http://www.wilmingtonprints.com)



# Under a Spell

Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

## 1. Cut the following for Wall Quilt:

**Fabric A** - PLEASE NOTE: Panels do not always print the size intended. For this pattern, panels have a coping border added then trimmed so they will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of 1 panel to approximately 16-1/2" x 23-1/2" and 7 panels to approximately 6" x 7-1/2"

**Fabric D** - Cut (2) 4" strips, subcut (2) 4" x 32-1/2" borders  
Cut (2) 3-1/2" strips, subcut (2) 3-1/2" x 34-1/2" borders

**Fabric G** - Cut (2) 2-3/4" strips, subcut (2) 2-3/4" x 24" strips  
Cut (1) 2-1/4" strip, subcut (2) 2-1/4" x 21" strips


**Fabric I** - Cut (2) 1-3/4" strips, subcut (8) 1-3/4" x 8-1/2" strips  
Cut (2) 1-1/2" strips, subcut (8) 1-1/2" x 8" strips

**Fabric K** - Cut (4) 2-1/2" strips (binding)  
Cut (2) 1-3/4" strips, subcut (6) 1-3/4" x 8-1/2" strips and (1) 1-1/2" x 8" strip  
Cut (1) 1-1/2" strip, subcut (5) 1-1/2" x 8" strips

**Fabric M** - Cut (7) 1-1/4" strips, subcut (2) 1-1/4" x 41-1/2", (2) 1-1/4" x 32-1/2", (2) 1-1/4" x 26", and (2) 1-1/4" x 21" strips for flat piping


## 2. Piecing Order for Wall Quilt:

1. Stitch **Fabric G** 2-3/4" x 24" strips to sides of the **Fabric A** 16-1/2" x 23-1/2" panel. Trim strip ends even. Add 2-1/4" x 21" **Fabric G** strips to top and bottom of panel. **Trim Block 1 to 20" x 26" (unfinished).**




After adding **G** borders,  
trim Block 1 to 20" x 26".

2. Stitch **Fabric I** 1-1/2" x 8" strips to sides of a **Fabric A** 6" x 7-1/2" panel. Trim strip ends even. Add 1-3/4" x 8-1/2" **Fabric I** strips to top and bottom of panel. **Trim to 7" x 9"**. Make a total of 4 **Block 2a**.



3. Stitch **Fabric K** 1-1/2" x 8" strips to sides of a **Fabric A** 6" x 7-1/2" panel. Trim strip ends even. Add 1-3/4" x 8-1/2" **Fabric K** strips to top and bottom of panel. **Trim to 7" x 9"**. Make a total of 3 **Block 2b**.



After adding **I** or **K** borders,  
trim Blocks 2a and 2b to 7" x 9".

4. Refer to Wall Quilt Layout (Page 2) for arrangement and placement of blocks, borders, and flat piping.

5. Fold **Fabric M** 1-1/4" x 41-1/2", 1-1/4" x 32-1/2", 1-1/4" x 26", and 1-1/4" x 21" strips in half lengthwise, right side out, forming 5/8" wide flat piping strips.

6. Baste 5/8" x 26" **Fabric M** flat piping strips on top of sides of **Block 1**, with raw edges even with **Fabric G** border. Baste 5/8" x 21" **Fabric M** flat piping on top of top and bottom of **Block 1**, with raw edges even with raw edges of **Fabric G** border.

7. Arrange 2 **Block 2a** and 1 **Block 2b** in a vertical row on right side of **Block 1**. Stitch **Blocks 2a** and **2b** into a vertical row (7" x 26" unfinished) then sew to right side of **Block 1**.

8. Arrange 2 each **Blocks 2a** and **2b** in a row under **Block 1** and vertical row. Stitch into a row (9" x 26-1/2" unfinished). Sew to bottom of **Block 1** and vertical row to complete quilt center (26-1/2" x 34-1/2" unfinished).

# Under a Spell

9. Stitch **Fabric D** 3-1/2" x 34-1/2" borders to right and left sides of quilt center. Add **Fabric D** 4" x 32-1/2" borders to top and bottom of quilt center.

10. The quilt measures approximately 32-1/2" x 41-1/2" (unfinished). Make backing (**Fabric D**) approximately 8" larger than the top.

11. Layer and baste top, batting, and backing together. Quilt as desired. Trim excess batting and backing.


12. Baste 5/8" x 41-1/2" **Fabric M** flat piping strips on top of sides of quilt, with raw edges even with **Fabric D** border. Baste 5/8" x 32-1/2" **Fabric M** flat piping on top of top and bottom of quilt, with raw edges even with raw edges of **Fabric D** border.

13. Attach binding (**Fabric K**) and enjoy!!

## WALL QUILT LAYOUT

*Border measurements are the cut size.*

*Arrows indicate orientation of directional prints.*





### 3. Cut the following for Throw Quilt:

**Fabric B** - Cut (4) 7-1/2" strips. Referring to the quilt image, fussy cut strips into (16) 3-1/4" x 7-1/2" bone stripe strips

**Fabric C** - Cut (5) 3-1/2" strips, sewn together end to end and cut into (2) 3-1/2" x 49-1/2" and (2) 3-1/2" x 45-3/4" borders

**Fabric E** - Fussy cut (40) 3" squares with motifs centered in squares

**Fabrics F and I** - From each fabric:  
Cut (1) 3-5/8" strip, subcut (6) 3-5/8" squares, then cut in half diagonally  for 12 triangles

Cut (1) 2-7/8" strip, subcut (10) 2-7/8" squares, then cut in half diagonally  for 20 triangles

**Fabric G** - Cut (3) 3-1/4" strips, subcut (15) 3-1/4" x 7-1/2" strips

**Fabric H** - Cut (6) 2-1/2" strips (binding)

**Fabric J** - Cut (5) 2" strips, sewn together end to end and cut into (2) 2" x 46-1/2" and (2) 2" x 39-3/4" borders

**Fabrics L and N** - From each fabric:  
Cut (3) 2-1/2" strips, subcut (40) 2-1/2" x 3" pieces

**Fabric M** - Cut (3) 3" strips, subcut (40) 3" squares  
Cut (3) 1-1/4" strips, sewn together end to end and cut into (2) 1-1/4" x 49-1/2" strips for flat piping  
Cut (2) 1-1/4" strips, subcut (2) 1-1/4" x 39-3/4" strips for flat piping

### 4. Piecing Order for Throw Quilt:

1. Stitch **Fabrics F** and **I** 2-7/8" triangles together along their long edges. Make a total of 20 Unit 1 (2-1/2" square unfinished).



2. Stitch **Fabrics F** and **I** 3-5/8" triangles together along their long edges. Make a total of 12 Unit 2 (3-1/4" square unfinished).



3. Stitch 2 each **Fabrics L** and **N** 2-1/2" x 3" pieces, 2 each **Fabrics E** and **M** 3" squares, and 1 Unit 1 (U1) in 3 rows as shown. Stitch into rows. Sew rows together. Make a total of 20 blocks (7-1/2" square unfinished).



Make 20 Blocks

4. Refer to Throw Quilt Layout (Page 4) for arrangement and placement of blocks, units, strips, borders, and flat piping.

5. Arrange blocks, Unit 2, and **Fabrics B** and **G** 3-1/4" x 7-1/2" strips in 9 rows. Stitch into rows. Sew rows together to complete quilt center (36-3/4" x 46-1/2" unfinished).

6. Stitch **Fabric J** 2" x 46-1/2" borders to right and left sides of quilt center. Add **Fabric J** 2" x 39-3/4" borders to top and bottom of quilt center.

7. Fold **Fabric M** 1-1/4" x 49-1/2" and 1-1/4" x 39-3/4" strips in half lengthwise, right side out, forming 5/8" wide flat piping strips.

8. Baste 5/8" x 49-1/2" **Fabric M** flat piping strips on top of sides of quilt, with raw edges even with **Fabric J** border. Baste 5/8" x 39-3/4" **Fabric M** flat piping on top of top and bottom of quilt, with raw edges even with raw edges of **Fabric J** border.

9. Stitch **Fabric C** 3-1/2" x 49-1/2" borders to right and left sides of quilt. Add **Fabric C** 3-1/2" x 45-3/4" borders to top and bottom of quilt.

10. The quilt measures approximately 45-3/4" x 55-1/2" (unfinished). Make backing (**Fabric O**) approximately 8" larger than the top.

11. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric H**) and enjoy!!




# Under a Spell

## THROW QUILT LAYOUT

Border measurements are the cut size.

Arrows indicate orientation of directional prints.





# Q1828 UNDER A SPELL BY JENNIFER PUGH

Throw Quilt (T)  
Wall Quilt (W)



A 82508-981 (24" Panel)  
W: 2/3 yd (1 panel)



B 82509-819 (24" Repeat)  
T: 1 yd



C 82510-981  
T: 5/8 yd



D 82511-191  
W: 5/8 yd (piecing)  
W: 1 1/2 yds (backing)



E 82511-898  
T: 1/2 yd




F 82512-189  
T: 1/3 yd



G 82512-981  
W: 1/3 yd  
T: 3/8 yd



H 82513-898  
T: 5/8 yd  
(binding only)



I 82513-989  
W: 1/3 yd  
T: 1/3 yd



J 82514-198  
T: 3/8 yd




K 82514-981  
W: 5/8 yd  
(Includes binding)



L 82515-211  
T: 1/3 yd



M 82515-888  
W: 3/8 yd  
T: 5/8 yd



N 82515-999  
T: 1/3 yd



O 82510-198  
T: 3 1/8 yds  
(backing only)