
by Jennifer Pugh



Twin Quilt: 66 1/2" x 82 1/2"



Wilmington Prints: A World of Possibilities www.wilmingtonprints.com

Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following:

Fabric A - PLEASE NOTE: Panels do not always print the size intended. For this pattern, panels have a coping border added then trimmed so they will fit the quilt correctly.

Referring to the quilt image, fussy cut 1/4" beyond outside edges of 5 sets of panels to approximately 7-1/2" x 23-1/2"

Fabric B - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 9-1/2"x 56-1/2" multi-stripe borders [1 with animal stripe on top and 1 with cream ornament stripe on top] and (2) 3"x 54-1/2" cream ornament stripe borders

Fabric C - Cut (1) 9-1/4" strip, subcut (2) 9-1/4" squares then cut in half diagonally twice for 8 triangles

Fabric D - Cut (1) 9-1/4" strip, subcut (1) 9-1/4" square [then cut in half diagonally twice for 4 triangles] and (4) 4-1/2" x 8-1/2" pieces Cut (7) 1-3/4" strips, sewn together end to end and cut into (2) 1-3/4" x 72-1/2" and (2) 1-3/4" x 59" borders

Fabric E - Cut (10) 1-1/2" strips, subcut (10) 1-1/2" x 24" and (10) 1-1/2" x 10" strips Cut (5) 2-1/4" strips, sewn together end to end and cut into (2) 2-1/4" x 51-1/2" and (2) 2-1/4" x 51" borders

Fabric F - Cut (7) 4-1/2" strips, sewn together end to end and cut into (2) 4-1/2" x 75" and (2) 4-1/2" x 67" borders

Fabric G - Cut (1) 9-1/4" strip, subcut (1) 9-1/4" square [then cut in half diagonally twice for 4 triangles] and (2) 8-1/2" squares
Cut (8) 2-1/2" strips (binding)

Not all cut triangles used.

Fabric H - Cut (1) 9-1/4" strip, subcut (4) 9-1/4" squares then cut in half diagonally twice for 16 triangles

Cut (1) 4-7/8" strip, subcut (2) 4-7/8" squares then cut in half diagonally for 4 triangles Cut (10) 1-3/4" strips, sewn together end to end and cut into (6) 1-3/4" x 48-1/2" and

Fabric I - Cut (1) 9-1/4" strip, subcut (1) 9-1/4" square [then cut in half diagonally twice for 4 triangles] and (4) 4-1/2" x 8-1/2" pieces

(2) 1-3/4" x 48" sashing strips

Fabric J - Cut (6) 1-1/2" strips, sewn together end to end and cut into (2) 1-1/2" x 54-1/2" and (2) 1-1/2" x 51-1/2" flat piping strips

2. Piecing Order:

1. Stitch Fabric E 1-1/2" x 24" strips to sides of a Fabric A panel. Trim strip ends even. Add 1-1/2" x 10" Fabric E strips to top and bottom of panel. Trim bordered panel to 8-1/2" x 24-1/2" (unfinished). Repeat to make a total of 5 Block 1.

2. Arrange 2 Fabric H and 1 each Fabrics C and D 9-1/4" triangles as shown. Sew together. Make a total of 4 Block 2a (8-1/2" square

unfinished). In the same manner, make 4 **Block 2b** using the fabrics indicated.



H H

~~

Α

After adding E

borders, trim

bordered panel

to 81/2" x 241/2".

Block 1 - Make 5

Block 2b - Make 4

3. Stitch 2 Fabric H 4-7/8" triangles to short edges of a Fabric G 9-1/4" triangle. Make a total of 2 Block 3 (4-1/2" x 8-1/2" unfinished).




- Refer to Quilt Layout (Page 3) for arrangement and placement of blocks, squares, pieces, strips, and borders.
- 5. Arrange blocks, 8-1/2" squares, and 4-1/2" x 8-1/2" pieces in 5 vertical rows. Stitch blocks, squares and pieces into rows (8-1/2" x 48-1/2" unfinished).
- 6. Arrange rows alternating with 6 Fabric H 1-3/4" x 48-1/2" sashing strips. Sew strips and rows together. Add Fabric H 1-3/4" x 48" sashing strips to top and bottom to complete quilt center (48" x 51" unfinished).
- 7. Sew **Fabric E** 2-1/4" x 51" borders to right and left sides of quilt center. Add **Fabric E** 2-1/4" x 51-1/2" borders to top and bottom of quilt center.
- 8. Fold **Fabric J** 1-1/2"x 54-1/2" and 1-1/2" x 51-1/2" strips in half lengthwise, right side out, forming 3/4" wide flat piping strips.
- Baste 3/4" x 54-1/4" Fabric J flat piping strips on top of sides of quilt, with raw edges even with Fabric E border. Baste 3/4" x 51-1/2" Fabric J flat piping on top of top and bottom of quilt, with raw edges even with raw edges of Fabric E border.
- 10. Sew **Fabric B** 3" x 54-1/2" borders to right and left sides of quilt. Add **Fabric B** 9-1/2" x 56-1/2" borders to top and bottom of quilt.

- 11. Sew **Fabric D** 1-3/4" x 72-1/2" borders to right and left sides of quilt. Add **Fabric D** 1-3/4" x 59" borders to top and bottom of quilt.
- 12. Sew **Fabric F** 4-1/2" x 75" borders to right and left sides of quilt. Add **Fabric F** 4-1/2" x 67" borders to top and bottom of quilt.
- The quilt measures approximately 67" x 83" (unfinished). Make backing (Fabric K) approximately 8" larger than the top.
- 14. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (Fabric G) and enjoy!!

QUILT LAYOUT

Border measurements are the cut size.

Arrows indicate orientation of directional prints.



Q1828

Plaid for the Holidays

by Jennifer Pugh



A Q1828-82516-139 (24" x 43" panel) B Q1828-82517-293 (24" repeat) 2/3 yard (1 panel)



17/8 yards



C Q1828-82518-991 3/8 yard



D Q1828-82519-331 3/4 yard



E Q1828-82520-191 1 yard



F Q1828-82521-229 1 1/8 yards



G Q1828-82521-339 1 1/8 yards (incl. binding)



H Q1828-82522-112 1 1/4 yards



I Q1828-82522-229 3/8 yard



J Q1828-82522-339 3/8 yard



K Q1828-82518-223 44/45": 5 1/4 yards (backing only)

OR



Essentials 108"

K Q1009-4727-999 108": 2 1/4 yards (backing only)

