

Wall Banner: 36-1/2" x 69"

# "Believe You Can"

by Katie Doucette

Throw Quilt #1: 59-1/2" x 79-1/2"



Wilmington Prints: A World of Possibilities  
[www.wilmingtonprints.com](http://www.wilmingtonprints.com)

Throw Quilt #2: 59-1/2" x 79-1/2"

# Believe You Can

Please read all instructions carefully AND identify all fabrics before beginning.


All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

## 1. Cut the following for Throw Quilt:

**Fabric A** - PLEASE NOTE: Panels do not always print the size intended. For this pattern, panels have a coping border added then trimmed so they will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of 12 panels to approximately 7-1/4" x 9-1/2". Note page number of each panel.

**Fabric B** - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 8-3/4" x 84" and (2) 8-3/4" x 64" multi-stripe borders

**Fabric C** - Cut (1) 4-1/2" strip, subcut (10) 3-1/2" x 4-1/2" pieces  
Cut (1) 3-1/2" strip, subcut (16) 2-1/2" x 3-1/2" pieces  
Cut (3) 2-3/8" strips, subcut (48) 2-3/8" squares then cut in half diagonally  for a total of 96 triangles

**Fabric D** - Fussy cut (12) 4-3/4" squares with motifs centered

**Fabric E** - Cut (8) 2-1/2" strips (binding)  
Cut (7) 2" strips, subcut (20) 2" x 4-1/2" pieces, (32) 2" x 2-1/2" pieces, and (48) 2" squares


**Fabric F** - Cut (8) 1-3/8" strips, subcut (24) 1-3/8" x 12" strips  
Cut (5) 1-1/4" strips, subcut (24) 1-1/4" x 7-1/2" strips

**Fabric G** - Cut (5) 2-1/2" strips, subcut (72) 2-1/2" squares

**Fabric H** - Cut (4) 2-1/2" strips, subcut (24) 2-1/2" x 6-1/2" pieces  
Cut (5) 2" strips, sewn together end to end and cut into (2) 2" x 60-1/2" and (2) 2" x 43-1/2" borders

## 2. Piecing Order for Throw Quilt:

1. Stitch **Fabric F** 1-1/4" x 7-1/2" strips to sides of a **Fabric A** panel. Trim strip ends even. Add 1-3/8" x 12" **Fabric F** strips to top and bottom of panel. **Trim bordered panel to 8-1/2" x 10-1/2" (unfinished).** Make a total of 12 **Block 1**.




Arrows and stripes indicate orientation of directional prints.

2. Sew 2 **Fabric C** 2-3/8" triangles to adjoining sides of a **Fabric E** 2" square as shown. Make a total of 48 Unit 1 (3-7/8" x 3-7/8" x 5-1/2" unfinished).



3. Sew 4 Unit 1 to sides of a **Fabric D** 4-3/4" square. Add **Fabric H** 2-1/2" x 6-1/2" strips to right and left sides. Make a total of 12 Unit 2 (6-1/2" x 10-1/2" unfinished).



4. Sew **Fabric E** 2" x 2-1/2" pieces to short ends of a **Fabric C** 2-1/2" x 3-1/2" piece. Add **Fabric G** 2-1/2" squares to ends. Make a total of 16 Unit 3 (2-1/2" x 10-1/2" unfinished).




5. Sew 2 **Fabric G** squares together as shown. Make a total of 20 Unit 4 (2-1/2" x 4-1/2" unfinished).



6. Sew **Fabric E** 2" x 4-1/2" pieces to sides of a **Fabric C** 3-1/2" x 4-1/2" piece. Add a Unit 4 to each side. Make a total of 10 Unit 5 (4-1/2" x 10-1/2" unfinished).




7. Sew a Unit 2 between 2 Unit 3 as shown. Make a total of 6 **Block 2** (10-1/2" square unfinished).




# Believe You Can

8. Stitch a Unit 2 between 2 Unit 5 as shown. Make a total of 4 **Block 3** (10-1/2" x 14-1/2" unfinished).



Block 3 - Make 4

9. Stitch a Unit 2 between 1 Unit 3 and 1 Unit 5 as shown to make 1 each **Blocks 4a and 4b** (10-1/2" x 12-1/2" unfinished).



Block 4a - Make 1




Block 4b - Make 1

10. Refer to Quilt Layout (Page 3) for arrangement and placement of units, blocks, and borders.

11. Arrange all blocks and 2 Unit 3 in 4 vertical rows. Sew into vertical rows (10-1/2" x 60-1/2" unfinished). Sew rows together into quilt center (40-1/2" x 60-1/2" unfinished).


12. Sew **Fabric H** 2" x 60-1/2" borders to right and left sides of quilt center. Add **Fabric H** 2" x 43-1/2" borders to top and bottom of quilt center.

13. Center **Fabric B** 8-3/4" x 84" borders on right and left sides of quilt center and **Fabric B** 8-3/4" x 64" borders on top and bottom of quilt center with the blue stripe next to quilt center. Stitch borders to sides starting and stopping 1/4" from corners of quilt center. Do not trim. Press borders out.



*Letters in italics indicate wrong side of fabric.*

14. Working with 1 corner at a time, fold the quilt right sides together so the outside edges of the borders line up. Using a 45-degree ruler, mark from the end of border seams to outer edges of borders. Stitch along marked line. Trim seam allowance to 1/4". Press corner seam open. Repeat on remaining corners.



15. The quilt measures approximately 60" x 80" (unfinished). Make backing (**Fabric I**) approximately 8" larger than the top.

16. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric E**) and enjoy!!

## 3. Cut the following for Wall Banner:

**Fabric A** - PLEASE NOTE: Panels do not always print the size intended. For this pattern, the panel has a coping border added then trimmed so the panel will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of panel to approximately 23" x 42"

**Fabric B** - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 2" x 61-1/2" blue stripe borders and (2) 8-3/4" x 26" multi-stripe borders (1 with blue stripe on top and 1 with blue stripe on bottom)

**Fabric C** - Cut (3) 4-1/2" strips, sewn together end to end and cut into (2) 4-1/2" x 61-1/2" borders

Cut (2) 4-1/2" strips, subcut (2) 4-1/2" x 37" borders

**Fabric D** - Cut (4) 2-1/2" strips, subcut (2) 2-1/2" x 27-1/2" strips


**Fabric E** - Cut (6) 2-1/2" strips (binding)

# Believe You Can

## THROW QUILT LAYOUT

Border measurements are the cut size.

Arrows and stripes indicate orientation of directional prints.



# Believe You Can

## 4. Piecing Order for Wall Banner:

1. Refer to Wall Banner Layout for arrangement and placement of panel, strips, and borders.

2. Stitch **Fabric D** 2-1/2" x width of fabric strips to sides of the **Fabric A** panel. Trim strip ends even. Add 2-1/2" x 27-1/2" **Fabric D** strips to top and bottom of panel. *Trim bordered panel to 26" x 45" (unfinished).*

3. Sew **Fabric B** 8-3/4" x 26" borders to top and bottom of bordered panel, with blue stripe on top of top border and blue stripe on bottom of bottom border. Add **Fabric B** 2" x 61-1/2" borders to right and left sides of bordered panel.

4. Sew **Fabric C** 4-1/2" x 61-1/2" borders to right and left sides of quilt. Add **Fabric C** 4-1/2" x 37" borders to top and bottom of quilt.


5. The wall banner measures approximately 37" x 69-1/2" (unfinished). Make backing (**Fabric F**) approximately 8" larger than the top.

6. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric E**) and enjoy!!

## WALL BANNER LAYOUT

Arrows indicate orientation of directional prints.

Border measurements are the cut size.



Q1897

# "Believe You Can" by Katie Doucette


## Yardage Needed for Wall Banner:



Fabric A  
Q1897-54557-137  
2/3 yd. (1 panel)



Fabric B  
Q1897-54559-143  
2 yds.



Fabric C  
Q1897-54561-273  
3/4 yd.



Fabric D  
Q1897-54563-315  
3/8 yd.



Fabric E (Binding only)  
Q1897-54565-491  
5/8 yd.



Fabric F (Backing only)  
Q1897-54562-177  
2-5/8 yds.

## Yardage Needed for Throw Quilt: #1=Pink/Green, #2=Blue/Gray



Fabric A (Both)  
Q1897-54558-423  
2/3 yd. (1 panel)



Fabric B (Both)  
Q1897-54559-143  
2-5/8 yds.



Fabric C  
#1 Q1897-54560-734  
#2 Q1897-54560-143  
5/8 yd.



Fabric D  
#1 Q1897-54561-273  
#2 Q1897-54561-473  
3/8 yd.



Fabric E  
#1 Q1897-54563-315  
#2 Q1897-54564-444  
1-1/4 yds.  
(Incl. binding)



Fabric F  
#1 Q1897-54564-777  
#2 Q1897-54563-915  
2/3 yd.



Fabric G  
#1 Q1897-54565-371  
#2 Q1897-54565-491  
1/2 yd.



Fabric H (Both)  
Q1817-39099-111  
3/4 yd.



Fabric I (Both)  
Q1897-54562-177  
5 yds. (Backing only)



Wilmington Prints: A World of Possibilities  
www.wilmingtonprints.com



743181375667