

SIZE 47½" X 29½"



Designed by: Wendy Sheppard



Finished Size: 47½"x 29½"

FABRIC REQUIREMENTS

	26298 H one 24" repeat 2/3 YARD		26299 R 5/8 YARD		26300 S backing only 1-5/8 YARDS		26301 S 1/4 YARD
	1 BOLT		1 BOLT		2 BOLTS		1 BOLT
	26302 H 1/4 YARD		26302 S 1/4 YARD		24778 SA includes binding 3/4 YARD		
	1 BOLT		1 BOLT		1 BOLT (Harmony 12-yd)		

* Numbers within gray box = Number of Bolts needed to make 12 kits; based on continuous cuts

We recommend that all instructions be read carefully before getting started on your project.

ADDITIONAL SUPPLIES

- Quilt batting, 56" x 38"
- Clear template plastic, 10½" x 20½"
- Basic sewing, pressing, and rotary-cutting supplies

DESIGNER NOTES

- Runner can also be used as a horizontal display quilt for wall decoration.

CUTTING INSTRUCTIONS

WOF = Width of fabric (from selvage to selvage)

Cut and subcut in order as given as several subcuts are from the remains of previously cut strips.

Fabric A [26298 H] (panel print)

Pieced Blocks

- Centering the 10½" x 20½" clear template plastic rectangle over the panel motifs, fussy cut a total of three 10½" x 20½" rectangles. Note: Seam allowance is included in the template plastic measurement.

Fabric B [26299 R] (red floral)

Outer Border

- Cut (4) 3" x WOF strips. Sew strips together (end to end) with 45° seams. Subcut (2) 3" x 24½" strips. Subcut (2) 3" x 47½" strips.

Sashing Blocks

- Cut (1) 3½" x WOF strip. Subcut (2) 3½" squares.

Fabric C [26300 S] (gold hearts)

Backing

- Cut (1) 56" x WOF strip. Trim strip to measure 38" x 56".

Fabric D [26301 S] (gold bird)

Pieced Blocks

- Cut (2) 1½" x WOF strips. Subcut (6) 1½" x 10½" rectangles.

Sashing Blocks

- Cut (1) 3½" x WOF strip. Subcut (4) 3½" squares.

Fabric E [26302 H] (green dot)

Sashing Blocks

- Cut (1) 3½" x WOF strip. Subcut (6) 3½" squares.

Fabric F [26302 S] (gold dot)

Sashing Blocks

- Cut (1) 3½" x WOF strip. Subcut (4) 3½" squares.

Fabric G [24778 SA] (gold tonal)

Pieced Blocks

- Cut (6) 1½" x WOF strips. From each strip, subcut (1) 1½" x 22½" rectangle and (1) 1½" x 12½" rectangle (total of six 1½" x 22½" rectangles and six 1½" x 12½" rectangles).

Binding

- Cut (5) 2½" x WOF strips.

SEWING INSTRUCTIONS

Use a ¼" seam allowance throughout unless otherwise indicated.

Pieced Blocks

1. Referring to Diagram 1, sew one 1½" x 10½" Fabric D (gold bird) rectangle to each short side of one 10½" x 20½" Fabric A (panel print) rectangle for Block Center. Block Center should measure 10½" x 22½".

Diagram 1



2. Referring to Diagram 2, sew one 1½" x 22½" Fabric G (gold tonal) rectangle to each long side of the Block Center. Sew one 1½" x 12½" Fabric G (gold tonal) rectangle to each short side of the Block Center for Pieced Block. Pieced Block should measure 12½" x 24½". Make a total of three Pieced Blocks.

Diagram 2



Sashing Blocks

3. Referring to Diagram 3, sew eight 3½" squares together in the following fabric order: Fabric E (green dot), Fabric F (gold dot), Fabric D (gold bird), Fabric E (green dot), Fabric B (red floral), Fabric D (gold bird), Fabric F (gold dot), Fabric E (green dot) for one Sashing Block. Sashing Block should measure 3½" x 24½". Make a total of two Sashing Blocks.

Diagram 3



Assemble Runner Top

Refer to the Runner Layout Diagram for the following steps.

4. Runner Center. Noting orientation of the pieces, sew five pieces together in the following order: one Pieced Block, one Sashing Block, one Pieced Block, one Sashing Block, one Pieced Block for the Runner Center. Runner Center should measure 42½" x 24½".

5. Outer Border. Sew one 3" x 24½" Fabric B (red floral) strip to each short side of the Runner Center. Sew one 3" x 47½" Fabric B (red floral) strip to each long side of the Runner Center. Runner Top should measure 47½" x 29½".

FINISHING

1. Place the runner top right side up on the top of the batting and the wrong side of the 56" x 38" Fabric C (gold heart) backing strip.

2. Baste the layers together and quilt as desired. Trim the backing and batting even with the runner top.

3. Sew the five 2½" x WOF Fabric G (gold tonal) strips together (end to end) using 45° seams to make a continuous strip. Fold strip in half lengthwise (with wrong sides together) and press. Bind as desired.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.

LOVE GROWS HERE Quilt Diagram 1 *Runner Layout Diagram*

