

SIZE 77" X 63" for 1/2" binding
76 1/2" x 62 1/2" for 1/4" binding













Designed by: Georgie Gerl



Finished Size: 77"x 63"

FABRIC REQUIREMENTS

	26649X One Panel 1 BOLT		26652K 3/4YARD 1 BOLT		26653 X 1/4 YARD 1 BOLT		26650 R 1 5/8 or 2 YARDS 2 BOLT
	26652 R includes binding 2 1/4 YARDS 2 BOLTS		26653 E 1/3 YARD 1 BOLT		26651 E Fat Quarter 1 BOLT	Backing 4 3/4 yards Batting- 85" x 71" Basic sewing supplies Backing--4 BOLTS	
	23528 AX 1 YARD 1 BOLT		26652 E 1 1/8 YARDS 1 BOLT		26650 A Fat Quarter 1 BOLT		

Numbers within gray box = Number of Bolts needed to make 12 Kits

We recommend that you carefully read through all instructions before getting started on your project.

CUTTING DIRECTIONS

WOF = Width of fabric

Fabric A (Dog Panel) 26649 X

- (2) 21½" x 14½" rectangles, centering design in each.
- (3) 7½" squares, centering design in each.

Fabric B (Red Plank) 26652R

- 2 strips cut to 10½" x WOF. Subcut (4) 10½" x 8½" rectangle, (2) 10½" x 7½", (2) 10½" x 5½" rectangles, and (2) 2½" x 3½" rectangles.
- 1 strip cut to 8½" x WOF. Subcut (2) 8½" x 17½"
- 3 strips cut to 5½" x WOF. Subcut (2) 5½" x 10½" rectangles, (10) 5½" squares and (2) 5½" x 3 ½" rectangles.
- 1 strip cut to 3½" x WOF. Subcut (2) 3½" x 12½" rectangles and (2) 3½" x 2½" rectangles.
- 8 strips cut to 2¾" x WOF for binding. This will be a ½"-wide finished binding or use your prefer measurement for cutting binding strips.
- 1 strip cut to 1½" x WOF. Subcut (2) 1½" x 9½" rectangles.

Fabric C (Brown) 23528 AX

- 1 strip cut to 6½" x WOF. Subcut (4) 6½" squares, and (1) 5½" square. Subcut 6½" square twice diagonally.
- 1 strip cut to 5½" x WOF. Subcut (7) 5½" squares.
- 8 strips cut to 1½" x WOF. Subcut (2) 1½" x 9½" rectangles, and (2) 1½" x 8½" rectangles. Border use remaining 1½" x WOF strips
- 7 strips cut to 1" x WOF. Subcut (4) 1" x 21½", (4) 1" x 15½", (6) 1" x 8½", and (6) 1" x 7½" rectangles.

Fabric D (Gray Plank) 26652 K

- 2 strips cut to 5½" x WOF. Subcut (8) 5½" squares.
- 4 strips cut to 1½" x WOF. Subcut (6) 1½" x 10½" and (6) 1½" x 8½" rectangles.
- 2 strips 1" x WOF. Subcut (4) 1" x 8½" and (4) 1" x 7½" rectangles

Fabric E (Tan Leaves) 26653 E

- 3 strips cut to 2½" x WOF. Subcut (2) 2½" x 14½", (2) 2½" x 12½", (2) 2½" x 7½", and (2) 2½" x 5½" rectangles.

Fabric F (Tan Plank) 26652 E

- 2 strips cut to 10½" x WOF. (8) 10½" x 5½" rectangles.
- (16) triangles see template and instructions on page 8.

Fabric G (Multi-color Leaves) 26653 X

- 1 strip cut to 6½" x WOF. (4) 6½" squares. Subcut 6½" square twice diagonally.

Fabric H (Dog Motif) 26651 E

- Fussy Cut (8) 4" squares.

Fabric I (Brown Dog Motif) 26650 A


- Fussy Cut (2) 7½" squares.

Fabric J (Red Dog Motif) 26650 R

- 9 strips cut to 5½" x WOF.

SEWING INSTRUCTIONS

Use a ¼" seam allowance throughout. Press seams in the direction of arrows, as indicated in each diagram. This quilt is sewn into sections as shown in diagram below and on page 7.



1. Refer back to this step for Simple Triangles instructions. Draw a diagonal line on the wrong side of two 5½" Fabric D squares. This will be your sewing line. Place two marked squares on one 5½" x 10½" or one 10½" x 5½" Fabric B piece.

Note: Fold back Fabric D square on diagonal line to check direction of fabric prior to stitching. Stitch on drawn line, trim ¼" from stitch line. Press. Make four. Label two Unit 1A and two Unit 1B.

Unit 1A


Fabric D- 5½" squares
Fabric B- 5½" x 10½"
Make 2

Unit 1B


Fabric D- 5½" squares
Fabric B- 10½" x 5½"
Make 2

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.


2. Sew one 3½" x 12½" Fabric B strip to one 2½" x 12½" Fabric E strip as shown. Press. Make two. Sew one Unit 1A between one 5½" Fabric B square and one unit from this step. Press. Make two.



3. Sew one 5½" x 3½" Fabric B strip to one 2½" x 5½" Fabric E strip as shown. Press. Make two. Sew one unit from this step to one Unit 1B as shown. Press. Make two.



4. Sew one 2½" x 14½" Fabric A between two 1" x 21½" Fabric C strips. Press seams toward Fabric A. Sew this unit between two 1" x 15½" Fabric C strips. Press. Make two.




Sew one unit from step 3 to one unit from this step as shown. Press. Make two



5. Sew one unit from step 2 to one unit from step 4 as shown. Mark one of these units Section 1, the other will be used for Section 5

Section 1


(Top Section)



Section 5




6. Sew one 2½" x 3½" Fabric B piece to one 2½" x 14½" Fabric E strip as shown. Press. Sew this unit to one 8½" x 17½" Fabric B piece. Press. Make two. Set one unit aside for Section 2 step 10.




Make 2
(One unit for Section 2)




7. Making simple triangle units, sew two 5½" Fabric C squares to one 10½" x 5½" Fabric F piece. Make four and label these Unit 2.




8. Sew one 4" Fabric H (Fussy Cut) square between two Fabric F triangles as shown. Press. Make eight.




9. Sew one G triangle to one Fabric C triangle as shown. Press. Make sixteen, eight of each variation. Sew one unit from step 8 to one unit from this step. Press. Make eight. Triangles are slightly larger, trim each unit to measure 5½" x 10½". Make sure square points are at least ¼" from outside edge. Label these Unit 3. Units will be used in all quilt sections.




10. Sew one Unit 2 to one Unit 3 as shown. Press. Make four. Label these Block 1.



11. Sew unit from step 6 to Block 1 as shown. Press.




12. Sew one unit from step 5 to one unit from step 11 as shown. Press and label Section 1.




Making Section 2


1. Sew one 3½" x 2½" Fabric B piece to one 2½" x 7½" Fabric E strip as shown. Press. Sew this unit to one 10½" x 8½" Fabric B piece. Press. Make two. Set one unit aside for Section 4.




2. Making simple triangle units, sew two 5½" Fabric B squares to one 10½" x 5½" Fabric F piece. Press. Make four and label Unit 4.




3. Sew one Unit 4 to one Unit 3 as shown. Press. Make four. Label these Block 2.




4. Sew one 7½" Fabric I square between two 1" x 7½" Fabric D strips. Press. Sew this unit between two 1" x 8½" Fabric D strips as shown. Press. Make two.




5. Refer to diagram below for fabric placement prior to sewing unit together. Sew one unit from step 4 to 1½" x 8½" Fabric C strips. Press seam toward Fabric C. Sew one 1" x 9½" Fabric C strips as shown. Press. Sew one 1½" x 9½" Fabric B strip to unit as shown. Press. Make two. Label these Block 3 (Section 2) and Block 3 Section 4).




6. Referring to diagram below, arrange and sew together one unit from step 1, one Block 2, one 10½" x 8½" Fabric B piece and one of Block 3. Press.




7. Sew one 7½" Fabric A square between two 1" x 7½" Fabric C strips. Press seams toward Fabric C. Sew this unit between two 1" x 8½" Fabric C strips as shown. Press. Make three.




8. Sew one unit from step 7 between two 1½" x 8½" Fabric D strips. Press seams toward Fabric D. Sew this unit between two 1½" x 10½" Fabric D strips. Press. Make three. Label these Block 4.




9. Referring to diagram, arrange and sew together one Block 1, one Block 4, one Block 2, and one 10½" x 7½" Fabric B piece. Press.



10. Referring to diagram below, arrange and sew together one Block 4, one Block 1, and one unit from Making Section 1, step 6. Press.




11. Sew row from step 9 between row from step 6 and row from step 10 as shown. Press and label this Section 2.




Making Section 3

Referring to diagram, arrange and sew together one 10½" x 7½" Fabric B piece, one Block 2, one Block 4, and one Block 1. Press. Label this Section 3.




Making Section 4

Referring to diagram, arrange and sew together one Block 3, one 10½" x 8½" Fabric B piece, one Block 2, unit from Making Section 2, step 1. Press.



ASSEMBLING THE QUILT

1. Refer to diagram below, sew Section 1 to Section 2. Press seam toward Section 2. Sew Section 3 to Section 2. Press seam toward Section 2. Sew Section 4 to Section 2. Press seam toward Section 2. Sew this unit to Section 5. Press seam toward Section 5. Sew section 1/2 unit to section 3/4/5 unit. Press.



2. Sew the 1½" Fabric C strips end-to-end to make one continuous 1½"-wide Fabric C strip. Press. Measure quilt from side to side. Cut two 1½"-wide strips to this measurement. Sew to top, and bottom of quilt. Press seams toward border.

3. Measure quilt through center from top to bottom, including borders just added. Cut two 1½"-wide Fabric C strips to this measurement. Sew to sides of quilt and press.


4. Sew the 5½" Fabric J strips end-to-end to make one continuous 5½"-wide Fabric J strip. Press. The outside border is sewn with a mitered border. Cut two strips length to 87" and two strips to 73". Note: Extra fabric was provided to allow for "Fussy Cutting" strips from yardage.

5. Sew outside border to quilt using your prefer miter border technique.

FINISHING THE QUILT

1. Cut backing fabric piece into two equal pieces. Sew pieces together to make one 85" x 71" approximate backing piece. Press.

2. Layer and baste backing, batting, and quilt top together. Hand or machine quilt as desired. Bind quilt as desired.



Use this pattern for directional fabric.
Cut 16 directional Fabric F triangles.