

# Art Class

Featuring  
Wilmington Batiks



Throw or Twin 62 1/2" x 74 1/2"

[www.wilmingtonprints.com/projects](http://www.wilmingtonprints.com/projects)



# Art Class


Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

## 1. Cut the following:

### PLEASE NOTE:

Cut all 7-1/4" squares in half diagonally twice for the number of triangles indicated in .

Cut all 6-7/8" squares in half diagonally for the number of triangles indicated in .

**Fabrics A, D, G, H, L, and Y** - For each fabric:  
Cut (1) 7-1/4" strip, subcut (1) 7-1/4" square [4 triangles] and (2) 6-7/8" squares [4 triangles]

**Fabrics B, E, Z, and FF** - For each fabric:  
Cut (1) 6-7/8" strip, subcut (4) 6-7/8" squares [8 triangles]

**Fabrics C, F, P, S, V, and AA** - For each fabric:  
Cut (1) 6-7/8" strip, subcut (2) 6-7/8" squares [4 triangles]

**Fabric I** - Cut (8) 2-1/2" strips (binding)

**Fabrics J, O, W, BB, DD, and EE**

For each fabric:

Cut (1) 6-7/8" strip, subcut (3) 6-7/8" squares [6 triangles]

**Fabric K** - Cut (1) 7-1/4" strip, subcut (5) 7-1/4" squares [20 triangles]

Cut (1) 6-7/8" strip, subcut (4) 6-7/8" squares [8 triangles]

Cut (7) 2-1/2" strips, sewn together end to end and cut into (2) 2-1/2" x 71" and (2) 2-1/2" x 63" borders

**Fabrics M, Q, T, and CC** - For each fabric:  
Cut (1) 7-1/4" strip, subcut (1) 7-1/4" square [4 triangles] and (4) 6-7/8" squares [8 triangles]

**Fabric N** - Cut (2) 6-7/8" strips, subcut (8) 6-7/8" squares [16 triangles] and (1) 6-1/2" square

**Fabric R** - Cut (1) 7-1/4" strip, subcut (1) 7-1/4" square [4 triangles] and (1) 6-7/8" square [2 triangles]

Cut (7) 1-1/2" strips, sewn together end to end and cut into (2) 1-1/2" x 71" and (2) 1-1/2" x 59" flat piping strips

**Fabric U** - Cut (1) 7-1/4" strip, subcut (1) 7-1/4" square [4 triangles] and (1) 6-7/8" square [2 triangles]

**Fabric X** - Cut (1) 7-1/4" strip, subcut (5) 7-1/4" squares [20 triangles]

Cut (1) 6-7/8" strip, subcut (4) 6-7/8" squares [8 triangles]


Cut (6) 2-3/4" strips, sewn together end to end and cut into (2) 2-3/4" x 66-1/2" and (2) 2-3/4" x 59" borders

## 2. Piecing Order:

1. Sew **Fabrics T** and **O** 6-7/8" triangles together along their long edges. Make a total of 3 Unit 1a (6-1/2" square unfinished).



2. In the same manner, make the number of Units 1b-1p as shown with fabrics indicated.



Not all cut 7-1/4" and 6-7/8" triangles are used.

# Art Class

3. In the same manner, make 1 each of the following units with the 6-7/8" triangles listed.

*Note that these units are only identified in the Quilt Layout by their fabric letter designations and are not labeled as units.*


A-H	G-V	A-O	S-X	N-U	V-J
A-AA	V-EE	N-DD	W-X	J-X	N-O
P-BB	C-Y	P-W	D-P	N-R	F-X
Y-DD	L-Y				

4. Sew 1 each **Fabric K** and **X** 7-1/4" triangles together on their short edges as shown. Add a **Fabric N** 6-7/8" triangle as shown. Make a total of 8 Unit 2a (6-1/2" square unfinished).



Unit 2a - Make 8

5. In the same manner, make 1 each Units 2b-2s with the fabrics indicated.



6. Refer to Quilt Layout (Page 3) for arrangement and placement of the **Fabric N** square, all units (labeled and unlabeled), borders, and flat piping.

7. Arrange the **Fabric N** 6-1/2" square and all units (labeled and unlabeled) in 11 rows. Stitch into rows. Sew rows into quilt center (54-1/2" x 66-1/2" unfinished).

8. Stitch **Fabric X** 2-3/4" x 66-1/2" borders to right and left sides of quilt center. Add **Fabric X** 2-3/4" x 59" borders to top and bottom of quilt center.

9. Fold and press **Fabric R** 1-1/2" x 71" and 1-1/2" x 59" strips in half lengthwise, right side out, forming 3/4" wide flat piping strips.

10. Baste 3/4" x 71" **Fabric R** flat piping strips on top of right and left sides of quilt, with raw edges even with raw edges of **Fabric X** border. Baste 3/4" x 59" **Fabric R** flat piping on top of top and bottom of quilt, with raw edges even with raw edges of **Fabric X** border.

11. Sew **Fabric K** 2-1/2" x 71" borders to right and left sides of quilt center. Press toward borders leaving flat piping over **Fabric X** borders. Add **Fabric K** 2-1/2" x 63" borders to top and bottom of quilt center. Press toward borders leaving flat piping over **Fabric X** borders.

12. The quilt measures approximately 63" x 75" (unfinished). Make backing (**Fabric GG**) approximately 8" larger than the top.


13. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric I**) and enjoy!!



# Art Class

## QUILT LAYOUT

Border measurements are the cut size.





A 22178-163  
1/3 yd. (FQ)B 22178-306  
1/3 yd. (FQ)C 22178-330  
1/3 yd. (FE)D 22178-775  
1/3 yd. (FQ)E 22179-306  
1/3 yd. (FQ)F 22179-385  
1/3 yd. (FE)G 22179-444  
1/3 yd. (FQ)H 22179-660  
1/3 yd. (FQ)I 22180-435  
2/3 yd.  
(binding only)J 22180-476  
1/3 yd. (FQ)K 22180-660  
1 1/4 yds.L 22181-333  
1/3 yd. (FQ)M 22181-336  
1/3 yd.N 22181-435  
1/2 yd.O 22181-664  
1/3 yd. (FQ)P 22181-775  
1/3 yd. (FE)Q 22182-441  
1/3 yd.R 22182-558  
5/8 yd.S 22184-163  
1/3 yd. (FE)T 22185-163  
1/3 yd.U 22185-744  
1/3 yd. (FE)V 22186-144  
1/3 yd. (FE)W 22186-774  
1/3 yd. (FQ)X 22188-435  
1 1/4 yds.Y 22188-881  
1/3 yd. (FQ)Z 22190-144  
1/3 yd. (FQ)AA 22190-660  
1/3 yd. (FE)BB 22191-775  
1/3 yd. (FQ)CC 22192-779  
1/3 yd.DD 22193-333  
1/3 yd. (FQ)EE 22193-449  
1/3 yd. (FQ)FF 22193-740  
1/3 yd. (FQ)GG 22192-435  
4 1/8 yds.  
(backing only)