Designed By: Cyndi Hershey

Desiree's Designs

QTfabrics
IMAGINE & CREATE

Desiree's Designs

Finished Size: 58½" x 82½"

FABRIC REQUIREMENTS									
	26851 J (1) 24" PANEL		26852 X 2½ YARDS		26853 A 1¼ YARDS		26854 J inc. binding 1 YARD		
	1 BOLT		2 BOLTS		1 BOLT		1 BOLT		
	26857 A ½ YARD		26857 AZ ½ YARD		26857 B ⅜ YARD		26856 Z backing 5 YARDS		
	1 BOLT		1 BOLT		1 BOLT		4 BOLTS		

✱ Numbers within gray box = Number of Bolts needed to make 12 Kits

We recommend that you carefully read through all instructions before getting started on your project.

CUTTING DIRECTIONS

Note:

All strips are cut across the width of the fabric (perpendicular to selvages) unless otherwise noted. All seams are ¼".

WOF=Width of fabric (from selvage to selvage)
LOF = Length of Fabric = fabric cut parallel to the selvage

A. Black patch panel:
- Select and cut (8) blocks and center each within a 6½" x 9½" rectangle.

B. North Woods decorative stripe:
- Cut stripe into four matching strips (repeats) along *length of fabric (parallel to selvages)*. Each strip should be approximately 10½". Trim two strips to approximately 70" in length.

C. Light tan animal toss print:
- Cut (3) 12½" strips; subcut (7) 12½" squares.

D. Black ground pine needle print:
- Cut (4) 2" strips.
- Cut (8) 2½" strips for binding.

E. Brown snowflake print:
- Cut (6) 2" strips. Use three strips to cut (16) 2" x 6½" rectangles.

F. Tan snowflake print:
- Cut (7) 2" strips.

G. Light blue snowflake print:
- Cut (6) 1½" strips. Sew strips together end to end with diagonal seams; press. From this pieced strip, cut (2) 1½" x 41" strips and (2) 1½" x 65" strips.

CONSTRUCTION

All measurements include ¼" seam allowances.

***Pieced Blocks:** (make 8: 12" finished)*

1. Sew one (E) 2" x 6½" rectangle to both sides of each (A) 6½" x 9½" block. Press toward the (E) rectangles. Make 8 blocks.

Make 8

2. Strip Set A: Sew one (D) 2" strip to one (F) 2" strip. Press toward the (D) strip. Repeat to make four strip sets. Crosscut strip sets into (64) 2" segments.

3. Sew two segments from step 2 together into one four-patch unit and press seam toward the bottom segment. Repeat to make (32) four-patch units.

Make 32

4. Strip Set B: Sew one (E) 2" strip to one (F) 2" strip. Press toward the (E) strip. Repeat to make three strip sets. Crosscut strip sets into (16) 6½" segments.

Make 16

5. Sew one four-patch unit to both ends of each unit from step 4. Be careful to position units as shown.

Make 16

6. Sew one unit from step 5 to top/bottom of block; press.

Make 8

ASSEMBLY

1. Referring to quilt image, sew pieced blocks alternately with (C) 12½" squares to form rows. Press seams toward the (C) squares within each row. Join rows together; press.

2. Matching centers, sew one (G) 1½" x 65" strip to bottom edge of one long (B) strip. Repeat. Press seams toward the (G) strips. With (G) strip placed against quilt top, center one side border to quilt top. Sew border to quilt beginning and ending a generous ¼" from edge of quilt. Repeat.

3. Matching centers, sew one (G) 1½" x 41" strip to bottom edge of one 70" (B) strip. Repeat. Press seams toward the (B) strips. With (G) strip placed against quilt top, center top border to quilt top. Sew border to quilt beginning and ending a generous ¼" from edge of quilt. Repeat for bottom border.

4. Close border corners with mitered seams matching (B/G) seams which should nest together. Trim seam to ½" and press open.

FINISHING

1. Prepare backing using two widths and vertical seam. Press seam open.

2. Layer prepared backing, batting and quilt top. Baste and quilt as desired.

3. Trim layers even with quilt top squaring corners.

4. Prepare binding using (D) 2½" strips. Sew binding to quilt using your preferred method.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.

Designed by: Cyndi Hershey