# Snowy Wishes By Jennifer Pugh



WILMINGTON

Wall Hanging: 45 1/2" x 59 3/4"

### Snowy Wishes

Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

#### 1. Cut the following:

If using FAT CUTS, you may need to cut additional width-of-fabric strips.

**Fabric A** - PLEASE NOTE: Panels do not always print the size intended. For this pattern, the panel has a coping border added then trimmed so the panel will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of panel to approximately 23-1/2" x 42-1/2"

Fabric B - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 3-1/4" x 48-1/2" snowflake stripe, (1) 9-1/2" x 46" multi-stripe [with snowflake stripe on top], and (1) 3-1/4" x 46" snowflake stripe borders

**Fabric C** - Fussy cut (8) 6-1/2" squares with snowmen centered

**Fabric D** - Cut (1) 3-1/2" strip, subcut (8) 3-1/2" squares

**Fabric E** - Cut (2) 2-1/2" strips, subcut (2) 2-1/2" x 27" strips Cut (2) 2" strips

Fabric F - Cut (6) 2-1/2" strips (binding)
Cut (2) 2-3/8" strips, subcut (32) 2-3/8"
squares then cut in half diagonally for
64 triangles

Fabric G - Cut (4) 2" strips. Sew 2 strips together end to end and cut into (1) 2" x 45-1/2" and (1) 2" x 28-1/2" borders. Repeat with remaining 2 strips for a total of 2 each border length.

Fabric H - Cut (2) 2" strips, subcut (32) 2" squares

Fabric I - Cut (1) 4-1/4" strip, subcut (8) 4-1/4" squares then cut in half diagonally twice for 32 triangles

Cut (2) 2" strips, subcut (32) 2" squares

#### 2. Piecing Order:

1. Stitch 2-3/8" **Fabric F** triangles to short edges of a **Fabric I** triangle as show. Make a total of 32 units (2" x 3-1/2" unfinished).



2. Arrange 1 **Fabric D** 3-1/2" square, 4 **Fabric H** 2" squares, and 4 units in 3 rows. Stitch into rows. Sew rows together. Make a total of 8 **Block 1** (6-1/2" square unfinished).




Block 1 - Make 8

Arrows indicate orientation of directional prints. Letters in italics indicate wrong side of fabric.

3. Draw a diagonal line across the wrong side of 32 **Fabric I** 2" squares.



4. Arrange 4 marked **Fabric I** 2" squares on corners of a **Fabric C** 6-1/2" square as shown. Stitch along marked lines. Trim seam allowances to 1/4". Press triangles out. Make a total of 8 **Block 2** (6-1/2" square unfinished).



Block 2 - Make 8

 Refer to Quilt Layout (Page 2) for arrangement and placement of panel, strips, blocks, and borders.

6. Stitch **Fabric E** 2" x width of fabric strips to sides of the **Fabric A** panel. Trim strip ends even. Add 2-1/2" x 27" **Fabric E** strips to top and bottom of panel. *Trim bordered panel to* 25-1/2" x 45-1/2" (unfinished).

7. Sew **Fabric G** 2" x 45-1/2" borders to right and left sides of bordered panel. Add **Fabric G** 2" x 28-1/2" borders to top and bottom of bordered panel.

8. Arrange blocks in 8 rows. Stitch into rows. Sew rows together (12-1/2" x 48-1/2" unfinished). Sew blocks to right side of bordered panel.


## Snowy Wishes

- 9. Sew **Fabric B** 3-1/4" x 48-1/2" borders to right and left sides of quilt. Add **Fabric B** 3-1/4" x 46" border to top and 9-1/2" x 46" border to bottom of quilt.
- 10. The quilt measures approximately 46" x 60-1/4" (unfinished). Make backing (**Fabric J**) approximately 8" larger than the top.
- 11. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric F**) and enjoy!!

#### **QUILT LAYOUT**

Border measurements are the cut size.

Arrows and stripes indicate orientation of directional prints.



# Snowy Wishes

By Jennifer Dugh



A 1828-82567-931 2/3 yd. (1 Panel)



B 1828-82568-913 1 5/8 yds.



C 1828-82569-931 2/3 yd.



D 1828-82570-913 1/4 yd. (or Fat eighth)



E 1828-82572-321 3/8 yd.



F 1828-82573-393 2/3 yd. (Incl. binding)



G 1828-82573-919 1/3 yd.



H 1828-82574-191 1/4 yd. (or Fat eighth)



I 1828-82574-919 3/8 yd. (or Fat quarter)



WILMINGTON

J 1828-82570-903 3 1/8 yds. (Backing only)



