

# Beach Blanket

FREE DOWNLOAD PATTERN


64" x 80½"




Aqua




Berry




Olive



Gray



Yellow



Green



Designed by Banyan Batiks Studio  
[www.BanyanBatiks.com](http://www.BanyanBatiks.com)

# Beach Blanket Quilt Pattern in 6 Colorways

– Aqua, Berry, Gray, Green, Olive & Yellow  
for Banyan Batiks' Boho Beach Collection

Finished Size: 64" x 80 ½"

WOF = width of fabric

Fabric requirements	Yardage	Cutting Instructions
<b>Fabric A</b> - for Blocks 80210-49 – Aqua <u>or</u> 80210-85 – Berry <u>or</u> 80211-94 – Gray <u>or</u> 80218-72 – Green <u>or</u> 80218-74 – Olive <u>or</u> 80218-52 - Yellow	1 yard	<ul style="list-style-type: none"> <li>Cut 2 – 15 ½" x WOF strips</li> <li>Sub-cut 12 – 15 ½" x 6 ½" rectangles</li> </ul>
<b>Fabric B</b> - for Blocks 80212-63 – Aqua <u>or</u> 80213-84 – Berry <u>or</u> 80212-92 – Gray <u>or</u> 80213-45 – Green <u>or</u> 80214-67 – Olive <u>or</u> 80217-57 - Yellow	1/2 yard	<ul style="list-style-type: none"> <li>Cut 3 – 4 ½" x WOF strips</li> <li>Sub-cut 12 – 4 ½" x 8" rectangles</li> </ul>
<b>Fabric C</b> - for Blocks 80212-61 – Aqua <u>or</u> 80212-28 – Berry <u>or</u> 80212-90 – Gray <u>or</u> 80210-73 – Green <u>or</u> 80212-74 – Olive <u>or</u> 80210-51 - Yellow	1/2 yard	<ul style="list-style-type: none"> <li>Cut 3 – 4 ½" x WOF strips</li> <li>Sub-cut 12 – 4 ½" x 8" rectangles</li> </ul>
<b>Fabric D</b> - for Blocks & Outer Border 80211-64 – Aqua <u>or</u> 80213-91 – Berry <u>or</u> 80215-92 – Gray <u>or</u> 80210-70 – Green <u>or</u> 80211-74 – Olive <u>or</u> 80214-92 - Yellow	1 5/8 yard	<ul style="list-style-type: none"> <li>Cut 3 – 4 ½" x WOF strips</li> <li>Sub-cut 12 – 4 ½" x 8" rectangles</li> <li>Cut 8 – 5" x WOF strips</li> <li>Sew 2 strips together end to end; trim to size for left side outer border</li> <li>Sew 2 strips together end to end; trim to size for right side outer border</li> <li>Sew 2 strips together end to end; trim to size for top outer border</li> <li>Sew 2 strips together end to end; trim to size for bottom outer border</li> </ul>
<b>Fabric E</b> - for Inner Border, Sashing Cornerstones & Binding 81300-48 – Aqua <u>or</u> 81300-26 – Berry <u>or</u> 81300-99 – Gray <u>or</u> 81500-42 – Green <u>or</u> 81500-77 – Olive <u>or</u> 81300-32 – Yellow	1 1/2 yards	<ul style="list-style-type: none"> <li>Cut 1 – 2" x WOF strips</li> <li>Sub-cut 6 – 2" squares</li> <li>Cut 8 – 2 ½" x WOF strips</li> <li>Sew 2 strips together end to end; trim to size for left side inner border</li> <li>Sew 2 strips together end to end; trim to size for right side inner border</li> <li>Sew 2 strips together end to end; trim to size for top inner border</li> <li>Sew 2 strips together end to end; trim to size for bottom inner border</li> <li>Cut 8 – 2 ½" x WOF strips; set aside for binding</li> </ul>
<b>Fabric F</b> – for Sashing 81200-10 – Aqua <u>or</u> 81200-10 – Berry <u>or</u> 81201-10 – Gray <u>or</u> 81201-10 – Green <u>or</u> 81201-10 – Olive <u>or</u> 81201-10 – Yellow	1 5/8 yards	<ul style="list-style-type: none"> <li>Cut 31 – 2" x WOF strips</li> <li>From 5 strips, sub-cut 24 – 2" x 8" strips</li> <li>From 15 strips, sub-cut 29 – 2" x 15 ½" strips</li> <li>Sew 4 strips together end to end; from this long strip, cut 3 – 48 ½" sashing strips</li> <li>Sew 2 strips together end to end; trim to size for left side sashing</li> <li>Sew 2 strips together end to end; trim to size for right side sashing</li> <li>Sew 3 strips together end to end; sub-cut 2 strips to size for top &amp; bottom sashing</li> </ul>

<b>Crosswise Backing</b> 80211-49 – Aqua <u>or</u> 80219-91 – Berry <u>or</u> 80212-92 – Gray <u>or</u> 80210-70 – Green <u>or</u> 80212-74 – Olive <u>or</u> 80214-92 – Yellow	4 yards	<ul style="list-style-type: none"> <li>Cut in half so you have 2 – 2 yd x WOF pieces. Sew long edges together for a finished backing piece measuring approximately 72" x 86"</li> </ul>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### **BLOCK ASSEMBLY:**

1. Sew a Fabric F 2" x 8" sashing strip to both long sides of the center 4 ½" x 8" rectangle (Fabric B, C or D, depending on placement). Add a 4 ½" x 8" rectangle (Fabric B, C or D) to each side. Press all seams away from the sashing. Refer to quilt image for placement.
2. Sew a Fabric F 2" x 15 ½" sashing strip to one long edge of a Fabric A rectangle. Press seam away from the sashing.
3. Join the pieced 8" x 15 ½" rectangle assembled in Step 1 to the 8" x 15 ½" rectangle assembled in step 2 to complete the block. Press seam away from the sashing. Make twelve (12).

#### **SASHING:**

1. Sew three 2" x 15 ½" sashing strips together with a 2" Fabric E square between each strip to make a 48 ½" sashing strip. Press seams away from the sashing. Make three (3).

#### **QUILT TOP ASSEMBLY:**

1. Lay out the blocks for each row, turning the blocks as desired, or refer to quilt image for placement. Add one 2" x 15 ½" sashing strip between the blocks to create four rows of three blocks each. Press all seams away from the sashing.
2. Sew a 48 ½" sashing strip to the bottom of rows 1, 2 & 3 created in Step 1 above. Then sew the four rows together. Press all seams away from the sashing.
3. Measure the vertical length through the center of the quilt. Trim side sashing strips to that measurement. Match the center of the side sashing strips to the center of each side of the quilt and pin. Match the ends of the sashing strips to both ends of the quilt and pin. You may have to ease the sashing or the quilt. Sew the seams and press away from the sashing. Repeat this process for the top and bottom sashing using the width through the center of the quilt as your measurement guide. Press seams away from the sashing.
4. Using the same method as above, trim and attach the left & right side inner borders, then the top & bottom inner borders. Repeat for the left & right side outer borders, then the top & bottom outer borders. Press all seams away from the sashing.
5. Layer, quilt and bind as desired.