

46½" x 39"







Designed By: QT Fabrics





Finished Size: 46½" x 39"

### FABRIC REQUIREMENTS

	<b>Fabric A</b> <b>27295 S</b> 1 PANEL 1 BOLT		<b>Fabric B*</b> <b>27296 X</b> ⅝ YARD 1 BOLT		<b>Fabric C</b> <b>27297 H</b> ⅜ YARD 1 BOLT		<b>Fabric D**</b> <b>27297 E</b> 2½ YARDS 2 BOLTS
<p>* includes binding      <b>ADDITIONAL SUPPLIES</b></p> <p>** backing only      52" x 45" rectangle of batting</p>							

\* Numbers within gray box = Number of Bolts needed to make 12 Kits

*We recommend that you carefully read through all instructions before starting your project.*

## CUTTING

*WOF = Width of fabric (from selvage to selvage)*

### Fabric A, cut:

- (1) 41" x 33½" rectangle, centering design.

### Fabric B, cut:

- (5) 2¼" x WOF strips for binding.
- (4) 1½" x WOF strips. From strips, cut (2) 1½" x 41" strips, (2) 1½" x 39½" strips, and (2) 1½" x 2½" rectangles.

### Fabric C, cut:

- (4) 2½" x WOF strips. From strips, cut (2) 2½" x 41" strips, (2) 2½" x 33½" strips, and (2) 2½" squares.

## ASSEMBLY

*All seam allowances are ¼".*

**1.** Sew a 1½" x 41" Fabric B strip to a 2½" x 41" Fabric C strip to make the top border. Repeat for bottom border. Sew the borders to the panel rectangle.

**2.** Join a 2½" x 33½" Fabric C strip, two 1½" x 2½" Fabric B rectangles, and two 2½" Fabric C squares. Add a 1½" x 39½" Fabric B strip to complete a side border. Make 2 side borders and sew them to the quilt.



Top Border



Side Border

## FINISHING

- 1.** Cut the backing fabric into two 1¼-yard lengths. Join pieces lengthwise. Trim backing to 52" x 45" (seam will run vertically).
- 2.** Layer backing, batting, and quilt top. Baste. Quilt as desired.
- 3.** Make double-fold binding using the 2¼"-wide Fabric B strips. Add binding to quilt using your favorite method.

*While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.*