

Full Quilt: 75 1/2" x 90"



Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following:

Fabric A - PLEASE NOTE: Panels do not always print the size intended. For this pattern, panels have a coping border added then trimmed so they will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of 3 panels to approximately 11-1/2" square

Fabric B - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 9-1/4" x 85-1/2" multi-stripe borders [1 with light stripe to right of black stripe, 1 with light stripe to left of black stripe] and (2) 3" x 76" light stripe borders

Fabric C - Fussy cut (3) 25-1/4" squares [with 2 squares as close to mirror image of each other as possible] then cut in half diagonally twice for 12 triangles

Fabrics D and E - From each fabric:
Cut (1) 13-1/4" strip, subcut (2) 13-1/4"
squares then cut in half diagonally twice for 8 triangles

Fabric F - Cut (2) 7-1/4" strips, subcut (7) 7-1/4" squares then cut in half diagonally twice

for 28 triangles

Fabric G - Cut (1) 4-1/4" strip, subcut (2) 4-1/4" squares [then cut in half diagonally twice for 8 triangles], (8) 2-5/8" squares, and (2) 2-3/8" squares [then cut in half diagonally for 4 triangles]
Cut (9) 2-1/2" strips (binding)
Cut (4) 1-1/4" strips, subcut (6) 1-1/4" x 13" and (6) 1-1/4" x 12" strips

Fabric H - Cut (1) 7-1/4" strip, subcut (5) 7-1/4" squares

Cut (2) 4-3/4" strips, and (10) 4-3/4" squares

Fabric I - Cut (6) 5-1/8" strips, subcut (42) 5-1/8" squares then cut in half diagonally for 84 triangles

NOTE: Not all Fabrics C and G triangles are used.

Fabric J - Cut (12) 2-5/8" strips, subcut (24) 2-5/8" x 17-1/2" strips Cut (7) 2-1/2" strips, sewn together end to end then cut into (2) 2-1/2" x 81-1/2" and (2) 2-1/2" x 58-1/2" borders

2. Piecing Order:

1. Draw a diagonal line across the wrong side of (10) 4-3/4" **Fabric H** squares.



Letters in italics indicate wrong side of fabric.

 Mark horizontal and vertical lines centered on the wrong side of each Fabric H 7-1/4"






square as shown. Cut each in half twice diagonally for a total of 20 marked triangles.

3. Arrange (2)
7-1/4" marked
triangles and (1) 4-3/4"

Fabric H marked square
on corners of a 25-1/4"


Fabric C triangle as shown.
Stitch along marked lines. Trim
seam allowances to 1/4". Press triangles out.
Make a total of 2 Block 1a (17-7/8" x 17-7/8" x
25-1/4" unfinished). In the same manner, make
2 Unit 1b, 3 Unit 1c, and 3 Unit 1d.



Arrows indicate orientation of directional prints.


- 4. Sew 1 each **Fabric I** 5-1/8" triangle and **Fabric F** 7-1/4" triangle along their long edges. Add 2 **Fabric I** 5-1/8" triangles as shown. Make a total of 28 Unit 1 (9-3/8" x 9-3/8" x 13-1/4" unfinished).
- 5. Arrange 2 each **Fabrics D** and **E** 13-1/4" triangles as shown.

 Stitch together. Make a total of 4 Unit 2 (12-1/2" square unfinished).




Unit 1 - Make 28

6. Sew 4 Unit 1 to sides of a Unit 2. Make a total of 4 Block 2 (17-1/2" square unfinished).




Block 2 Make 4

7. Stitch Fabric G
1-1/4" x 12" strips to sides
of a Fabric A panel. Trim
strip ends even. Add
1-1/4" x 13" Fabric G strips
to top and bottom
of panel. Trim bordered
panel to 12-1/2" square
(unfinished). Make 3 Unit 3.



8. Sew 4 Unit 1 to sides of a Unit 3. Make a total of 3 Block 3 (17-1/2" square unfinished).




Block 3 Make 3

- 9. Refer to Quilt Layout (Page 3) for arrangement and placement of blocks, **Fabric J** 2-5/8" x 17-1/2" sashing strips, **Fabric G** 2-5/8" squares (sashing cornerstones), **Fabric G** 4-1/4" triangles (edge cornerstones), and **Fabric G** 2-3/8" triangles (corner cornerstones).
- 10. Arrange blocks, **Fabric J** 2-5/8" x 17-1/2" sashing strips, **Fabric G** 2-5/8" squares, **Fabric G** 4-1/4" triangles, and **Fabric G** 2-3/8" triangles in 11 diagonal rows. Stitch into diagonal rows. Sew rows together completing quilt center (54-1/2" x 81-1/2" unfinished).
- 11. Sew **Fabric J** 2-1/2" x 81-1/2" borders to right and left sides of quilt center. Add **Fabric J** 2-1/2" x 58-1/2" borders to top and bottom of quilt center.
- 12. Sew **Fabric B** 9-1/4" x 85-1/2" borders to right and left sides of quilt. Add **Fabric B** 3" x 76" borders to top and bottom of quilt.
- 13. The quilt measures approximately 76" x 90-1/2" (unfinished). Make backing (**Fabric K**) approximately 8" larger than the top.
- 14. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric G**) and enjoy!!

QUILT LAYOUT

Border measurements are the cut size.

Arrows and stripes indicate orientation of directional prints.



Rainbow Flight by Hello Angel



A 3000-77637-946 2/3 yd. (1 panel)




B 3000-77638-971 2 5/8 yds.



C 3000-77639-174 2 1/2 yds.



D 3000-77641-436 1/2 yd.



E 3000-77642-945 1/2 yd.



F 3000-77643-973 5/8 yd.



G 3000-77635-474 1 1/4 yds. (Incl. binding)



H 3000-77645-777 5/8 yd.



I 3000-77646-174 1 1/8 yds.



J 3000-77635-404 1 2/3 yds.



K 3000-77641-936 44/45" - 5 5/8 yds. Backing only

OR



K 1054-2084-154 2 1/2 yds. 108" Backing Option





