

wings of joy[🦋] Quilt



Finished Size: 41 ½" x 47 ½" (105.41cm x 120.65cm)

Fabric Needed

3 Wishes Fabric® Wings of Joy Collection by Josephine Wall

- 1 Panel (87.63cm) – Panel (14958-Multi)
- ⅝ yd (57.15cm) – Waves (14960-Blue) for Piecing and Binding
- ⅜ yd (34.29cm) – Water (14962-Turq)
- ⅓ yd (30.48cm) – Butterflies (14961-Multi)
- ¼ yd (22.86cm) – Wings (14963-Multi)
- ⅛ yd (11.43cm) – Fire (14959-Orange)
- 2 ⅛ yds (194.31cm) – Water (14962-Turq) for Non-directional Backing

ADDITIONAL SUPPLIES NEEDED:

- 50" x 56" (127cm x 142.24cm) Cotton batting
- Piecing and sewing thread
- Quilting and sewing supplies
- Even-feed foot (optional for quilting)

Before you begin


Read all instructions before beginning project. Do not pre-wash fabrics. Press fabrics with a dry iron on cotton setting before cutting. Use a ¼" (6.35mm) seam allowance and sew fabrics with right sides together (RST) unless otherwise noted. Press seams in the direction of the arrows. wof = width of fabric.

Cutting


1. Use a rotary cutter and acrylic ruler to cut the number of pieces from each fabric listed below. Label pieces as they are cut.




Panel (14958–Multi) / 34 ½" (87.63cm x 106.68cm)
Fussy Cut 1 – 32 ½" x 38 ½" (82.55cm x 97.79cm)




Waves (14960–Blue) / ⅝ yd (57.15cm x 106.68cm)
Cut 5 – 2 ½" x wof (6.35cm x 106.68cm) for Binding
Cut 1 – 2 ½" x 37 ½" (6.35cm x 95.25cm)
Cut 2 – 2 ½" x 23" (6.35cm x 58.42cm)



Water (14962–Turq) / ⅝ yd (34.29cm x 106.68cm)
Cut 2 – 2 ½" x 33 ½" (6.35cm x 85.09cm)
Cut 2 – 2 ½" x 41 ½" (6.35cm x 105.41cm)



Butterflies (14961–Multi) / ⅓ yd (30.48cm x 106.68cm)
Cut 1 – 2 ½" x 37 ½" (6.35cm x 95.25cm)
Cut 2 – 2 ½" x 23" (6.35cm x 58.42cm)



Wings (14963–Multi) / ¼ yd (22.86cm x 106.68cm)
Cut 2 – 1" x 32 ½" (2.54cm x 82.55cm)
Cut 2 – 1" x 39 ½" (2.54cm x 100.33cm)
Cut 2 – 2 ½" x 2 ½" (6.35cm x 6.35cm)




Fire (14959–Orange) / ⅝ yd (11.43cm x 106.68cm)
Cut 2 – 2 ½" x 2 ½" (6.35cm x 6.35cm)

Sewing


- Place a Wings strip (1" x 32 1/2" / 2.54cm x 82.55cm) on each side of the Panel rectangle (32 1/2" x 38 1/2" / 82.55cm x 97.79cm) as shown in Diagram A. Pin RST, sew, and press. Place a Wings strip (1" x 39 1/2" / 2.54cm x 100.33cm) on the top and bottom as shown. Pin RST, sew, and press. The Bordered Panel Unit should measure 33 1/2" x 39 1/2" (85.09cm x 100.33cm).

Dia. A




- Place a Wings square (2 1/2" x 2 1/2" / 6.35cm x 6.35cm) on one end of a Water strip (2 1/2" x 41 1/2" / 6.35cm x 105.41cm) as shown in Diagram B. Pin RST, sew, and press. The Inside Border Top should measure 2 1/2" x 43 1/2" (6.35cm x 110.49cm). Repeat to make the Inside Border Bottom.

Dia. B




- Place a Fire square (2 1/2" x 2 1/2" / 6.35cm x 6.35cm) and two Butterflies rectangles (2 1/2" x 23" / 6.35cm x 58.42cm) as shown in Diagram C. Pin RST, sew, and press. The Outside Border Top should measure 2 1/2" x 47 1/2" (6.35cm x 120.65cm).

Dia. C



- Place two Waves rectangles (2 1/2" x 23" / 6.35cm x 58.42cm) and a Fire square (2 1/2" x 2 1/2" / 6.35cm x 6.35cm) as shown in Diagram D. Pin RST, sew, and press. The Outside Border Bottom should measure 2 1/2" x 47 1/2" (6.35cm x 120.65cm).

Dia. D



6. Refer to Diagram E to add borders to the Bordered Panel Unit (33 ½" x 39 ½" / 85.09cm x 100.33cm). **Note:** Pin and sew the side borders first, then the top and bottom borders. Match ends, seams, and middles. Press seams to the outside.

Inside Border

Sides: Two – Water rectangles (2 ½" x 33 ½" / 6.35cm x 85.09cm).

Top and Bottom: Water rectangles with Wings corner squares (2 ½" x 43 ½" / 6.35cm x 110.49cm) made in Step 3.

Outside Border


Left Side: Waves rectangle (2 ½" x 37 ½" / 6.35cm x 95.25cm).

Right Side: Butterfly rectangle (2 ½" x 37 ½" / 6.35cm x 95.25cm).

Top: Butterfly rectangle with Fire corner square (2 ½" x 47 ½" / 6.35cm x 120.65cm) made in Step 4.


Bottom: Water rectangle with Fire corner square (2 ½" x 47 ½" / 6.35cm x 120.65cm) made in Step 5.

The finished Quilt Top should measure 41 ½" x 47 ½" (105.41cm x 120.65cm).




7. To make the Water backing, remove the selvages and cut one piece 40 1/4" x 50" (102.24cm x 127cm), one piece 16 1/4" x 40 1/4" (41.28cm x 102.24cm), and one piece 10 1/4" x 16 1/4" (26.04cm x 41.28cm). Pin RST and sew the two smaller pieces on the short edges; press. Pin the two sections RST and sew along the long edges as shown in Diagram F. Press seams open or to one side. The Backing should measure 50" x 56" (127cm x 142.24cm).

Dia. F



8. Press finished Quilt Top and Backing. Tape the backing **wrong** side up to a firm surface. Layer batting and Quilt Top (right side up). Baste the layers together with safety pins. Quilt as desired.
9. Once quilting is complete, square up corners and edges, trimming excess backing and batting even with the Quilt Top.
10. To make the Waves binding, remove selvages and sew the short ends of the five 2 1/2" x wof (6.35cm x 106.68cm) strips RST end to end at a 45° angle to make one continuous strip; press seams open. Press one short end 1/4" (6.35mm) to the **wrong** side. Fold in half lengthwise with **wrong** sides together as shown below; press. Leaving a 2" (5.08cm) tail on the folded end, place cut edges of folded binding even with the edge of the quilt top and sew, mitering the corners as shown below. Overlap ends, trim any excess and finish sewing the binding. Fold binding over to back and hand stitch.



Finished Care Instructions

Machine wash in cold water; gentle cycle. **Tip:** Before drying, check for fabric dyes that may have run. If fabric dyes run, rewash and rinse using a color catcher to absorb loose dye. Lay flat to dry or tumble dry low.