


NIGHT STARS

Designed by Ariga Mahmoudlou for RK Featuring ARTISAN
BATHS
www.robertkaufman.com

DESERTSCAPES by Lynn



Finished quilt measures: 54" x 62"

Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-7000-2 BLACK	2-3/4 yards		G	AMD-19164-106 BLOSSOM	1/4 yard
	B	AMD-19166-327 LAGUNA	1/2 yard		H	AMD-19166-115 CAYENNE	1/3 yard
	C	AMD-19170-327 LAGUNA	1/8 yard		I	AMD-19165-225 ADOBE	1/3 yard
	D	AMD-19165-6 PURPLE	1/8 yard		J	AMD-19164-115 CAYENNE	1/3 yard
	E	AMD-19164-324 SUNDANCE	1/4 yard		Binding*	AMD-19166-327 LAGUNA <i>*Also used for Fabric B</i>	1/2 yard
	F	AMD-19165-233 BERRY	1/8 yard	You will also need: 3-1/2 yards for backing			
Copyright 2019, Robert Kaufman For individual use only - Not for resale							

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

ten 3-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 3-1/2" x 46-1/2" top/bottom Border 1 pieces

two 3-1/2" x 48-1/2" side Border 1 pieces

two 3-1/2" x 54-1/2" top/bottom Border 3 pieces

two 3-1/2" x 56-1/2" side Border 3 pieces

thirteen 3" x WOF strips. Subcut:

one hundred eighty 3" squares for the HSTs

eight 2-1/2" x WOF strips. Subcut:

one hundred twenty 2-1/2" squares

From Fabric B, cut:

two 3" x WOF strips. Subcut:

twenty four 3" squares for the HSTs

five 1-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 1-1/2" x 48-1/2" top/bottom Border 2 pieces

two 1-1/2" x 54-1/2" side Border 2 pieces

From each of Fabrics C and D, cut:

one 3" x WOF strip. Subcut:

six 3" squares for the HSTs

From each of Fabric E and G, cut:

two 3" x WOF strips. Subcut:

eighteen 3" squares for the HSTs

From Fabric F, cut:

one 3" x WOF strip. Subcut:

twelve 3" squares for the HSTs

From each of Fabrics H and I, cut:

three 3" x WOF strips. Subcut:

thirty 3" squares for the HSTs

From Fabric J, cut:

three 3" x WOF strips. Subcut:


thirty-six 3" squares for the HSTs

From the Binding Fabric, cut:


six 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)


Step 1: Pair a 3" Fabric A square with a 3" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/2" square. Repeat to make forty-eight A/B HSTs.



Step 2: Repeat Step 1 to make:




twelve A/C HSTs




twelve A/D HSTs




thirty-six A/E HSTs




twenty-four A/F HSTs




thirty-six A/G HSTs



sixty A/H HSTs




sixty A/I HSTs



seventy-two A/J HSTs

Assemble the Blocks



Step 3: Gather:
four 2-1/2" Fabric A squares
twelve A/B HSTs

Arrange the units into four rows of four. Note the fabric placement and block orientation in the Block Assembly Diagram.


Step 4: Sew the squares together to form the rows. Press the seams in opposite directions every other row.

Step 5: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

The finished block should measure 8-1/2" square. Repeat to make four Fabric B Blocks.




Step 6: Repeat Steps 3-5 to make:



one Fabric C Block




one Fabric D Block




three Fabric E Blocks




two Fabric F Blocks



three Fabric G Blocks



five Fabric H Blocks




five Fabric I Blocks



six Fabric J Blocks

Assemble the Quilt



Step 7: Arrange the blocks into six rows of five blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 8: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 9: Sew the rows together to form the quilt center. Press the row seams open.

Step 10: Sew the side Border 1 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 1 pieces to the quilt center. Press toward the borders.

Step 11: Sew the side Border 2 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 2 pieces to the quilt center. Press toward the borders.

Step 12: Sew the side Border 3 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 3 pieces to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!