

# POINTED

Designed by Ariga Mahmoudlou for RK Featuring ARTISAN  
FABRICS  
[www.robertkaufman.com](http://www.robertkaufman.com)

*Fancy Feathers*

by **Lynn**



Finished quilt measures: 55" x 66"















Difficulty Rating: **Beginner**

**ROBERTKAUFMAN**  
F A B R I C S

For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).

## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 42" wide.*

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-7000-9 NAVY	3-1/2 yards		H	AMD-19028-32 MINT	1/4 yard
	B	AMD-19025-14 NATURAL	1/4 yard		I	AMD-19029-34 SAGE	1/4 yard
	C	AMD-19026-6 PURPLE	1/4 yard		J	AMD-19029-70 AQUA	1/4 yard
	D	AMD-19026-18 GRAPE	1/4 yard		K	AMD-19030-6 PURPLE	1/4 yard
	E	AMD-19026-70 AQUA	1/4 yard		L	AMD-19030-40 EMERALD	1/4 yard
	F	AMD-19027-40 EMERALD	1/4 yard		M	AMD-19030-78 PEACOCK	1/4 yard
	G	AMD-19027-78 PEACOCK	1/4 yard		Binding*	AMD-19027-78 PEACOCK <i>*Also used for Fabric G</i>	5/8 yard

Copyright 2019, Robert Kaufman  
For individual use only - Not for resale

You will also need:  
3-1/2 yards for backing

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## Cutting Instructions

### From Fabric A, cut:

fourteen 3" x WOF strips. Subcut:

one hundred ninety-two 3" squares for the HSTs

twenty-four 2-1/2" x WOF strips. Subcut:

one hundred ninety-two 2-1/2" squares

forty-eight 2-1/2" x 8-1/2" block sashing strips

fourteen 1-1/2" x WOF strips. Sew together, end-to-end, then trim:

seven 1-1/2" x 64-1/2" column sashing strips

two 1-1/2" x 55-1/2" top/bottom borders

### From each of Fabrics B-M, cut:

two 3" x WOF strips. Subcut:


sixteen 3" squares for the HSTs

### From the Binding Fabric, cut:

seven 2-1/2" x WOF strips

## Assemble the Half-Square Triangles (HSTs)


**Step 1:** Pair a 3" Fabric A square with a 3" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/2" square. Repeat to make thirty-two A/B HSTs.




**Step 2:** Repeat Step 1 to make:




thirty-two A/C HSTs



thirty-two A/D HSTs




thirty-two A/E HSTs




thirty-two A/F HSTs




thirty-two A/G HSTs




thirty-two A/H HSTs




thirty-two A/I HSTs




thirty-two A/J HSTs



thirty-two A/K HSTs




thirty-two A/L HSTs



thirty-two A/M HSTs

### Assemble the Blocks



**Step 3:** Gather:  
four 2-1/2" Fabric A squares  
eight A/B HSTs

Arrange the units into three rows of four. Note the fabric placement and block orientation in the Block Assembly Diagram.

**Step 4:** Sew the squares together to form the rows. Press the seams in opposite directions every other row.

**Step 5:** Sew the rows together, nesting the seams and pressing the seams to one side to form the block. The block should measure 6-1/2" x 8-1/2".

**Step 6:** Repeat Steps 3-5 to make four blocks from each of Fabrics B-M.



**Step 7:** Arrange the Blocks together as indicated in the Quilt Assembly Diagram, noting the fabric placement and block orientation. Sew each column together, using fabric A sashing strips between each block and at the beginning OR end of each column. Press seams toward the sashing. Repeat to make six block columns.

**Step 8:** Sew the column sashing and block rows together. Press seams open or to the sashing. Sew the top/bottom border to the quilt. Press.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2019. All rights reserved.