09.03.19 windhamfabrics.com

# Tea Time

Designed by Eat, Sleep, Quilt!
Featuring My Cup of Tea by Whistler Studios
SIZE: 36" X 36"



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP AND PILLOWS, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.





**Cutting Notes:** Mark and store your cutting pieces according to the block they have been assigned to, as this will make it much easier when you start piecing. Be sure to read the entire pattern before you begin. This pattern requires knowledge in appliqué. For more information about appliqué please visit your favorite quilting tutorial website.

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		50087-24 Limoncello BEDROCK COLLECTION INCLUDES BINDING	3/4	(2) 5" x WOF strips. Subcut (1) 5" square, (1) 4½" x 6½" rectangle. Cut remainder of strip in half lengthwise to yield (2) 2½" strips. Subcut (1) 2½" x 20½" rectangle, (1) 2½" x 5½" rectangle, (4) 2½" squares. (1) 4½" x WOF strip. Subcut (1) 4½" x 20½" rectangle, (3) 4½" squares. (4) 2½" x WOF strips for binding. (1) 1½" x WOF strip. Subcut (1) 1½" x 12½" rectangle, (1) 1½" x 4½" rectangle, (1) 1½" x 2½" rectangle, (1) 1½" x 2½" rectangle, (2) 1½" squares.
В		51615-5 Blueberry	FQ	<ul> <li>(1) 10½" x 11½" rectangle.</li> <li>(1) 5" square.</li> <li>(2) 1½" x 4½" rectangles.</li> <li>(2) 1½" squares.</li> <li>Save remainder for appliqué.</li> </ul>
С		51618-1 White	5/8	(2) 5½" x WOF strips. Subcut (10) 5½" squares, (10) 5½" x 1½" rectangles. (1) 3½" x WOF strip. Subcut (10) 3½" x 1½" rectangles. Trim remainder of strip to 2¾" wide and subcut (3) 2¾" squares; cut the squares twice diagonally to create (12) QST; use (10). (2) 1½" x WOF strips. Subcut (40) 1½" squares.
D		51617-7 Earl Grey	1/2	(4) 3½" x WOF strips. Subcut (2) 3½" x 30½" strips for side borders, (2) 3½" x 36½" strips for top and bottom borders.

**PROJECT DISCLAIMER:** Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check **windhamfabrics.com** for pattern updates and to test the pattern prior to making the project. Test templates first, before cutting all the pieces. Free projects are not for resale.



KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
Е		35370S-2 Jet Black WINDHAM SOLIDS COLLECTION	FQ	Set aside for appliqué.
F		50087-32 Amazonia BEDROCK COLLECTION	FQ	(2) 2½" x 11½" rectangles (5) 1½" x 5½" rectangles. Set aside rest for appliqué.
G		51614-2 Charcoal	FQ	(5) 3½" squares. (2) 2¾" squares; cut squares twice diagonally to create (8) QST; use (5). (3) 1½" squares; cut once diagonally to create (6) HST; use (5).
Н		51617-8 Calm	FQ	(5) 3½" squares. (2) 2%" squares; cut squares twice diagonally to create (8) QST; use (5). (3) 1½" squares; cut once diagonally to create (6) HST; use (5).
I		51615-4 Rose	FQ	Set aside for appliqué.
J		51618-10 Chamomile	FQ	(5) 1½" x 5½" rectangles. Set aside rest for appliqué.
		Backing	11⁄4	
				42" x 42" piece of batting.

#### **Piecing**

1. Draw a diagonal line on the wrong side of (4) 2½" **Fabric A** squares. With RST, place a 2½" **Fabric A** square on the corner of a 2½" x 11½" **Fabric F** rectangle. Stitch on the drawn line. Trim ¼" from seam and press toward **Fabric A**. Repeat on opposite corner of **Fabric F** rectangle. Make (2).










**2.** Sew a pieced unit to the top and bottom of a 10%" x 11%" **Fabric B** rectangle

Press toward **Fabric B** rectangle. Unit should measure  $11\frac{1}{2}$ " x  $14\frac{1}{2}$ ".





**3.** Draw a diagonal line on the wrong side of a 5" **Fabric A** square. With RST, place marked 5" **Fabric A** square on top of a 5" **Fabric B** square. Stitch ¼" on each side of drawn line. Cut along drawn line and press toward **Fabric B**. Trim half-square triangle unit to 4½" square. *Note: you will have (1) extra HST.* 









Make 1

**4.** Arrange (1) HST unit, (2)  $4\frac{1}{2}$ " **Fabric A** squares, (1)  $1\frac{1}{2}$ " x  $12\frac{1}{2}$ " **Fabric A** rectangle and (1)  $2\frac{1}{2}$ " x  $5\frac{1}{2}$ " **Fabric A** rectangle as shown. Sew together and press to complete spout unit. Make (1). Unit should measure  $5\frac{1}{2}$ " x  $14\frac{1}{2}$ ".



**5.** Draw a diagonal line on the wrong side of (2) 1½" **Fabric A** squares. With RST, place a 1½" **Fabric A** square on the corner of a 1½" x 4½" **Fabric B** rectangle. Stitch on the drawn line. Trim ¼" from seam and press toward **Fabric A**. Repeat on opposite corner of **Fabric B** rectangle. Make (1).









Make 1

**6.** Sew a  $1\frac{1}{2}$ " **Fabric B** square on each end of a  $1\frac{1}{2}$ " x  $2\frac{1}{2}$ " **Fabric A** rectangle. Press toward **Fabric B** squares. Make (1).







Make 1


7. Arrange (1)  $1\frac{1}{2}$ " x  $4\frac{1}{2}$ " Fabric B rectangle, pieced units and (1)  $1\frac{1}{2}$ " x  $4\frac{1}{2}$ " Fabric A rectangle as shown below. Sew together and press seams in either direction. Make (1) cup handle unit. Unit should measure  $4\frac{1}{2}$ " x  $4\frac{1}{2}$ ".






Make 1


**8.** Arrange cup handle unit, (1)  $4\frac{1}{2}$ " **Fabric A** square and (1)  $4\frac{1}{2}$ " x  $6\frac{1}{2}$ " **Fabric A** rectangle as shown. Sew together and press seams toward **Fabric A**. Make (1). Unit should measure  $4\frac{1}{2}$ " x  $14\frac{1}{2}$ ".





**9.** Arrange all pieced units, (1)  $4\frac{1}{2}$ " x  $20\frac{1}{2}$ " **Fabric A** rectangle and (1)  $2\frac{1}{2}$ " x  $20\frac{1}{2}$ " **Fabric A** rectangle as shown. Sew pieced units together and press. Sew  $4\frac{1}{2}$ " x  $20\frac{1}{2}$ " **Fabric A** rectangle to top of unit and press toward rectangle. Sew  $2\frac{1}{2}$ " x  $20\frac{1}{2}$ " **Fabric A** rectangle to bottom of unit and press toward rectangle. Block should measure  $20\frac{1}{2}$ " x  $20\frac{1}{2}$ ".





### **Appliqué**

(Note: Do not resize or mirror-image appliqué shapes.)

- 10. Trace each appliqué shape (Page 10) on the paper side of fusible web. DO NOT cut on the traced lines. Cut them apart at least ½" outside the lines. Lay a fusible web shape, paper side up, on the wrong side of fabric. Press according to fusible web manufacturer's instructions. Let fabric cool, then cut out shape on the drawn line. Repeat with remaining appliqué shapes.
- **11.** Peel off paper from shape and arrange, fusible side down, on the right side of the teapot block. Fuse to appliqué background following manufacturer's instructions. Stitch the appliqués using the stitch of your choice. You can use blanket stitch, zig zag or straight stitch.





#### Tea Cup Blocks

**12.** Draw a diagonal line on the wrong side of (10) 1½" **Fabric C** squares. With RST, place a 1½" **Fabric C** square on the corner of a 1½" x 5½" **Fabric J** rectangle. Stitch on the drawn line. Trim ¼" from seam and press toward **Fabric C**. Repeat on opposite corner of **Fabric J** rectangle. Make (5).









Make 5

13. Repeat this method with (10) 1½" Fabric C squares and (5) 1½" x 5½" Fabric F rectangles. Make (5).



Make 5

14. Sew (1) Fabric C QST to (1) Fabric G QST as shown. Press toward Fabric G. Sew (1) Fabric G HST to unit as shown and press toward Fabric G. Trim unit to 1½" square. Sew a 1½" Fabric C square to each side of unit as shown. Press toward Fabric C squares. Make (5).








Make 5


**15.** Repeat steps above with **Fabric C** and **Fabric H** triangles. Make (5).



Make 5


- **16.** Sew a  $1\frac{1}{2}$ " x  $3\frac{1}{2}$ " **Fabric C** rectangle to a  $3\frac{1}{2}$ " **Fabric G** square. Press toward **Fabric C**. Sew a matching cup handle unit to opposite side of square. Press toward  $3\frac{1}{2}$ " **Fabric G** square. Sew a  $1\frac{1}{2}$ " x  $5\frac{1}{2}$ " **Fabric C** rectangle to top of unit and press toward rectangle. Sew a pieced **Fabric J** saucer unit to bottom of cup and press toward saucer unit to complete block. Make (5). Block should measure  $5\frac{1}{2}$ " x  $5\frac{1}{2}$ ".
- 17. Repeat with Fabric H cup and Fabric F saucer. Make (5).







Make 5



Make 5



#### **Appliqué**

Note: Do not resize or mirror-image appliqué shapes.

- **18.** Trace each appliqué shape (Page 10) on the paper side of fusible web. DO NOT cut on the traced lines. Cut them apart at least 1/8" outside the lines. Lay a fusible web shape, paper side up, on the wrong side of fabric. Press according to fusible web manufacturer's instructions. Let fabric cool, then cut out shape on the drawn line. Repeat with remaining appliqué shapes.
- 19. Peel off paper from shape and arrange, fusible side down, on the right side of the appliqué background. Fabric B/F tea bags and Fabric I/J tea bags fuse to Fabric C 5½" squares. Fuse to appliqué background following manufacturer's instructions.
- 20. Stitch the appliques using the stitch of your choice. You can use blanket stitch, zig zag or straight stitch. Hand or machine stitch embroidered tea bag strings. (Use Page 11 for additional embroidery information and machine stitch template). Make (5) Fabric B/F blocks and (5) Fabric I/J blocks.

#### **Assembly**


21. Arrange (3) tea bag blocks and (3) teacup blocks as shown below. Sew blocks together and press seams

open. Make (1) top inper border




22. Arrange (3) tea bag blocks and (3) teacup blocks as shown below. Sew blocks together and press seams

open. Make (1) bottom inner border.



23. Refer to the images of the side inner borders and sew the blocks together. Make (1) of each.







- **24.** Sew a side inner border to each side of quilt center, referring to placement below. Press toward border.
- 25. Sew top and bottom inner borders to quilt center and press toward inner borders.





**26.** Sew a 3½" x 30½" **Fabric D** outer border to each side of quilt. Press toward border. Sew a 3½" x 36½" **Fabric D** outer border to top and bottom of quilt. Press toward borders to complete quilt top.






#### Finishing

- 27. With the backing fabric laying taut, place batting and then quilt top to form quilt sandwich.
- 28. Baste sandwich. Quilt as desired.
- 29. Bind with Fabric A to finish quilt.



### **QUILT ASSEMBLY DIAGRAM**








# Embroidery - Tea Time

### **Hand Stitching Tea Bag Strings:**

Trace string onto the center, top of the tea bag block. Using your favorite embroidery stitch, hand stitch with black thread. We used a basic backstitch (see diagram below).



### **Machine Stitching Tea Bag Strings:**

Trace string onto the center, top of the tea bag block. Use your sewing machine to stitch with black thread. Be sure to backstitch at beginning and end of string to secure stitching.

This box should measure 1" square after printing

