


NIGHT STARS

Designed by Ariga Mahmoudlou for RK Featuring
www.robertkaufman.com

KONA[®]
cotton solids



Finished quilt measures: 54" x 62"












Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-458 STORM	2-3/4 yards		G	K001-1314 ROYAL	1/4 yard
	B	K001-497 NIAGARA	1/2 yard		H	K001-171 WATER	1/3 yard
	C	K001-1010 BABY BLUE	1/8 yard		I	K001-1845 HARBOR	1/3 yard
	D	K001-454 PRUSSIAN	1/8 yard		J	K001-494 MALIBU	1/3 yard
	E	K001-194 LAKE	1/4 yard		Binding*	K001-1845 HARBOR <i>*Also used for Fabric I</i>	1/2 yard
	F	K001-25 OCEAN	1/8 yard	You will also need: 3-1/2 yards for backing			

Copyright 2019, Robert Kaufman
For individual use only - Not for resale

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

ten 3-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 3-1/2" x 46-1/2" top/bottom Border 1 pieces

two 3-1/2" x 48-1/2" side Border 1 pieces

two 3-1/2" x 54-1/2" top/bottom Border 3 pieces

two 3-1/2" x 56-1/2" side Border 3 pieces

thirteen 3" x WOF strips. Subcut:

one hundred eighty 3" squares for the HSTs

eight 2-1/2" x WOF strips. Subcut:

one hundred twenty 2-1/2" squares

From Fabric B, cut:

two 3" x WOF strips. Subcut:

twenty four 3" squares for the HSTs

five 1-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 1-1/2" x 48-1/2" top/bottom Border 2 pieces

two 1-1/2" x 54-1/2" side Border 2 pieces

From each of Fabrics C and D, cut:

one 3" x WOF strip. Subcut:

six 3" squares for the HSTs

From each of Fabric E and G, cut:

two 3" x WOF strips. Subcut:

eighteen 3" squares for the HSTs

From Fabric F, cut:

one 3" x WOF strip. Subcut:

twelve 3" squares for the HSTs

From each of Fabrics H and I, cut:

three 3" x WOF strips. Subcut:

thirty 3" squares for the HSTs

From Fabric J, cut:

three 3" x WOF strips. Subcut:

thirty-six 3" squares for the HSTs

From the Binding Fabric, cut:

six 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)

Step 1: Pair a 3" Fabric A square with a 3" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/2" square. Repeat to make forty-eight A/B HSTs.



Step 2: Repeat Step 1 to make:




twelve A/C HSTs



twelve A/D HSTs



thirty-six A/E HSTs




twenty-four A/F HSTs




thirty-six A/G HSTs



sixty A/H HSTs



sixty A/I HSTs




seventy-two A/J HSTs


Assemble the Blocks




Step 3: Gather:
four 2-1/2" Fabric A squares
twelve A/B HSTs



Arrange the units into four rows of four. Note the fabric placement and block orientation in the Block Assembly Diagram.




Step 4: Sew the squares together to form the rows. Press the seams in opposite directions every other row.




Step 5: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.


The finished block should measure 8-1/2" square. Repeat to make four Fabric B Blocks.




Step 6: Repeat Steps 3-5 to make:




one Fabric C Block




one Fabric D Block




three Fabric E Blocks




two Fabric F Blocks




three Fabric G Blocks



five Fabric H Blocks




five Fabric I Blocks



six Fabric J Blocks

Assemble the Quilt



Step 7: Arrange the blocks into six rows of five blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 8: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 9: Sew the rows together to form the quilt center. Press the row seams open.

Step 10: Sew the side Border 1 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 1 pieces to the quilt center. Press toward the borders.

Step 11: Sew the side Border 2 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 2 pieces to the quilt center. Press toward the borders.

Step 12: Sew the side Border 3 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 3 pieces to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!