
BLOCK HEADS 3



LAYOUT 3

Description: Layout 3 uses a fun diagonal setting with blocks set within the setting triangles. Layout 3 would be a wonderful introduction to diagonal set quilts. Slightly oversized setting triangles ensure that your block points stay intact!



Block Sizing Guide

68" x 68" (56) Blocks Total

Block Sizes Required:

12" Blocks: (16)

8" Blocks: (4)

6" Blocks: (32)

4" Blocks: (4)

Fabric Requirements:

Binding:


3/4 yard

Background Fabric:

1 yard

Backing:

4 1/4 yards





CUTTING INSTRUCTIONS:

Binding:


• Cut (8) 2 1/2" x WOF strips.


Background Fabric:

- Cut (5) 2 1/2" x WOF strips. Subcut:
 - o (8) 2 1/2" x 8 1/2" rectangles for 8" Block Assembly.
 - o (8) 2 ½" x 12 ½" rectangles for 8" Block Assembly.
- Cut (3) 7 1/4" x WOF strips. Subcut:
 - $_{\odot}~$ (12) 7 $^{1}\!\!/_{\!\!4}"$ squares; cut each square once diagonally to create (24) HST. Label as A.
 - Use the remainder of the 3rd strip to cut (4) 5 ¼" squares; cut each square once diagonally to create (8) HST. Label as B.
 - $_{\odot}$ (1) 5 ½" square; cut the square twice diagonally to create (4) QST. Label as C.

ASSEMBLY INSTRUCTIONS:

- 1. Sew (1) 2 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " background fabric strip onto either side of (1) 8 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " unfinished block as shown. Press seams outward toward the background fabric.
- 2. Sew (1) 2 $\frac{1}{2}$ " x 12 $\frac{1}{2}$ " background fabric strip onto the (2) remaining sides of the 8 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " unfinished block as shown. Press.
- 3. $8 \frac{1}{2}$ " x $8 \frac{1}{2}$ " blocks should now measure $12 \frac{1}{2}$ " x $12 \frac{1}{2}$ " unfinished. Repeat to create (4).








- 4. The quilt is assembled using a diagonal setting. Lay out blocks as shown in the diagram. (Please note: (4) 6" Blocks are placed together to create a 12" Block.) Use (2) A triangles and (1) 6" block to create setting triangles to be placed along the sides of the quilt top. Use (2) B triangles, (1) C triangle and (1) 4" block to create the corners of the quilt top.
- 5. Sew the quilt together using the diagrams for reference.
- 6. A, B and C triangles have been oversized to eliminate block points being cut off during trimming or binding process. Trim quilt top so that there is a ¼" seam allowance between the edge of the quilt top and the point of each block along the perimeter of the quilt. Quilt top should measure approximately 68 ½" x 68 ½" unfinished. (Please note: Measurement is approximate due to variances in diagonal quilt assembly.)





Inspire others by posting a picture of your finished quilt on the Moda Block Heads Facebook group. Be sure to use #ModaBlockheads when posting to your social media accounts.



FABRICS + SUPPLIES

www.modafabrics.com









