INTERMEDIATE SKILL

Stonehouse Garden

designed by Wendy Sheppard featuring *English Garden* by Whistler Studius _{SIZE: 78" × 82"}



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.





WOF-WIDTH OF FABRIC

	Windham Solid 31835S-White	4		
CUTTI	NG INSTRUCTIONS			
: 2″ x 2-1/2″ 2″ x 5 1/2″,	 (1) 6-1/2" x 17" rectangle FO (1) 13" square FOR LEAF BLOCK (4) 1-1/2" x WOF strip. Subc (4) 1-1/2" x 10-1/2" and (SHOOFLY BLOCKS (2) 2" x WOF strips. Subcut ((5) 1-1/2" x WOF strips. Sub (13) 1-1/2" x 3-1/2" and (BIRDHOUSE BLOCK (1) 6" square. (2) 2-1/2" x 5" rectangles. (2) 2" x 7-1/2" rectangles. (2) 1-1/2" x WOF strips. Sub (2) 1-1/2" x 16-1/2" strips 	er CAT AND BIRD BLOCK. (4) 1-1/2" x 20-1/2" (26) 2" squares. (26) 2" squares. (27) 1-1/2" squares, (13) 1-1/2" x 4-1/2" rectangles.		
	PINWHEEL BLOCKS BORD	ER		
 (2) 1-1/2" x WOF strips. Subcut (2) 1-1/2" x 12-1/2" strips. (2) 1-1/2" x 16-1/2" strips. HST BLOCKS 		 (7) 2-1/2" x WOF strips. Subcut (100) 2-1/2" squares. (2) 3-1/2" x WOF strips. Subcut (50) 1-1/2" x 3-1/2" rectangles. (2) 4-1/2" x WOF strip. Subcut (50) 1-1/2" x 4-1/2" rectangles. 		
	2" x 2-1/2" 2" x 5 1/2", 4" x 1-1/2"	APPLIQUE BLOCKS (2) 9" x 17" rectangles FOR RA (1) 6-1/2" x 17" rectangles FOR LEAF BLOCK (2" x 5 1/2", 4" x 1-1/2" SHOOFLY BLOCKS (2) 2" x WOF strips. Subcut ((5) 1-1/2" x WOF strips. Subcut ((5) 1-1/2" x WOF strips. Subcut ((1) 6" square. (2) 2-1/2" x 5" rectangles. (2) 1-1/2" x WOF strips. Sub (2) 1-1/2" x 16-1/2" strips. (2) 1-1/2" x VOF strips. Sub (2) 1-1/2" x VOF strips. Sub (2) 1-1/2" x WOF strips. Sub (2) 3-1/2" x WOF strips. Sub (2) 3-1/2" x WOF strips. Sub (50) 1-1/2" x 3-1/2" recta (2) 4-1/2" x WOF strip. Subc (50) 1-1/2" x 4-1/2" recta (2) 4-1/2" x 4-1/2" recta		

INNER BORDER

(6) 2-1/2" x WOF strips. Sew strips via short ends and subcut (4) 2-1/2" x 56-1/2" strips.

(5) 1-1/2" x WOF strips. Sew strips via short ends and subcut (2) 1-1/2" x 42-1/2" and (2) 1-1/2" x 44-1/2" strips.

(5) 1-1/4" x WOF strips. Sew strips via short ends and subcut (2) 1-1/4" x 44-1/2" and (2) 1-1/4" x 47" strips.

PROJECT DISCLAIMER: Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check **windhamfabrics.com** for pattern updates and to test the pattern prior to making the project. **TEST TEMPLATES FIRST, BEFORE CUTTING ALL THE PIECES.** Free projects are not for resale.



KEY	FABRIC	SKU	YD
В		Artisan Cotton 40171-23 Blue/White	5/8
	CUTTING	INSTRUCTIONS	
DIAMOND-IN-SQUARE (2) 2-1/2" x WOF strip. Subcut LEAF APPLIQUE BLOCK Refer to LEAF TEMPLATE to cut (4 RABBITS AND GEESES BLOG (1) 1-1/2" x WOF strip. Subcut) B pieces and (4) stems CK	INNER BORDER	DRDER Subcut (16) 2-1/2" squares. Subcut (16) 2-1/2" x 4-1/2"
KEY	FABRIC	SKU	YD
С		51831-1 White	5/8
	CUTTING	INSTRUCTIONS	
 HOUSE BLOCK (1) 1-1/2" x WOF strip. Subcut (4) 1-1/2" squares, (1) 1-1/2" x 7-1/2" and (2) 1-1/2" x 3-1/2" rectangles. (1) 2-1/2" x WOF strip. Subcut (4) 2" x 2-1/2", (4) 1" x 2-1/2" and (1) 2-1/2" x 7-1 /2" rectangles. 		 BIRDHOUSE BLOCK (1) 2-1/2" x WOF strip. Subcut (1) 2-1/2" x 7-1/2" and (1) 1-1/2" x 7-1/2" rectangles. (1) 4" x WOF strip. Subcut (2) 4", (2) 1", (2) 1-1/2", and (2) 2-1/2" squares and (2) 2" x 4-1/2" rectangles. 	
DIAMOND-IN-SQUARE (1) 2-1/2" x WOF strip. Subcut (12) 2-1/2" squares.		INNER BORDER (1) 4-1/2" x WOF strip. Subcut (10) 2-1/2" x 4-1/2" rectangles.	
KEY	FABRIC	SKU	YD
D		51831-2 Navy	1/2
	CUTTING	INSTRUCTIONS	
TREE BLOCK (1) 5-1/2" x WOF strip. Subcut (1) 3-1/2" x 5-1/2" and (1) 1" x 1-1/2" rectangles.		HST BLOCKS (1) 3" x WOF strip. Subcut (6) 3" squares. PINWHEEL BLOCKS BORDER (1) 2-1/2" x WOF strip. Subcut (8) 2-1/2" squares.	



KEY	FABRIC	SKU	YD
E		51832-1 White	1-1/2
	CUTTING I	NSTRUCTIONS	
DIAMOND-IN-SQUARE (1) 4-1/2" x WOF strip. Subcut FLYING GEESE BLOCKS (1) 2-1/2" x WOF strip. Subcut	·	OUTER BORDER (8) 4-1/2" x WOF strip. S and subcut (2) 4-1/2" (2) 4-1/2" x 78-1/2" s	x 74-1/2" and
KEY	FABRIC	SKU	YD
F	× >	51832-2 Navy	7/8
	CUTTING I	NSTRUCTIONS	
TREE BLOCK (1) 6-1/2" x WOF strip. Subcut (1) 1" x 2-1/2" rectangles.	: (1) 3-1/2" x 6-1/2" and	FLYING GEESE BLOCK (1) 2-1/2" x WOF strip. S (2) 2-1/2" x 4-1/2" re	Subcut
DIAMOND-IN-SQUARE (1) 4-1/2" x WOF strip. Subcut (3) 4-1/2" squares.		BIRDHOUSE BLOCK (1) 4-1/2" x WOF strip. Subcut (2) 2-1/2" x 4-1/2" rectangles.	
LEAF APPLIQUE BLOCK Refer to LEAF TEMPLATE to cut (4) F pieces.	PINWHEEL BLOCKS B	0
RABBITS AND GEESE BLOCKS (1) 1-1/2" x WOF strip. Subcut (16) 1-1/2" squares		(1) 2-1/2" x WOF strip. Subcut(16) 2-1/2" squares.	
HST BLOCKS (2) 3" squares		INNER BORDER (1) 4-1/2" x WOF strip. Subcut (4) 4-1/2" squares and (10) 2-1/2" x 4-1/2" rectangles.	
KEY	FABRIC	SKU	YD
G		51833-1 White	1/4
	CUTTING	NSTRUCTIONS	

(1) 4-1/2" x WOF strip. Subcut (12) 2-1/2" x 4-1/2" rectangles.



KEY	FABRIC	SKU	YD	
н	÷	51833-2 Navy	3/4	
	CUTTING	G INSTRUCTIONS		
 HOUSE BLOCK (1) 2" x WOF strip. Subcut (2) (2) 1" x 4-1/2", (2) 1" x 1-1, (2) 1-1/2" squares. LEAF APPLIQUE BLOCK Refer to LEAF TEMPLATE to cut (8 FLYING GEESE BLOCKS (1) 2-1/2" x WOF strip. Subcut rectangles. 	/2" rectangles and) H pieces.	BIRDHOUSE BLOCK (1) 6" x WOF strip. Subc 4-1/2" and (2) 1-1/2" INNER BORDER	ut (8) 2" and (4) 1-1/2" squares. ut (1) 6" square, (1) 1-1/2" x x 4" rectangles. ubcut (10) 2-1/2" x 4-1/2"	
KEY	FABRIC	SKU	YD	
I		51833-3 Blue	5/8	
	CUTTING	G INSTRUCTIONS		
 CAT/BIRD APPLIQUE BLOCK (1) 1" x WOF strip. Subcut (1) 1" x 16-1/2" strip. RABBITS AND GEESE BLOCKS (1) 1-1/2" x WOF strip. Subcut (16) 1-1/2" squares. FLYING GEESE BLOCKS (1) 2-1/2" x WOF strip. Subcut (2) 2-1/2" x 4-1/2" rectangles. 		HST BLOCKS (1) 3" x WOF strip. Subcut (4) 3" squares. PINWHEEL BLOCKS BORDER		
		 (1) 2-1/2" x WOF strip. Subcut (16) 2-1/2" squares. INNER BORDER (1) 4-1/2" x WOF strip. Subcut (12) 2-1/2" x 4-1/2" rectangles. 		
SHOOFLY BLOCKS (1) 2" x WOF strip. Subcut (6)	2" and (3) 1-1/2" square			
KEY	FABRIC	SKU	YD	
J		51834-1 White	5/8	
	CUTTING	G INSTRUCTIONS		
HST BLOCKS (1) 3" x WOF strip. Subcut (4)	3″ squares.			

INNER BORDER

(7) 1-1/2" x WOF strip. Sew strips via short ends; subcut (2) 1-1/2" x 58-1/2" and (2) 1-1/2" x 60-1/2" strips. (1) 4-1/2" x WOF strip. Subcut (12) 2-1/2" x 4-1/2" strips.



KEY	FABRIC		SKU	YD
К			51834-2 Navy	1/2
CUTTING INSTRUCTIONS				
ANIMAL APPLIQUE BLOCKS Refer to Animal Templates for (1) Cat Body, (1) Bird Body, (2) Large Geese Body, (2) Small Geese Feet, and (2) Rabbit Bodies (4) 1-1/2" squares.			PINWHEEL BLOCKS BORDER (1) 2-1/2" x WOF strip. Subcut (12) 2-1/2" squares.	
			INNER BORDER (1) 4-1/2" x WOF strip. Subcut (14) 2-1/2" x 4-1/2" rectangles.	
KEY	FABRIC		SKU	YD
L			51834-3 Blue	5/8
CUTTING INSTRUCTIONS				
LEAF APPLIQUE BLOCK Refer to Leaf Template to cut (8) L pieces.			FLYING GEESE BLOCKS (1) 2-1/2" x WOF strip. Subcut (2) 2-1/2" x 4-1/2" strips.	
ANIMAL APPLIQUE BLOCKS (2) Cat Legs, (2) Bird Wings, (1) Bird Tail, (4) Rabbit Ears, (1) Small Goose Body, (4) Large Geese Feet, (2) Rabbit		rs, (t	HST BLOCKS (1) 3" x WOF strip. Subcut (4) 3" squares.	
Feet, and (2) Rabbit Tails. RABBITS AND GEESE BLOCKS (1) 1-1/2" x WOF strip. Subcut (20) 1-1/2" squares.			INNER BORDER (1) 4 1/2" x WOF strip. Subcut (12) 2-1/2" x 4-1/2" rectangles.	
KEY	FABRIC		SKU	YD
Μ	* * * * * * * * * * * * * * * * * * *		51835-1 White	2/3
	CUTTING	G INST	TRUCTIONS	
INNER BORDER (8) 2-1/2" x WOF strips. Sew s	trips via short ends and	subcu	ut (4) 2-1/2″ x 70-1/2″ st	rips.




KEY	FABRIC	SKU	YD	
N	* * * * * * * * * * * * * * * * * * * *	51835-2 Navy	1-3/8	
	CUTTING IN	ISTRUCTIONS		
 HOUSE BLOCK (1) 3-1/2" x WOF strip. Subcut (2) 3-1/2" x 4", (2) 1-1/4" x 1-1/2", (5) 1-1/2" x 2-1/2" and (1) 1-1/2" x 3-1/2" rectangles. LEAF APPLIQUE BLOCK Refer to LEAF TEMPLATE to cut (8) N pieces. RABBITS AND GEESE BLOCKS (1) 1 1/2" x WOF strip. Subcut (8) 1-1/2" squares. 		HST BLOCKS (1) 3" x WOF strip. Subcut (2) 3" squares. INNER BORDER		
		(5) 3/4" x WOF strips. Sew strips via short ends and subcut (2) 3/4" x 43" and (2) 3/4" x 46-1/2" strips.		
		PINWHEEL BLOCKS BORDER (1) 2-1/2" x WOF strip. Subcut (16) 2-1/2" squares.		
SHOOFLY BLOCKS (1) 2" x WOF strip. Subcut (6) 2	2″ and (3) 1-1/2″ squares.	BINDING (9) 2-1/4" x WOF strip.	Sew strips via short ends.	
KEY	FABRIC	SKU YD		
Ο	~~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	51835-3 Blue	1/2	
	CUTTING IN	ISTRUCTIONS		
 RABBITS AND GEESE BLOCKS (1) 1-1/2" x WOF strip. Subcut (24) 1-1/2" squares. SHOOFLY BLOCKS (1) 2" x WOF strip. Subcut (6) 2" and (3) 1-1/2" squares. 		 PINWHEEL BLOCKS BORDER (1) 2 1/2" x WOF strip. Subcut (16) 2-1/2" squares. INNER BORDER (1) 4 1/2" x WOF strip. Subcut (12) 2-1/2" x 4-1/2" rectangles. 		

DIAMOND-IN-SQUARE BLOCK ASSEMBLY

1. Draw a diagonal line on the wrong side of (1) **B** 2-1/2" square. Place square, right sides together, at a corner of (1) **E** 4-1/2" square. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal **B** corner triangle. Repeat for remaining three corners. Repeat step to make **CF** block as shown.

SEW 1/4" SEAM









MAKE (5) **BE**




MAKE (3) CF



2. DIAMOND SET 1: Sew together (2) **BE** and (1) **CF** units as shown. Add **A** 1-1/2" x 12-1/2" strips to the left and right sides. Set unit aside. *Note proper rotation of diamonds.*

3. DIAMOND SET 2: Sew together (3) BE and (2) CF units as shown. Set unit aside.

DIAMOND SET 1




DIAMOND SET 2



4. FLYING GEESE UNITS: Place right sides together (1) **E** 2-1/2" square with drawn diagonal line on the corner of (1) **F** 2-1/2" x 4-1/2" rectangle. Sew on drawn diagonal line. Trim 1/4" away from sewn line. Open **E** and press. Repeat for opposite side. Trim unit to 2-1/2" x 4-1/2" unfinished. Repeat step to make (2) each of **EH**, **EI** and **EL** units as shown.



5. Sew Flying Geese Units together as shown, *note proper rotation of units*. Add (1) **A** 1-1/2" x 16-1/2" strip to top and bottom of unit. Set aside.



SHOOFLY BLOCK ASSEMBLY

6. HALF-SQUARE TRIANGLE UNITS: Draw a diagonal line on the wrong side of (1) **A** 2" square. Place **A** and **H** 2" squares, right sides together. Sew 1/4" away from, on right and left sides of drawn line. Cut along drawn line to yield (2) HST units. Open and press. Align diagonal seams of HST units against 45 degree line on quilting ruler, trim HST units to measure 1-1/2" raw edge to raw edge. Repeat step to make following HST units.













sew 1/4" seam

MAKE 16 **AH**


MAKE 12 EACH OF AI, AN, AO





- 7. Sew (2) AH HST units and (1) A 1-1/2" square as shown, note rotation of HST units.
- 8. Sew (2) A 1-1/2" and squares to the opposite sides of (1) H 1-1/2" square, as shown.
- 9. Sew together steps 7-8 units as shown to make **AH** Shoofly Block.


10. Sew (1) **A** $1-1/2'' \ge 3-1/2''$ strip to left side of (1) **AH** block, followed by (1) **A** $1-1/2'' \ge 4-1/2''$ strip to the bottom of unit to complete block.

11. Repeat steps 7-10 to make **AI**, **AN** and **AO** Shoofly Blocks. Set aside.











MAKE 3 EACH OF AI, AN, AO


12. SHOOFLY SETS: Arrange and sew together SHOOFLY BLOCKS as shown. Make Set 1 and Set 2.



Note proper rotation of Shoofly Blocks.



HST BLOCK COLUMN ASSEMBLY



13. Similar to Shoofly HST assembly, make following HSTs with **A**, **D**, **F**, **I**, **J**, **L** and **N** 3" squares. Trim HSTs to measure 2-1/2" square, raw edge to raw edge.

14. HST BLOCKS: Sew together AD, AI, AJ, AL, and AN HSTs as shown. Note rotation of HST squares.

















MAKE 3 AD

MAKE 1 **Al1**

AI1 MAKE 1 AI2

MAKE 1 **AF**

MAKE 1 AJ1

MAKE 1 AJ2

MAKE 2 **AL**

MAKE 1 **AN**

8



15. HST COLUMN: Sew HST Blocks as shown, set aside. Note proper placement of blocks.



HOUSE BLOCK ASSEMBLY Refer to diagrams to assemble units.



16. CHIMNEY UNIT: Arrange and sew together (2) **N** 1-1/4" x 1-1/2", (1) **A** 1-1/2" x 4", (1) **A** 1-1/2" x 2-1/2" and (1) **A** 1-1/2" x 5-1/2".







17. ROOF UNIT: Similar to step 1 DIAMOND IN A SQUARE corner assembly make **NC1** and **NC2** units, sewing (4) **C** 1-1/2" squares and (2) **N** 3-1/2" x 4" rectangles as shown. *Note NC2 is a mirror version of NC1.*

18. Sew **NC1** and **NC2** units together, note proper placement of units.

19. HOUSE TOP UNIT: Arrange and sew together (2) **C** 2" x 2-1/2", (2) **C** 1" x 2-1/2", and (3) **N** 1-1/2" x 2-1/2" rectangles as shown. Set aside.

20. HOUSE BOTTOM UNIT: Make **CN1** unit by arranging and sewing together (1) **C** 1" x 2-1/2", (1) **C** 1-1/2" x 3-1/2", **C** 2" x 2-1/2" and (1) **N** 1-1/2" x 2-1/2" rectangles. *Note* **CN2** *is a mirror version.*

21. Add (1) **N** 1-1/2" x 3-1/2" rectangle between **CN1** and **CN2** Units.

22. HOUSE UNIT: *Refer to House diagram.* Arrange and sew Roof Unit, House Top and Bottom Units and following strips: (1) **C** 2-1/2" x 7-1/2", (1) **C** 1-1/2" x 7-1/2", and (1) **A** 1-1/2" x 11-1/2" strips.


A

FENCE UNIT ASSEMBLY




23. AH UNIT: Similar to step 1 DIAMOND IN A SQUARE corner assembly, make AH units, using (2) A 1" squares and (1) H 1-1/2" x 2" rectangle. Make (2) AH units.

24. FENCE TOP: Arrange and sew (2) **AH** units, (2) **A** $1-1/4'' \times 2''$ and (1) **A** $1'' \times 2''$ rectangles together. Set aside.








25. FENCE CENTER: Arrange and sew together (2) **H** 1-1/2" squares, (2) **A** 1-1/4" x 1-1/2" and (1) **A** 1" x 1-1/2" rectangles.

26. FENCE BOTTOM: Arrange and sew together (2) H 1" x 1-1/2",
(2) A 1" x 1-1/4" rectangles and (1) A 1" square.


27. FENCE UNIT: *Refer to Fence diagram.* Arrange and sew Fence Top, Center and Bottom units and (2) **H** 1" x 4-1/2" rectangles as shown. Add (1) **A** 4-1/2" x 7-1/2" rectangle to top of Fence Unit.

28. HOUSE BLOCK: Sew Fence Unit to right side of House Unit. Add Chimney Unit to top of House/ Fence Unit to complete House Block. Square block to 12-1/2". Set aside.



TREE BLOCK ASSEMBLY

29. AF CROWN: Similar to step 1 DIAMOND IN A SQUARE corner assembly make **AF** unit, using (2) **A** 2" squares, (2) **A** 1-1/2" squares and (1) **F** 3-1/2" x 6-1/2" rectangle.



30. AF TRUNK: Sew (1) **A** 1-3/4" × 2-1/2" strips to each opposite side of (1) **F** 1" × 2-1/2" rectangle. Sew **AF** trunk to bottom of **AF** crown.

31. AD CROWN: Repeat step 29 using (2) **A** 2" squares, (2) **A** 1-1/2" squares and (1) **D** 3-1/2" x 5-1/2" rectangle.

32. AD TRUNK: Sew (1) A 1-3/4" x 1-1/2" rectangle to each opposite side of (1) D 1" x 1-1/2" rectangle. Sew
AD trunk to bottom of AD crown. Add (1) A 2-1/2" x 3-1/2" rectangle to top of AD Tree Unit.


33. TREE BLOCK: Sew **AF** tree unit to left side of **AD** tree. Add (1) **A** 4-1/2" x 6-1/2 rectangle to top of tree unit to complete block. Trim block to 6-1/2" x 12-1/2".



BIRDHOUSE BLOCK ASSEMBLY


34. HEART UNIT: Similar to step 1 DIAMOND IN A SQUARE corner assembly make **CF1** and **CF2** units, using (1) **C** 1"square, (1) **C** 1-1/2" square, (1) **C** 2-1/2" square and (1) **F** 2-1/2 x 4-1/2" rectangle. Note **CF2** is a mirror version, note placement of **C** squares. Sew units together to form heart.

35. Sew (1) **C** $2'' \ge 4-1/2''$ rectangle to the left and right sides of Heart Unit, followed by (1) **C** $1-1/2'' \ge 7-1/2''$ strip to top, and (1) **C** $2-1/2'' \ge 7-1/2''$ strip to the bottom of heart unit. Add (1) **A** $2'' \ge 7-1/2''$ strip to left and right sides to complete heart unit. Set aside




36. AH HST: Similar to Shoofly HST assembly make (2) **AH** HSTs using (1) **A** and (1) **H** 6" squares. Align diagonal seam of HST units against the 45 degree line on quilting ruler, and trim units to measure 5-1/2" square raw edge to raw edge.

37. ROOF UNIT: Similar to step 1 DIAMOND IN A SQUARE corner assembly add (1) **C** 4" square to corner of **AH** HST, on the side **H** fabric. Sew **AH-C** units together, *note proper rotation of AH-C units.*




38. BIRDHOUSE BOTTOM: Make **AH1** and **AH2** units, using (1) **A** 1-1/2" square and (1) **H** 1-1/2" x 4" rectangle. Add to top of **AH** unit (1) **A** 2-1/2" x 5" rectangle and to the bottom (1) **A** 1-1/2" x 5" rectangle. Note **AH2** is a mirror version.

39. Sew (1) **H** 1-1/2" x 4-1/2" rectangle between **AH1** and **AH2** units. Set aside.






BIRDHOUSE BLOCK



CAT / BIRD BLOCK



40. BIRDHOUSE BLOCK: Sew together Roof Unit, Heart Unit and Bottom unit to make Birdhouse Block. Add (1) **A** 1-1/2" x 16-1/2" strip to the left and right side of Birdhouse Unit to complete Birdhouse Block.

Stonehouse Garden

APPLIQUÉ BLOCK ASSEMBLY

Refer to your favorite quilting source to prepare appliqué pieces, using your preferred method of choice.

41. CAT AND BIRD BLOCK: Refer to Block Diagram as placement guide. Arrange and sew appliqué pieces on
(1) A 6-1/2" x 17" rectangle. Trim appliqued rectangle to measure 6" x 16-1/2".

42. Add (1) **I** 1" x 16-1/2" rectangle to appliqued rectangle.

43. RABBITS / GEESE BLOCK: Refer to Block Diagram as placement guide. Arrange and sew appliqué pieces of rabbits on (1) **A** 9" x 17" rectangle. Trim appliqued rectangle to measure 8-1/2" x 16-1/2". Repeat for Geese Block.


44. PIECED BLOCK BORDERS: Arrange and sew together (8) 1-1/2" assorted squares and another set of (18) 1-1/2" squares. *Note proper rotation of* **F** *fabric.* Make (4) of each.

45. Sew Pieced Block Borders to (1) **A** 8-1/2" x 16-1/2" rectangles as shown in block diagram.


46. Sew (2) **A** 1-1/2" x 10-1/2" and (2) **A** 1-1/2" x 20-1/2" strips Pieced Block Borders as shown in diagram.



RABBITS BLOCK




GEESE BLOCK






APPLIQUÉ BLOCK ASSEMBLY CONT.



47. LEAF APPLIQUÉ: Finger press (1) **A** 13" square twice diagonally. Using block diagram as placement guide, arrange and sew appliqué pieces. Centering leaf appliqué, square block to 12-1/2". Set aside.

QUILT CENTER ASSEMBLY

48. Refer to Quilt Center Diagram below to assemble Rows 1, 2, and 4. Sew rows together as shown. Add HST Column Unit to right side of quilt center, *note proper rotation of unit.*





49. INNER BORDER A: Sew (1) **A** $1-1/2'' \times 44-1/2''$ strip to left and right sides of quilt center, followed by (1) **A** $1-1/2'' \times 42-1/2''$ strip to top and bottom of quilt center.

50: BORDER N: Sew (1) **N** $3/4'' \times 46-1/2''$ strip to left and right sides of quilt center, followed by (1) **N** $3/4'' \times 43''$ strip to the top and bottom of quilt center.


51: BORDER A: Sew (1) **A** $1-1/4'' \times 47''$ strip to left and right sides of quilt center, followed by (1) **A** $1-1/4'' \times 44-1/2''$ strip to the top and bottom of quilt center.





52. PINWHEEL HST: Similar to HST block assembly from step 13, make the following HSTs using 2-1/2" squares. Trim to 2" square. Make (4) HSTs of each and sew them to make a pinwheel unit as shown.

53. PINWHEEL BLOCKS: Add (1) **A** $1-1/2'' \times 3-1/2''$ strip to the right of pinwheel unit, followed by (1) **A** $1-1/2'' \times 4-1/2''$ strip to the bottom to complete pinwheel block.




For following border placement, refer to Quilt Diagram on page 16.

54. PINWHEEL SIDE BORDERS: Arrange and sew (12) Pinwheel Blocks as shown. Make 2. Sew (1) to right and left side of Quilt Center. *Note proper rotation of borders.*



55. PINWHEEL TOP/BOTTOM BORDERS: Arrange and sew (13) Pinwheel Blocks as shown. Make 2. Sew (1) to top side of Quilt Center. *Note proper rotation of borders.*



56. A BORDER: Sew (1) **A** 2-1/2" x 56-1/2" strip to left and right sides of quilt center, followed by (1) **A** 2-1/2" x 56-1/2" strip to top and bottom of quilt center.

57. J BORDER: Sew (1) **J** 1-1/2" x 60-1/2" strip to left and right sides of quilt center, followed by (1) **J** 1-1/2" x 58-1/2" strip to top and bottom of quilt center.

58. PIECED SIDE BORDERS: Arrange and sew together (31) 2-1/2" x 4-1/2" assorted rectangles. Make 2. Sew (1) to right and left side of Quilt Center. *Note proper rotation of borders.*



59. PIECED TOP/BOTTOM BORDERS: Arrange and sew together (29) 2-1/2" x 4-1/2" assorted rectangles. Add (1) **F** 4-1/2" square to ends of border unit. Make 2. Sew (1) to top and bottom of Quilt Center. *Note proper rotation of borders.*





60. M BORDER: Sew (1) **M** 2-1/2" x 70-1/2" strip to left and right sides of quilt center, followed by (1) **M** 2-1/2" x 70-1/2" strip to top and bottom of quilt center.

61. E BORDER: Sew (1) **E** 4-1/2" x 74-1/2" strip to left and right sides of quilt center, followed by (1) **E** 4-1/2" x 78-1/2" strip to top and bottom of quilt center.

QUILT DIAGRAM

(e) との子ののの湯 Sec. 12. 100 100 N.S. CARLA STREEM Ser. 103 1 15 ALC: N 1360 En M 100 15 N いたいというないないな Sec. 104 100 15 N. C. S. ころのからのないな Ser. and and 肟

FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **N** 2-1/4" strips.




Κ


CAT/BIRD APPLIQUÉ TEMPLATES

















L




Κ











TEST TEMPLATES FIRST, BEFORE CUTTING ACTUAL FABRIC PIECES.



LEAF APPLIQUÉ TEMPLATES

PRINT AT 100% SCALE

