# MAYWOOD STUDIO SPELLCASTER'S GARDEN & OUTLT



Spellcaster's Garden Quilt by Meg Hawkey Spellcaster's Garden collection by Meg Hawkey from Maywood Studio


Finished: 66-1/2 x 72-1/2

#madewithmaywood maywoodstudio.com



# MAYWOOD STUDIO





WOF - Width of Fabric LOF - Length of Fabric RST - Right Sides Together HST - Half Square Triangle

Maywood Studio makes every effort to make sure our patterns are accurate. Please visit maywoodstudio.comand check for project updates.

# **Cutting Guide**

Fabric 1 A Cut (25) 3-7/8" squares HL Cut (10) 2-7/8" squares **K** Cut (5) 2-1/2" squares I Cut (20) 1-1/2" x 2-1/2" rectangles **S** Cut (88) 2" squares Fabric 2 Cut (13) 2" x WOF strips for borders C Cut (2) 3-7/8" squares Fabric 3 **B** Cut (14) 3-7/8" squares G Cut (8) 3" x 5-1/2" rectangles X Cut (4) 3" squares HL Cut (12) 2-7/8" squares **K** Cut (6) 2-1/2" squares I Cut (24) 1-1/2" x 2-1/2" rectangles **S** Cut (104) 2" squares Fabric 4 N Cut (1) 5-3/4" square U Cut (4) 3-1/2" x 5" rectangles HC Cut (6) 2-7/8" squares J Cut (12) 1-1/2" x 2-1/2" rectangles Fabric 5 U Cut (4) 3-1/2" x 5" rectangles C Cut (4) 3-7/8" squares Fabric 6 F Cut (12) 3" squares U Cut (4) 3-1/2" x 5" rectangles Fabric 7 N Cut (1) 5-3/4" square U Cut (6) 3-1/2" x 5" rectangles HC Cut (6) 2-7/8" squares J Cut (12) 1-1/2" x 2-1/2" rectangles Fabric 8 O Cut (2) 5-3/8" squares M Cut (2) 3-1/8" squares Fabric 9 U Cut (4) 3-1/2" x 5" rectangles Fabric 10 **D** Cut (2) 2" x 6-1/2" rectangles E Cut (2) 2" x 9-1//2" rectangles Y Cut (4) 3" x 5-1/2" rectangles O Cut (2) 5-3/8" squares U Cut (4) 3-1/2" x 5" rectangles Fabric 11 O Cut (4) 5-3/8" squares **U** Cut (4) 3-1/2" x 5" rectangles Fabric 12 **B** Cut (12) 3-7/8" squares O Cut (2) 5-3/8" squares HL Cut (10) 2-7/8" squares **K** Cut (5) 2-1/2" squares I Cut (20) 1-1/2" x 2-1/2" rectangles **S** Cut (72) 2" squares Fabric 13 Cut Borders First: Cut (4) 3-1/2" x LOF strips Subcut (2) 54-1/2" x 3-1/2" strips Subcut (2) 51-1/2" x 3-1/2" strips Cut (4) 3-1/2" x 5" rectangles from leftover Fabric 14 **C** Cut (4) 3-7/8" squares **U** Cut (4) 3" x 5-1/2" rectangles **M** Cut (2) 3-1/8" squares Fabric 15 T Cut (2) 5" squares U Cut (4) 3-1/2" x 5" rectangles **M** Cut (2) 3-1/8" squares HC Cut (6) 2-7/8" squares J Cut (12) 1-1/2" x 2-1/2" rectangles

Binding Cut (8) 2-1/2" x WOF strips

Fabric 16 **C** Cut (2) 3-7/8" squares U Cut (2) 3-1/2" x 5" rectangles Fabric 17 U Cut (10) 3-1/2" x 5" rectangles **M** Cut (2) 3-1/8" squares HC Cut (10) 2-7/8" squares J Cut (20) 1-1/2" x 2-1/2" rectangles Fabric 18 T Cut (2) 5" squares U Cut (12) 3-1/2" x 5" rectangles **M** Cut (2) 3-1/8" squares N Cut (4) 5-3/4" squares HC Cut (4) 2-7/8" squares J Cut (8) 1-1/2" x 2-1/2" rectangles Fabric 19 **R** Cut (2) 2" x 18-1/2" strips Q Cut (2) 2" x 15-1/2" strips O Cut (2) 5-3/8" squares U Cut (2) 3-1/2" x 5" rectangles HC Cut (6) 2-7/8" squares J Cut (12) 1-1/2" x 2-1/2" rectangles Fabric 20 **B** Cut (7) 3-7/8" squares HL Cut (6) 2-7/8" squares K Cut (3) 2-1/2" squares I Cut (12) 1-1/2" x 2-1/2" rectangles **S** Cut (64) 2" squares W Cut (1) 6-1/2" x 12-1/2" rectangle V Cut (5) 6-1/2" squares Z Cut (1) 3-1/2" x 6-1/2" rectangle Fabric 21 L Cut (2) 3-5/8" squares U Cut (2) 3-1/2" x 5" rectangles Fabric 22 L Cut (2) 3-5/8" squares **P** Cut (1) 5-1/2" square U Cut (4) 3-1/2" x 5" rectangles Fabric 23 U Cut (4) 3-1/2" x 5" rectangles L Cut (2) 3-5/8" squares **M** Cut (2) 3-1/8" squares

Fabric Requirements					
Fabric 1	8350-E	3/4 yard	Fabric 13	9815-G	1-5/8 yard
Fabric 2	8350-J	1 yard	Fabric 14	9815-KJ	1/8 yard
Fabric 3	9813-E	1 yard	Fabric 15	9815-O includes binding	7/8 yard
Fabric 4	9813-G	1/4 yard	Fabric 16	9816-KJ	1/8 yard
Fabric 5	9813-KJ	1/8 yard	Fabric 17	9816-G	1/2 yard
Fabric 6	9813-J	1/4 yard	Fabric 18	9816-V	1/2 yard
Fabric 7	9813-O	1/3 yard	Fabric 19	9816-O	1/2 yard
Fabric 8	9814-G	1/4 yard	Fabric 20	9817-E	1 yard
Fabric 9	9814-KJ	1/8 yard	Fabric 21	9817-G	1/8 yard
Fabric 10	9814-O	1/3 yard	Fabric 22	9817-KJ	1/4 yard
Fabric 11	9814-V	1/4 yard	Fabric 23	9817-O	1/8 yard
Fabric 12	9815-E	3/4 yard	Backing	9811-G	4 yards

# Spellcaster's Garden Quilt Instructions

Please read all instructions before you begin. Seam allowance is 1/4" unless otherwise stated. Use a light sizing/starch before cutting triangles to help control stretching along bias edges. Fabric will be abbreviated to the letter 'F'.

## Make 2-at-a-time Half Square Triangle Units (HST)


1. Mark a diagonal line from corner to corner on the wrong side of (23) F1-A squares.


Gather (8) F3-B, (8) F12-B, and (7) F20-B squares.


2. Place the A and B squares, right sides together and sew 1/4" from both sides of the marked line. Cut apart on the marked line. Press open. Trim to a 3-1/2" square. (Fig. 1)

3. Each set of squares will make 2 HST blocks. Make 23 total for 46 HST units. You will have one extra.

This technique is also used in the Pinwheel and Churn Dash blocks.







# Make Pinwheel Blocks

For the light fabrics gather (2) F1-A, (6) F3-B, and (4) F12-B 3-7/8" squares.

For the dark fabrics gather (2) F2-C, (4) F5-C, (4) F14-C, and (2) F16-C 3-7/8" squares.

1. Sew (2) F3-B squares and (2) F14-C squares together into HST units.

2. Sew the HST units together into rows of 2, rotating the units to make a pinwheel. Sew the rows together, making sure to match up the seamlines at the center of the block. Press. Make 1 of each. Trim to 6-1/2" square. (Fig. 2)

3. Select the F3-B/F14-C block. Sew a F10-D rectangle to opposite sides of the pinwheel block. Sew a Fabric 10-E rectangle to the top and bottom of the block. Press. Make 1. (Fig. 3)

4. Make the remaining pairs of HST units and sew them into pinwheel blocks as illustrated. (Fig 4)



F3-B, F14-C





6-1/2" x 6-1/2"



make 1 9-1/2" x 9-1/2"



(Fig. 3)



F12-B, F5-C



F1-A, F14-C



F3-B, F16-C





F3-B, F5-C F12-B, F2-C

## Make Churn Dash Blocks

# Per block gather:

**Light Fabrics** (2) each of the F12, F1, F3, F20 - HL squares (4) each of the F12, F1, F3, F20 - I rectangles (1) each of the F12, F1, F3, F20 - K center squares

# Colorful Fabrics


(2) each of the F17, F18, F15, F4, F7, F19 - HC squares (4) each of the F17, F18, F15, F4, F7, F19 - J rectangles

1. Mark a diagonal line from corner to corner on the B squares. Follow the steps to make HST units as described in steps 1-2. Trim to a to 2-1/2" square. Make 2 of each for 4 total HST units in each color combination. Press toward colorful fabrics.

2. Sew the I rectangles to the J rectangles. Make 4 of each color combination. Press toward colorful fabrics.

3. Lay out the pieces as illustrated. Sew the units into rows and sew the rows together to create the churn dash blocks. Finish 6-1/2" x 6-1/2". Press seams open. (Fig.7)

Make the remaining blocks as illustrated. (Fig. 8)



(2) M squares:

Cut each M square once on the diagonal for 2 triangles.

(1) N square: cut the N square twice on the diagonal

for a total of 4 triangles.

(2) O squares:

Cut each O square once on the diagonal for 2 triangles.

1. Sew (2) M triangles to opposite sides of the L center squares. Press toward center. Sew (2) M triangles to the remaining sides. Press away from center. (Fig. 9)

2. Sew (2) N triangles to opposite sides of the L-M unit. Press toward center. Sew (2) N triangles to the remaining sides. Press away from center. (Fig. 10)

3. Sew (2) O triangles to the L-M-N unit. Press toward the center. Sew the remaining (2) O triangles to the remaining sides. Press away from center. (Fig. 11)

Follow the above steps to make one of each block illustrated below. Trim each to a 9-1/2" square.

F21-L, F15-M, F18-N, F8-O





0

F22-L, F23-M, F18-N, F12-O





F21-L, F8-M, F18-N, F19-O

#### Finish 6-1/2" x 6-1/2"

(Fig.7)



Make 5

(Fig.8)

F3, F4 Make 3



F3, F19 Make 3

> (Fig.10) N

(Fig.11)



Make 1 9-1/2" x 9-1/2" F23-L, F17-M, F18-N, F10-O

#### Make Flying Geese

1. Mark a diagonal line from corner to corner on the wrong side of (8) F6-F squares. Place a F6-F square RST on a F3-G rectangle. Sew on the marked line. Cut 1/4" away from the marked line. Press. (Fig. 5)



2. Place a F6-F square on the opposite side of the F-G unit. Sew on the marked line. Cut 1/4" away from the marked line. Press. Make 4. Square to 3" x 5-1/2". (Fig. 6)

#### Make the Maple Star Block

1. Corner Units: Sew a F3-X square to a F6-F square. Press toward F3. Sew this unit to a F3-G rectangle. Press toward F3-G. Make 4.

2. Sew the flying geese blocks to the F10-Y rectangles. Press toward F10-Y. Make 4.

3. Lay the units out as illustrated, matching the block orientation and sew into rows. Corner Unit - Flying Geese Unit - Corner Unit Flying Geese Unit - Center F22-P square - Flying Geese Unit Corner Unit - Flying Geese Unit - Corner Unit


4. Sew the rows together, making sure to match up the seamlines at the center of the block. Trim to a 15-1/2'' square.

5. Sew a F19-Q rectangle to either side of the Maple Star block. Press away from center. Sew a F19-R rectangle to the top and bottom of the block. Press away from center.

Finish at 18-1/2" x 18-1/2" square. Make 1.










Make 1 18-1/2" x 18-1/2"

#### **Snowball Blocks**

1. Mark a line from corner to corner on the wrong side of (8) F3-S squares and (8) F1-S squares.

2. Place a F3-S square right sides together over one corner of a F18-T square. Sew on the marked line. Cut the corner away 1/4" from the stitched line. Flip the triangle over and press. Repeat on the remaining 3 corners as illustrated below. Trim to a 5" square. Make 2.

3. Repeat using the F1-S squares and the F15-T square. Make 2.





Make 2 F15, F1 5" x 5"

F18, F3 5" x 5"

#### **Border Blocks**

1. Mark a line from corner to corner on the wrong side of the remaining S squares in F3, F1, F12, F20.

2. Place a F3-S square right sides together over one corner of a F18-U rectangle. Sew on the marked line. Cut the corner away 1/4" from the stitched line. Flip the triangle over and press. Repeat on the remaining 3 corners. Trim to a 3-1/2" x 5" rectangle. Make 12.

3 Gather the fabrics and sew the rest of the border blocks as illustrated below. (Fig. 12)

4. Sew the border blocks into the border rows, adding the snowball blocks to the ends of the side borders. (Fig. 13)



Side Borders: 21 blocks plus 2 snowball blocks on each end. Make 2. Finish 72-1/2" x 5".



Top and Bottom borders: 18 blocks each. Make 2. Finish at 54-1/2" x 5".

#### **Quilt Center**

1. Gather the remaining 45 background HSTs and the Fabic 20-V, W and Z pieces.

27. Lay the quilt top out in sections as illustrated below. Sew the sections together and then sew the sections together into rows. Press to nest seams. Sew row to row. Press in one direction.



#### Borders: see p.9 for layout illustration.

Tip: Pin the borders from the center of the quilt top out to the ends before sewing.

- 1. Sew F13 54-1/2" x 3-1/2" strips to the sides of the quilt top. Press toward borders.
- 2. Sew the F13 51-1/2" x 3-1/2" strips to the top and bottom of the quilt top. Press toward borders.
- 3. Sew (6) F2 2" x WOF border strips together, end to end, into one continuous piece.
- 4. Cut (2) 60-1/2" x 2" strips. Sew to the sides of the quilt top. Press toward the borders.

5. Cut (2) 54-1/2" x 2" strips from the remaining F2 strip. Sew to the top and bottom of the quilt top. Press toward the borders.

- 6. Sew the pieced borders to the top and bottom of the quilt top. Press away from the borders.
- 7. Sew the pieced borders to the sides of the quilt top. Press away from the borders.

Spellcaster's Garden Quilt by Meg Hawkey © Maywood Studio all rights reserved

8. Sew (7) F2-WOF strips together, end to end, into one continuous strip.

9. Cut (2) border pieces 72-1/2" x 2". Sew to the sides of the quilt top. Press toward the borders.

10. Cut (2) border pieces 66-1/2" x 2". Sew to the top and bottom of the quilt top. Press toward borders.



Finishing:

1. Layer the backing (wrong side up), batting and quilt top (right side up). Baste layers to secure. Quilt as desired. Trim the excess backing and batting.

2. Sew the F15 binding strips together, end to end, into one continuous strip. Press in half length-wise. Sew the binding to the quilt top with a 3/8" seam allowance. Turn the binding to the back side of the quilt and stitch down by hand with matching thread.

