


1828

Building Dreams *by jennifer pugh*



Building Dreams

Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.


1. Cut the following:


If using FAT CUTS, you may need to cut additional width-of-fabric strips.

Fabric A - PLEASE NOTE: Panels do not always print the size intended. For this pattern, the panel has a coping border added then trimmed so the panel will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of panel to approximately 23-1/2" x 42"

Fabric B - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 5-1/2" x 38" truck stripe borders and (2) 3" x 24" sign stripe borders

Fabric C - Cut (1) 6-7/8" strip, subcut (6) 6-7/8" squares then cut in half diagonally  for 12 triangles

Fabric D - Cut (1) 6-7/8" strip, subcut (2) 6-7/8" squares then cut in half diagonally  for 4 triangles

Fabric E - Cut (2) 2-1/2" strips, subcut (20) 2-1/2" squares


Fabric F - Cut (1) 6-7/8" strip, subcut (4) 6-7/8" squares. Cut remaining strip into (2) 2-1/2" strips, subcut (8) 2-1/2" squares. Cut (6) 2-1/2" strips (binding)

Fabric G - Cut (2) 4-1/2" strips, subcut (8) 4-1/2" squares
Cut (1) 2-1/2" strip, subcut (16) 2-1/2" squares

Fabric H - Cut (3) 2-1/4" strips, sewn together end to end and cut into (2) 2-1/4" x 49" and (1) 1-3/4" x 24" borders
Cut (3) 1-3/4" strips, sewn together end to end and cut into (2) 1-3/4" x 61" borders
Cut (5) 1-3/4" strips, subcut (2) 1-3/4" x 40-1/2", (2) 1-3/4" x 38", and (1) 1-3/4" x 24" borders


2. Piecing Order:

1. Sew 1 each **Fabrics C** and **D** 6-7/8" triangles together along their long edges. Make a total of 4 **Block 1** (6-1/2" square unfinished).



Block 1 - Make 4

2. Arrange **Fabrics E, F,** and **G** 2-1/2" squares in 3 rows as shown. Stitch into rows. Sew rows together. Make a total of 4 **Block 2** (6-1/2" square unfinished).




Block 2 - Make 4

3. Draw a diagonal line across the wrong side of all the **Fabric G** 4-1/2" squares and remaining **Fabric E** 2-1/2" squares.



Letters in italics indicate wrong side of fabric.

4. Arrange a marked **Fabric G** 4-1/2" square on a corner of a



Make 4

Fabric F 6-7/8" square as shown. Stitch along marked line. Trim seam allowance to 1/4". Press triangles out. Repeat on opposite corner with another **Fabric G** 4-1/2" square. Make 4.

5. Arrange 2 marked **Fabric E** 2-1/2" squares on **Fabric G** corners of




Make 4



Unit - Make 8

unit from Step 4. Sew along marked lines. Trim seam allowances to 1/4". Press triangles out. Make a total of 4. Cut the **Fabric F** 6-7/8" squares in half diagonally, as shown, to create 8 units (6-7/8" x 6-7/8" x 9-3/4" unfinished).

6. Sew each unit long edges together with a **Fabric C** 6-7/8" triangle. Make a total of 8 **Block 3** (6-1/2" square unfinished).



Block 3 - Make 8

7. Refer to Quilt Layout (Page 2) for arrangement and placement of panel, strips, blocks, and borders.

8. Stitch **Fabric H** 1-3/4" x 24 strips to top and bottom of the **Fabric A** panel. **Trim bordered panel to 43-1/2" tall.** Add 3" x 24" **Fabric B** borders to top and bottom of panel. Trim strip ends even. Sew **Fabric H** 2-1/4" x 49 strips to sides of panel. **Trim bordered panel to 26" wide** (26" x 48-1/2" unfinished).

Building Dreams

QUILT LAYOUT

Border measurements are the cut size.

Arrows indicate orientation of directional prints.


9. Arrange 2 each **Blocks 1** and **2** and 4 **Block 3** in vertical rows on both sides of the bordered panel. Stitch into vertical borders (6-1/2" x 48-1/2" unfinished) and sew to right and left sides of bordered panel.

10. Sew 1-3/4" x 38" **Fabric H** borders to top and bottom of quilt. Add **Fabric B** 5-1/2" x 38" borders to top and bottom of quilt.

11. Sew **Fabric H** 1-3/4" x 61" borders to right and left sides of quilt. Add **Fabric H** 1-3/4" x 40-1/2" borders to top and bottom of quilt.

12. The quilt measures approximately 40-1/2" x 63-1/2" (unfinished). Make backing (**Fabric I**) approximately 8" larger than the top.

13. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric F**) and enjoy!!



1828

Project Sheet - 555-697-555

Building Dreams

by jennifer pugh



Fabric A
1828-82638-245
2/3 yard
(1 Panel)



Fabric B
1828-82639-945
1 1/4 yards



Fabric C
1828-82641-283
1/3 yard



Fabric D
1828-82642-458
1/3 yard
(Or Fat Eighth)




Fabric E
1828-82643-913
1/4 yard
(Or Fat Eighth)



Fabric F
1828-82644-444
3/4 yard
(Incl. binding)



Fabric G
1828-82646-333
1/2 yard



Fabric H
1828-82646-444
3/4 yard



Fabric I
1828-82641-483
2 7/8 yards
(Suggested Backing)



www.wilmingtonprints.com



745181470371

Wilmington Prints: A World of Possibilities