

Next Stop is Home

• A Free Project Sheet •
• NOT FOR RESALE •

By Leanne Anderson & Kaytlyn Kuebler

Quilt Design by Leanne Anderson & Kaytlyn Kuebler



Version #2



Version #1

Quilt 1

Skill Level: Advanced Beginner

 Henry Glass & Co., Inc.



facebook

Finished Quilt #1 Size: 42 1/2" x 61 1/2"
Finished Quilt #2 Size: 62 1/2" x 81 1/2"
49 West 37th Street, New York, NY 10018
tel: 212-686-5194 fax: 212-532-3525
Toll Free: 800-294-9495
www.henryglassfabrics.net
Please check our website for pattern updates before starting this project.


NEXT STOP IS HOME

Finished Quilt Size (Version #1): 42 1/2" x 61 1/2"


Finished Quilt Size (Version #2): 62 1/2" x 81 1/2"

Quilt 1

Fabrics in the Collection



Plaid
Brown – 9816-38



Travel Tonal
Gold – 9817-35




Travel Tonal
Green – 9817-66




Travel Tonal
Teal – 9817-77



Pawprint
Cream – 9818-44



Argyle
Green – 9819-66



Argyle
Red – 9819-88



Tag Word
Tan – 9820-44



Tag Word
Red – 9820-88



Tossed Allover Characters
Light Blue – 9821-11




Tossed Allover Characters
Cream – 9821-44



Border Stripe
Light Blue – 9822-11



Continuous Blocks
Red – 9823-88



Growing Chart
Light Blue – 9824P-11



Banner Panel
Red – 9825P-88


Select Fabrics from Starry & Houndstooth Basics



Starry Basics
Orange
8294-35



Houndstooth Basics
Brown
8624-38



Houndstooth Basics
Lime Green
8624-67



Houndstooth Basics
New Teal
8624-78



Houndstooth Basics
Red
8624-88

Version #1 Materials

1 panel	Banner Panel - Red (A)	9825P-88
¾ yard	Plaid - Brown (B)	9816-38
⅔ yard	Continuous Block - Red (C)	9823-88
½ yard	Houndstooth Basics - Brown (D)	8624-38
½ yard	Houndstooth Basics - Lime Green (E)	8624-67
¼ yard	Houndstooth Basics - Red (F)	8624-88
¼ yard	Argyle - Red (G)	9819-88
¼ yard	Pawprint - Cream (H)	9818-44
¼ yard	Tag Word - Red (I)	9820-88
⅓ yard	Travel Tonal - Teal (J)	9817-77
½ yard	Argyle - Green (K)	9819-66*
3 yards	Tag Word - Tan (Backing)	9820-44

Version #2 Materials

1 panel	Banner Panel - Red (A)	9825P-88
¾ yard	Plaid - Brown (B)	9816-38
⅔ yard	Continuous Block - Red (C)	9823-88
½ yard	Houndstooth Basics - Brown (D)	8624-38
½ yard	Houndstooth Basics - Lime Green (E)	8624-67
¼ yard	Houndstooth Basics - Red (F)	8624-88
¼ yard	Argyle - Red (G)	9819-88
¼ yard	Pawprint - Cream (H)	9818-44
¼ yard	Tag Word - Red (I)	9820-88
⅓ yard	Travel Tonal - Teal (J)	9817-77
⅔ yard	Argyle - Green (K)	9819-66*
2 ½ yards	Border Stripe - Light Blue (L)	9822-11
5 yards	Tag Word - Tan (Backing)	9820-44

*Includes binding

Cutting Instructions - Both Versions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage unless otherwise noted.

From the Banner Panel - Red (A):

- Fussy cut (1) 22 ½" x 42 ½" rectangle, centered on the panel.

From the Plaid - Brown (B), cut:

- (2) 2 ½" x 42 ½" WOF strips, piece as needed.
- (2) 2 ½" x 26 ½" WOF strips.
- (3) 1 ¾" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ¾" x 59 ½" strips.
- (3) 1 ¾" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ¾" x 43" strips.

From the Continuous Block - Red (C), fussy cut:

- (6) 6" squares each centered on an animal block .
- (6) 6" squares each centered on a word block .

From the Houndstooth Basics - Brown (D), cut:

- (2) 1 ½" x WOF strips. Sub-cut (12) 1 ½" x 6" strips.
- (3) 1 ½" x WOF strips. Sub-cut (12) 1 ½" x 8" strips.

From the Houndstooth Basics - Lime Green (E), cut:

- (2) 1 ½" x WOF strips. Sub-cut (12) 1 ½" x 6" strips.
- (3) 1 ½" x WOF strips. Sub-cut (12) 1 ½" x 8" strips.

From the Houndstooth Basics - Red (F), cut:

- (2) 2" x WOF strips. Sub-cut (8) 2" x 7 ⅛" strips.
- (1) 2" x WOF strip. Sub-cut (4) 2" x 10 ¼" strips.

From the Argyle - Red (G), cut:

- (2) 2" x WOF strips. Sub-cut (8) 2" x 7 ⅛" strips.
- (1) 2" x WOF strip. Sub-cut (4) 2" x 10 ¼" strips.

From the Pawprint - Cream (H), cut:

- (2) 2" x WOF strips. Sub-cut (8) 2" x 7 ⅛" strips.
- (1) 2" x WOF strip. Sub-cut (4) 2" x 10 ¼" strips.

From the Tag Word - Red (I), cut:

- (2) 2" x WOF strips. Sub-cut (8) 2" x 7 ⅛" strips.
- (1) 2" x WOF strip. Sub-cut (4) 2" x 10 ¼" strips.

From the Travel Tonal - Teal (J), cut:

- (3) 1 ¾" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ¾" x 57" strips.
- (2) 1 ¾" x 40 ½" WOF strips.

From the Argyle - Green (K), cut:

Version #1

- (6) 2 ½" x WOF strips for the binding.

Version #2

- (8) 2 ½" x WOF strips for the binding.

From the Border Stripe - Light Blue (L), cut:

Version #2 only

- (2) 10" x 86" Length of Fabric (LOF) strips.
- (2) 10" x 67" LOF strips.

From the Tag Word - Tan (Backing), cut:

Version #1

- (2) 51" x WOF strips for the backing. Sew the strips together and trim to make the 51" x 70" back.


Version #2

- (2) 90" x WOF strips for the backing. Sew the strips together and trim to make the 71" x 90" back.


Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components. Use a 1/4" seam allowance with right sides together (RST) unless otherwise noted.


1. Sew (1) 2 1/2" x 42 1/2" Fabric B strip to each side of the 22 1/2" x 42 1/2" Fabric A panel. Sew (1) 2 1/2" x 26 1/2" Fabric B strip to the top and to the bottom of the Fabric A panel to make the Center Block (Fig. 1). **Trim the block to measure 26" x 45"**.




2. Sew (1) 1 1/2" x 6" Fabric D strip to each side of (1) 6" Fabric C square. Sew (1) 1 1/2" x 8" Fabric D strip to the top and to the bottom of the Fabric C square to make (1) Block One square (Fig. 2). **Trim the block to measure 6 1/2" x 6 1/2"**. Repeat to make (6) Block One squares total.




3. Sew (1) 1 1/2" x 6" Fabric E strip to each side of (1) 6" Fabric C square. Sew (1) 1 1/2" x 8" Fabric E strip to the top and to the bottom of the Fabric C square to make (1) Block Two square (Fig. 3). **Trim the block to measure 6 1/2" x 6 1/2"**. Repeat to make (6) Block Two squares total.




4. Sew together (1) 2" x 7 1/8" Fabric I strip, (1) 2" x 7 1/8" Fabric H strip, (1) 2" x 7 1/8" Fabric G strip and (1) 2" x 7 1/8" Fabric F strip, lengthwise and in that order from left to right, to make (1) 6 1/2" x 7 1/8" Block Three rectangle (Fig. 4). Repeat to make (8) Block Three rectangles total.





5. Sew together (1) 2" x 10 1/4" Fabric I strip, (1) 2" x 10 1/4" Fabric H strip, (1) 2" x 10 1/4" Fabric G strip and (1) 2" x 10 1/4" Fabric F strip, lengthwise and in that order from top to bottom, to make (1) 10 1/4" x 6 1/2" Block Four rectangle (Fig. 5). Repeat to make (4) Block Four rectangles total.



6. Refer to Figure 6 and sew together (4) Block Three rectangles, (2) Block Two squares and (1) Block One square to make the Left Side Border.



7. Repeat Step 6 and refer to Figures 7-9 for component identification, placement and orientation to make the Right Side Border, Top Border and Bottom Border.



Version #1 Quilt Top Assembly

(Follow Figure 10 while assembling the Version #1 quilt top.)

8. Sew the Left Side Border and Right Side Border to the left and to the right sides of the Center Block.
9. Sew the Top Border and Bottom Border to the top and to the bottom of the Center Block.
10. Sew (1) $1\frac{3}{4}$ " x 57" Fabric J strip to each side of the Center Block. Sew (1) $1\frac{3}{4}$ " x $40\frac{1}{2}$ " Fabric J strip to the top and to the bottom of the Center Block.
11. Sew (1) $1\frac{3}{4}$ " x $59\frac{1}{2}$ " Fabric B strip to each side of the Center Block. Sew (1) $1\frac{3}{4}$ " x 43" Fabric B strip to the top and to the bottom of the Center Block to make the Version #1 quilt top.




Fig. 10

Version #2 Quilt Top Assembly

(Follow Figure 12 while assembling the Version #2 quilt top.)

8. Sew the Left Side Border and Right Side Border to the left and to the right sides of the Center Block.
9. Sew the Top Border and Bottom Border to the top and to the bottom of the Center Block.

10. Sew (1) $1\frac{3}{4}$ " x 57" Fabric J strip to each side of the Center Block. Sew (1) $1\frac{3}{4}$ " x $40\frac{1}{2}$ " Fabric J strip to the top and to the bottom of the Center Block.

11. Sew (1) $1\frac{3}{4}$ " x $59\frac{1}{2}$ " Fabric B strip to each side of the Center Block. Sew (1) $1\frac{3}{4}$ " x 43" Fabric B strip to the top and to the bottom of the Center Block to make the Version #1 quilt top.

VERSION #2 Only

12. Center (1) 10" x 86" Fabric L strip on (1) side of the Center Block and pin in place. Start sewing the strip a $\frac{1}{4}$ " from the top edge of the block and stop a $\frac{1}{4}$ " from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

13. Repeat Step 12 to sew (1) 10" x 67" Fabric L strip to the top and to the bottom of the Center Block, making sure to stop and start $\frac{1}{4}$ " away from each end of the block. To miter each corner, fold the Center Block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 10).

14. Starting at the sewn seam (represented by the arrow in Figure 10), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a $\frac{1}{4}$ " seam. Repeat this step with the remaining corners to make Version #2 of the quilt top.




Fig. 11

Both Versions

15. Layer and quilt as desired.
16. Sew the (6) $2\frac{1}{2}$ " x WOF Fabric K strips together for Version #1 or (8) strips for Version #2, end to end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
17. Bind as desired.




Fig. 12

Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.henryglassfabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are not for resale.