

FIGO

COLLECTION

PATTERN NAME

PATTERN DESIGNER

FABRIC DESIGNER

HONEY BLOOM

PEAKS & VALLEYS

FIGO STUDIO

[LAURA C. MOYER](#)
X FIGO




64" x 80"

FABRIC REQUIREMENTS AND CUTTING




DP90465-99
1 Yard | 1 Meter



90470-50
½ Yard | 0.5 Meter



90471-50
1 Yard | 1 Meter
Includes Binding



90467-40
½ Yard | 0.5 Meter




90471-42
½ Yard | 0.5 Meter



90469-62
¼ Yard | 0.3 Meter




90468-62
¼ Yard | 0.3 Meter




90468-20
¼ Yard | 0.3 Meter



90469-20
¼ Yard | 0.3 Meter



90470-10
¼ Yard | 0.3 Meter



90470-99
2 ⅞ Yards | 3 Meters
Background Fabric

Lengthwise Backing - 5 ½ yds | 5.1 meters DP90465-99 recommended

Do not use requirements to cut kits

PEAKS & VALLEYS

Fabric Collection: **Serenity**

Finished Size: 64" x 80"

WOF = width of fabric

HST = half square triangle

All seams are sewn using a $\frac{1}{4}$ " seam allowance unless otherwise stated

Cutting Instructions:

1. From Fabrics 1-5, cut 2 – 7" x WOF strips; Sub-cut 12 – 7" squares from each.
2. From Fabrics 6-10, cut 1 – 7" x WOF strip; Sub-cut 4 – 7" squares from each.
3. From Fabric 3, cut 8 – 2 $\frac{1}{4}$ " x WOF strips. Set aside for binding.
4. From the Background Fabric, cut 14 – 7" x WOF strips; Sub-cut 80 – 7" squares.

To make the HST's:

1. Match up each of the Fabric 1-10 7" squares with a 7" background square.
2. With right sides together, sew around the outside edge of the squares using a *scant* $\frac{1}{4}$ " seam allowance.
3. Cut on both diagonals to get four pieces. Open and press seams to the dark side.
4. Repeat for all pairs of 7" squares to yield 320 HST's. Trim each to 4 $\frac{1}{2}$ ".

Assembling the quilt top:

1. Referring to the quilt image for HST placement, arrange HST's into rows. Sew rows together, pressing seams to one side on even rows, and to the opposite side on odd rows.
2. Sew rows together, nesting seams to reduce bulk.

Finishing the quilt:

1. Cut backing fabric in half along the length of fabric. Sew the two pieces together along the selvage edges.
2. Layer quilt top with batting and backing. Quilt as desired.
3. Join the Fabric 1 binding strips end-to-end using diagonal seams. Fold & press the strip in half, wrong sides together, along the long edge. Bind the quilt using your favorite method.

