



# Steam *in the* Spring Wall Hanging



Featuring the Steam in the Spring Collection by Michael Shelton and the Good Vibes Collection by Courtney Morgenstern  
Shipping to stores January 2022

Finished Size: 42 ½ in x 42 ½ in (107.95 cm x 107.95 cm)

## Fabric Needed

### 3 Wishes Fabric® Steam in the Spring Collection

- 1 Panel – Train 4-Panel (18719-PNL-CTN-D)
- 1 ¾ yards – Scenic (18718-MLT-CTN-D)
- ⅝ yard – Map (18717-BLU-CTN-D) for Piecing and Binding
- ¼ yard – Foliage (18715-GRN-CTN-D)
- ¼ yard – Signs (18716-GRY-CTN-D)
- ¼ yard – Trains (18720-MLT-CTN-D)
- 2 ¼ yards – Scenic (18718-MLT-CTN-D) Backing

### 3 Wishes Fabric® Good Vibes Collection

- ¼ yard – Circle Dots (18660-WOW-CTN-D)

### Additional Supplies Needed:

- 51 in x 51 in (129.54 cm x 129.54 cm) Cotton batting
- Piecing and sewing thread
- Quilting and sewing supplies
- Even-feed foot (optional for quilting)

# Before You Begin

Read all instructions before beginning project. Do not pre-wash fabrics. Press fabrics with a dry iron on cotton setting before cutting. Use a ¼ in (6.35 mm) seam allowance and sew fabrics with right sides together (RST) unless otherwise noted. Press seams in the direction of the arrows. wof = width of fabric


**Note:** A printed panel may become slightly skewed during the finishing process. Check if panel is square before cutting by folding the panel so selvages meet. If all edges do not meet, pull firmly from corner to corner until the edges meet. Continue until all corners are square.

## Cutting


Use a rotary cutter and ruler to cut the size and number of squares and rectangles from each fabric listed below.




**Train 4-Panel (18719-PNL-CTN-D) 1 Panel**  
Fussy Cut 4 - 12 ½ in x 12 ½ in (31.75 cm x 31.75 cm)




**Scenic (18718-MLT-CTN-D) 1 ¾ yards**  
Cut 2 - 4 ½ in x 42 ½ in (11.43 cm x 107.95 cm)  
Cut 2 - 4 ½ in x 34 ½ in (11.43 cm x 87.63 cm)




**Map (18717-BLU-CTN-D) ¾ yard**  
Cut 5 - 2 ½ in (6.35 cm) x wof  
Cut 2 - 2 ½ in x 16 ½ in (6.35 cm x 41.91 cm)  
Cut 2 - 2 ½ in x 12 ½ in (6.35 cm x 31.75 cm)




**Foliage (18715-GRN-CTN-D) ¼ yard**  
Cut 2 - 2 ½ in x 16 ½ in (6.35 cm x 41.91 cm)  
Cut 2 - 2 ½ in x 12 ½ in (6.35 cm x 31.75 cm)



**Signs (18716-GRY-CTN-D) ¼ yard**  
Cut 2 - 2 ½ in x 16 ½ in (6.35 cm x 41.91 cm)  
Cut 2 - 2 ½ in x 12 ½ in (6.35 cm x 31.75 cm)



**Trains (18720-MLT-CTN-D) ¼ yard**  
Cut 2 - 2 ½ in x 16 ½ in (6.35 cm x 41.91 cm)  
Cut 2 - 2 ½ in x 12 ½ in (6.35 cm x 31.75 cm)




**Circle Dots (18660-WOW-CTN-D) ¼ yard**  
Cut 2 - 1 ½ in x 34 ½ in (3.81 cm x 87.63 cm)  
Cut 2 - 1 ½ in x 32 ½ in (3.81 cm x 82.55 cm)

# Sewing

- Place a Foliage rectangle  $2\frac{1}{2}$  in x  $12\frac{1}{2}$  in (6.35 cm x 31.75 cm) on each side of the Fussy Cut Train 4-Panel square  $12\frac{1}{2}$  in x  $12\frac{1}{2}$  in (31.75 cm x 31.75 cm) as shown in Diagram A. Pin RST, sew and press. Place a Foliage rectangle  $2\frac{1}{2}$  in x  $16\frac{1}{2}$  in (6.35 cm x 41.91cm) on the top and bottom. Pin RST, sew and press to make the Panel 1 Unit  $16\frac{1}{2}$  in x  $16\frac{1}{2}$  in (41.91cm x 41.91 cm).




- Refer to Diagram B and Step 1 to make the Panel 2 Unit  $16\frac{1}{2}$  in x  $16\frac{1}{2}$  in (41.91cm x 41.91 cm) using two Map rectangles  $2\frac{1}{2}$  in x  $12\frac{1}{2}$  in (6.35 cm x 31.75 cm), two Map rectangles  $2\frac{1}{2}$  in x  $16\frac{1}{2}$  in (6.35 cm x 41.91cm) and the Fussy Cut Train 4-Panel square  $12\frac{1}{2}$  in x  $12\frac{1}{2}$  in (31.75 cm x 31.75 cm) as shown.



- Refer to Diagram C and Step 1 to make the Panel 3 Unit  $16\frac{1}{2}$  in x  $16\frac{1}{2}$  in (41.91cm x 41.91 cm) using two Fussy Cut Trains rectangles  $2\frac{1}{2}$  in x  $12\frac{1}{2}$  in (6.35 cm x 31.75 cm), two Fussy Cut Trains rectangles  $2\frac{1}{2}$  in x  $16\frac{1}{2}$  in (6.35 cm x 41.91cm) and the Fussy Cut Train 4-Panel square  $12\frac{1}{2}$  in x  $12\frac{1}{2}$  in (31.75 cm x 31.75 cm) as shown. **Note:** Check orientation of design.



- Refer to Diagram D and Step 1 to make the Panel 4 Unit  $16\frac{1}{2}$  in x  $16\frac{1}{2}$  in (41.91cm x 41.91 cm) using two Signs rectangles  $2\frac{1}{2}$  in x  $12\frac{1}{2}$  in (6.35 cm x 31.75 cm), two Signs rectangles  $2\frac{1}{2}$  in x  $16\frac{1}{2}$  in (6.35 cm x 41.91cm) and the Fussy Cut Train 4-Panel square  $12\frac{1}{2}$  in x  $12\frac{1}{2}$  in (31.75 cm x 31.75 cm) as shown.



5. Place the four Panel Units in two rows as shown in Diagram E. Pin the pieces in each row RST, sew and press. Pin the rows RST matching seams, sew and press to make the Wall Hanging Center 32 ½ in x 32 ½ in (82.55 cm x 82.55 cm).

Dia. E



6. Refer to Diagram F to place the Borders around the Wall Hanging Center 32 ½ in x 32 ½ in (82.55 cm x 82.55 cm). Sew each Border RST in the order listed. **Note:** Check orientation of the design. Pin matching center and ends. Press seams as shown. Measure at each step to ensure the next border will fit. **Tip:** If one border is a little larger than the border it is being sewn to, pin well to ease the fullness and place the fullness on the bottom while sewing.

**Circle Dots Borders**

- (2) Sides – Circle Dots strips  
2 ½ in x 32 ½ in (6.35 cm x 82.55 cm)
- (2) Top and Bottom – Circle Dots strips  
2 ½ in x 34 ½ in (6.35 cm x 87.63 cm)
- Wall Hanging Top – 34 ½ in x 34 ½ in  
(87.63 cm x 87.63 cm)

**Scenic Borders**

- (2) Sides – Vertical Scenic rectangles  
4 ½ in x 34 ½ in (11.43 cm x 107.95 cm)
- (2) Top and Bottom – Horizontal Scenic rectangles  
4 ½ in x 42 ½ in (11.43 cm x 107.95 cm)


The Steam in the Spring Wall Hanging Top should measure 42 ½ in x 42 ½ in (107.95 cm x 107.95 cm).



# Finishing


18. Remove the selvages from the Scenic Backing fabric. Cut two vertical pieces 11 ½ in x 25 ¾ in (29.21 cm x 65.41 cm) and two vertical pieces 20 ¼ in x 51 in (51.44 cm x 129.54 cm). Pin the two smaller pieces RST on the short edges and sew as shown in Diagram G; press. Pin the larger pieces on each side and sew along the long edges. **Note:** Check orientation of the design. Press seams open or to one side. The Backing should measure 51 in x 51 in (129.54 cm x 129.54 cm).

Dia. G Steam in the Spring Wall Hanging Top



51 in x 51 in (129.54 cm x 129.54 cm)

19. Press finished Quilt Top and Backing. Tape the Backing, **wrong** side up, to a firm surface. Layer Batting and Quilt Top (right side up). Baste the layers together with safety pins. Quilt as desired.
20. Once quilting is complete, square up corners and edges, trimming excess Backing and Batting even with the Quilt Top.
21. Follow Diagram H to make the Map Binding. Remove selvages and sew the short ends of the five 2 ½ in (6.35 cm) x wof strips RST end to end at a 45° angle to make one continuous strip; press seams open. Press one short end ¼ in (6.35 mm) to the **wrong** side. Fold in half lengthwise with **wrong** sides together; press. Leaving a 2 in (5.08 cm) tail on the folded end, place cut edges of folded Binding even with the edge of the Quilt Top and sew, mitering the corners. Overlap ends, trim any excess and finish sewing the Binding. Fold Binding over to back and hand stitch.



## Finished Care Instructions

Machine wash in cold water; gentle cycle. Do not bleach. **Tip:** Before drying, check for fabric dyes that may have run. If fabric dyes run, rewash and rinse using a color catcher to absorb loose dye. Lay flat to dry or tumble dry low.