





FINISHED QUILT SIZE: 59" × 59"

Measurements include ¼" seam allowance.

Please check our website www.rileyblakedesigns.com for any revisions before starting this project. This pattern requires a basic knowledge of quilting techniques and terminology. The quilt and block diagrams portrayed are virtual images. The layout and look of your project may differ when using actual fabric.

FABRIC REQUIREMENTS

1 Winter Barn Quilts Panel (PD12084)

1¼ yards Snow Shades (C200) for background

1 yard Sky Main (CD12080) for outer border

1 yard Navy Compass (C12082) blocks, inner border & binding

% yard Gray Nordic Star (C12083) for blocks

¼ yard Blue Compass (C12082) for blocks

CUTTING REQUIREMENTS

Please read instructions before cutting fabrics. Refer to the quilt photo for the placement of each of the fabrics. Label pieces as they are cut.

Winter Barn Quilts Panel

Fussy-cut 4 barn squares 16%" × 16%" from the panel centering the design in each square.



From Snow Shades, cut:

4 strips 4½" × WOF

Set 2 aside. D

Subcut:

 $1 - 4\frac{1}{2}$ " × 22"

20 - 4%" × 2%" rectangles H

8 strips 2½" × WOF.

Set 2 strips aside. B

Subcut:

 $2 - 2\frac{1}{2}$ " × 12" strips B

 $80 - 2\%" \times 2\%"$ squares **G**



From Sky Main cut:

6 strips 5" × WOF for outer borders.



From Navy Compass, cut:

1 strip 4½" × WOF; subcut:

16 - 4%" × 2%" rectangles

F

ı

Ε

Ε

8 strips 2½" × WOF.

Set aside 6 strips for binding.

Set 1 strip aside.

Subcut from 1 strip:

 $1 - 2\frac{1}{2}$ " × 12" strip C

 $4 - 2\frac{1}{2}$ " × $4\frac{1}{2}$ " rectangles **F**

5 strips 1½" × WOF for inner border



From Gray Nordic Star, cut:

1 strip 4½" × WOF; subcut:

5 – 4½" squares

3 strips 2½" × WOF

Set 2 strips aside. A

Subcut 1 strip:

 $1 - 2\frac{1}{2}$ " × 22" strip A



From Blue Compass, cut:

1 strip 4½" × WOF; subcut:

16 - 4%" × 2%" rectangles

1 strip 2½" × WOF; subcut:


4 – 2½" × 4½" rectangles

QUILT ASSEMBLY


Refer to the cutting requirements list, quilt photo and layout diagram for the placement of prints. Follow pressing arrows as shown.

Corner Blocks


Sew strips A & D together lengthwise to make a strip set.
 There will be 2 WOF strip sets and 1 shorter 22" strip set.
 Subcut into 2½" Unit 1 segments. Make 40 Unit 1 segments.



2. Sew a C strip between 2 B strips lengthwise. There will be 1 WOF strip set and 1 shorter 12" strip set. Crosscut into 2½" Unit 2 segments. Make 20 Unit 2 segments.



3. Sew Unit 1 segments on each side of a Unit 2 segment as shown to complete a Corner Block (6½" square). Make 20 Corner Blocks.




Stripe Units


- 1. Stripe Blocks are created using the Stitch and Flip method. On the wrong side of 2 **G** squares draw a diagonal line from corner to corner.
- 2. Position a marked **G** square right sides together (RST) on the top right corner of an **E** rectangle as shown. The drawn line will cross in front of the top right corner. Stitch on the drawn line. Cut excess fabric away ¼" from stitching. Flip the triangle up and press. The top right corner has been replaced.













- Repeat Steps 1–4, using an F rectangle and 2 G squares to replace the top left and bottom right corners, making a Right Stripe Unit (a). Make a total of 20 Right Stripe Units.
- 6. Sew together 1 Left and 1 Right Stripe unit, creating a V—Unit (b). Make 20 V—Units.
- 7. Sew rectangle H to the top of the V–Unit to complete a V–Block (c) $4\frac{1}{2}$ " × $6\frac{1}{2}$ ".



Block Construction

1. Arrange 4 V–Blocks, 4 Corner Blocks and an I square in a 3×3 configuration.



2. Sew blocks together side-to-side into rows. Sew rows together to complete the block (16%" × 16%"). Make 5 Blocks.

Quilt Center

- 1. Arrange the panel squares and Blocks into a 3 x 3 setting, alternating squares and blocks.
- 2. Sew blocks and squares together side-to-side into rows. Sew rows together, nesting seams as you go. The quilt center now measures 48%" \times 48%".

Inner Border

- 1. Sew 5 inner border strips $1\frac{1}{2}$ " × WOF together end-to-end.
- 2. From this strip cut 2 borders 48½" in length. Sew 1 to each side of the quilt top.

3. Cut 2 more inner borders 50%" in length. Sew 1 to the top, the other to the bottom of the quilt top. The quilt now measures 50%" × 50%".

Outer Border

Repeat Inner Border, Steps 1–3 using 6 outer border strips. Side borders should measure 50%" in length; top & bottom borders should measure 59%" in length. The quilt now measures 59%" × 59%".

Finishing

Finish quilt by layering the quilt top, batting, and back. Bind with 2½" Navy Compass strips.

Have fun and enjoy the journey of making your quilt!

