


CONSTRUCTION ZONE

• A Free Project Sheet •
• NOT FOR RESALE •

By Robert Giordano

Quilt Design by Heidi Pridemore



Quilt 1

Skill Level: Advanced Beginner

 Henry Glass & Co., Inc.




facebook

Finished Quilt Size: 48" x 68"
49 West 37th Street, New York, NY 10018
tel: 212-686-5194 fax: 212-532-3525
Toll Free: 800-294-9495
www.henryglassfabrics.net

Please check our website for pattern updates before starting this project.

CONSTRUCTION ZONE Quilt 1

Fabrics in the Collection



Diamond Plate
Silver – 383-91



Sign Tossed
Gray – 384-90



Construction Words
Black – 385-99




Crane and Dump Truck
Royal – 386-77



Crane and Dump Truck
Red – 386-88



Concrete Mixer
White – 387-1



Front Loader
Black – 388-99



Construction Site
White – 389-1



24 Inch Panel
Black – 390P-99



4 Pillow Block 36 Inch Panel
Gray – 391P-90

Select Fabrics from Modern Melody Basics



Pigment White
1063-01W



Navy
1063-77



Crimson Red
1063-88



Black
1063-99

Materials

1 panel	24 Inch Panel - Black (A)	390P-99
1 yard	Modern Melody Basics - Crimson Red (B)	1063-88*
½ yard	Diamond Plate - Silver (C)	383-91
⅔ yard	Crane and Dump Truck - Royal (D)	386-77
¾ yard	Concrete Mixer - White (E)	387-1
½ yard	Modern Melody Basics - Black (F)	1063-99
⅓ yard	Sign Tossed - Gray (G)	384-90
⅝ yard	Construction Words - Black (H)	385-99
4 ¼ yards	Construction Site - White (Backing)	389-1

*Includes binding

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage unless otherwise noted.

From the 24 Inch Panel - Black (A):

- Fussy cut (1) 22 ½" x 42 ½" rectangle, centered on the panel.

From the Modern Melody Basics - Crimson Red (B), cut:

- (2) 2" x 42 ½" WOF strips, piece as needed.
- (2) 2" x 25 ½" WOF strips.
- (3) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 48 ½" strips.
- (2) 1 ½" x 30 ½" WOF strips.
- (6) 2 ½" x WOF strips for the binding.

From the Diamond Plate - Silver (C), cut:

- (3) 2 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2 ½" x 44 ½" strips.
- (2) 2 ½" x 28 ½" WOF strips.

From the Crane and Dump Truck - Royal (D), cut:

- (1) 7 ½" x WOF strip. Sub-cut (6) 7 ½" x 5 ½" strips.
- (2) 5 ½" x WOF strips. Sub-cut (10) 5 ½" x 7 ½" strips.

From the Concrete Mixer - White (E), cut:

- (4) 5 ½" x WOF strips. Sub-cut (16) 5 ½" x 7 ½" strips.

From the Modern Melody Basics - Black (F), cut:

- (5) 3" x WOF strips. Sub-cut (64) 3" squares.

From the Sign Tossed - Gray (G), cut:

- (1) 7 ½" x WOF strip. Sub-cut (4) 7 ½" squares.

From the Construction Words - Black (H), cut:

- (4) 2 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2 ½" x 64 ½" strips.
- (3) 2 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2 ½" x 48 ½" strips.

From the Construction Site - White (Backing), cut:

- (2) 76" x WOF strips for the backing. Sew the strips together and trim to make the 56" x 76" back.

Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components. Use a ¼" seam allowance with right sides together (RST) unless otherwise noted.

1. Sew (1) 2" x 42 ½" Fabric B strip to each side of the 22 ½" x 42 ½" Fabric A rectangle. Sew (1) 2" x 25 ½" Fabric B strip to the top and to the bottom of the Fabric A rectangle to make the Center Block (Fig. 1). **Trim the block to measure 24 ½" x 44 ½"**.




Fig. 1 B

2. Place (1) 3" Fabric F square on the top left corner of (1) 5 ½" x 7 ½" Fabric E strip, right sides together (Fig. 2). Sew across the diagonal of the small square from the upper right corner to the lower left corner (Fig. 2). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle ¼" away from the sewn seam (Fig. 3).




Fig. 2



Fig. 3

3. Follow Figure 4 for the seam direction to add a 3" Fabric F square to the lower left corner of the 5 ½" x 7 ½" Fabric E strip to make (1) Unit 1 rectangle (Fig. 5).




Fig. 4




Fig. 5

4. Repeat Steps 2-3 to make (16) Unit 1 rectangles total.

5. Repeat Steps 2-3 and refer to Figures 6-9 for fabric identification, placement, seam direction and orientation to make (5) Unit 2 rectangles, (5) Unit 3 rectangles, (3) Unit 4 rectangles and (3) Unit 5 rectangles.




Fig. 6




Fig. 7



Fig. 8



Fig. 9

6. Sew (5) Unit 1 rectangles and (5) Unit 2 rectangles together, alternating them from top to bottom, to make the Left Side Border (Fig. 10).

7. Sew (5) Unit 3 rectangles and (5) Unit 1 rectangles together, alternating them from top to bottom, to make the Right Side Border (Fig. 11).




Fig. 10




Fig. 11

8. Sew (3) Unit 4 rectangles and (3) Unit 1 rectangles together, alternating them from left to right. Sew (1) 7 1/2" Fabric G square to each end of the newly sewn strip to make the Top Border (Fig. 12).




Fig. 12

9. Sew (3) Unit 1 rectangles and (3) Unit 5 rectangles together, alternating them from left to right. Sew (1) 7 1/2" Fabric G square to each end of the newly sewn strip to make the Bottom Border (Fig. 13).




Fig. 13

Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)

10. Sew (1) 2 1/2" x 44 1/2" Fabric C strip to each side of the Center Block. Sew (1) 2 1/2" x 28 1/2" Fabric C strip to the top and to the bottom of the Center Block.

11. Sew (1) 1 1/2" x 48 1/2" Fabric B strip to each side of the Center Block. Sew (1) 1 1/2" x 30 1/2" Fabric B strip to the top and to the bottom of the Center Block.

12. Sew the Left Side Border and Right Side Border to the left and right sides of the Center Block.


13. Sew the Top Border and Bottom Border to the top and to the bottom of the Center Block.

14. Sew (1) 2 1/2" x 64 1/2" Fabric H strip to each side of the Center Block. Sew (1) 2 1/2" x 48 1/2" Fabric H strip to the top and to the bottom of the Center Block to make the quilt top.

15. Layer and quilt as desired.

16. Sew the (6) 2 1/2" x WOF Fabric B strips together, end to end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.

17. Bind as desired.



Quilt Layout

Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.henryglassfabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are not for resale.