

MAYWOOD  STUDIO

# Cottage Bouquet quilt




## Cottage Bouquet Quilt by Maywood Studio

Featuring the Cottage Bouquet collection from Maywood Studio.


63" x 79"

[maywoodstudio.com](http://maywoodstudio.com)

# Cottage Bouquet



Fabric 1  
10265-K



Fabric 2  
10265-B



Fabric 3  
10267-K



Fabric 4  
10261-K




Fabric 5  
10261-B



Fabric 6 - Inner Border  
10267-B



Fabric 7 - Border  
10262-B




Fabric 8 - Binding  
10266-B

MAYWOOD  STUDIO

Maywood Studio makes every effort to make sure our patterns are accurate.  
Check for updates at [maywoodstudio.com/projects](http://maywoodstudio.com/projects)

## Fabric Requirements

Fabric 1	10265-K	1-1/4 yards
Fabric 2	10265-B	1-5/8 yards
Fabric 3	10267-K	3/4 yard
Fabric 4	10261-K	1/2 yard
Fabric 5	10261-B	1/2 yard
Fabric 6	10267-B	1 yard
Fabric 7	10262-B	2 -1/2 yards
Fabric 8	10266-B	5/8
Backing	108" wide	2 yards
	44/45" wide	5 yards



16-1/2" x 16-1/2"  
unfinished

## Cutting

**Finished Size: 62" x 78"**

### Fabric 1

A: (72) 2-1/2" x 4-1/2" rectangles  
 B: (48) 2-1/2" x 2-1/2" squares  
 C: (24) 4-1/2" x 4-1/2" squares

### Fabric 2

A: (72) 2-1/2" x 4-1/2" rectangles  
 B: (120) 2-1/2" x 2-1/2" squares  
 C: (24) 4-1/2" x 4-1/2" squares

### Fabric 3

A: (48) 2-1/2" x 4-1/2" rectangles  
 B: (72) 2-1/2" x 2-1/2" squares

### Fabrics 4 and 5

D: (6) 8-1/2" x 8-1/2" squares

### Fabric 6 Inner Border

Cut (6) 2" x WOF strips. Sew together end to end. Subcut into:  
 (2) 2" x 51-1/2" top inner border strips  
 (2) 2" x 64-1/2" side inner border strips

### Fabric 7 Outer Border

Cut Length of Fabric (LOF)  
 (2) Sides: 6-1/2" x 90" strips  
 (2) Top/Bottom: 6-1/2" x 74" strips

### Fabric 8 Binding

Cut (8) 2-1/4" x WOF strips

WOF - Width of Fabric  
 LOF - Length of Fabric  
 RST - Right Sides Together  
 HST - Half Square Triangle


## Cottage Bouquet Quilt Instructions

Please read all instructions before you begin. Seam allowance is 1/4. Fabric is abbreviated as 'F' - for example, F1 refers to Fabric 1. Press in the direction of arrows.

Use the  check boxes to mark each step as you complete it.

### Flying Geese (FG)


1. Mark a diagonal line on the wrong side of (48) F1-B squares.
2. Place an F2-B square, RST, on an F2-A rectangle. Sew on the marked line. Trim 1/4" away from the stitching. Press.
3. Place an F2-B square, RST, on the opposite side of the step 2 unit. Sew on the marked line. Trim 1/4" away from the stitching. Press. Make 24.



Repeat to make (48) FG2 (F3-A/F2-B) units and (24) FG3 (F1-A/F3-B) units.


### Double Geese Units (DGU)

4. Sew (24) FG1 and FG2 units together into pairs. Sew an F1-A rectangle to either side of each pair. Press. Make 24.
5. Sew (24) FG2 and FG3 units together into pairs. Sew an F2-A rectangle to either side of each pair. Press. Make 24.




### Extended Double Geese Units (DGU)

6. Sew a C square to each end of (24) Double Geese units.







### Block Centers

7. Mark a diagonal line from corner to corner on the wrong side of the remaining (24) F2-B squares.
8. Place an F2-B square, RST, on one corner of an F4-D square. Sew on the marked line. Trim 1/4" away from the stitching. Press. Repeat on the remaining 3 corners. Make 6.
9. Repeat steps 7-8 using the F3-B squares and the F5-D squares. See illustration on p.5. Make 6. Press.





## Blocks

- ❑ 10. Sew the Double Geese Units to opposite sides of each block center. Press.
- ❑ 11. Sew the Extended Double Geese Units to the top and bottom of each step 10 unit. Press.
- ❑ 12. Make 6 each of Block 1 and Block 2 as illustrated below.
- ❑ 13. Lay the blocks into rows as illustrated on p.6. Sew into rows. Press in one direction.
- ❑ 14. Sew row to row. Press in one direction.




Block 1 - Make 6  
16-1/2" x 16-1/2"



Block 2 - Make 6  
16-1/2" x 16-1/2"

## Quilt Top and Finishing

- ❑ 15. Sew the F6 inner borders to the sides of the quilt. Press toward borders.
- ❑ 16. Sew the F6 inner borders to the top and bottom of the quilt. Press toward borders.
- ❑ 17. Sew the outer borders. Follow the instructions on p.7.






## Finishing



- ❑ 18. Layer the backing (wrong side up), batting and quilt top (right side up). Baste layers to secure. Quilt as desired. Trim the excess backing and batting.
- ❑ 19. Sew the binding strips together into one continuous strip. Press in half length-wise. Sew the binding to the quilt top with a 1/4" seam allowance. Turn the binding to the back side of the quilt and stitch down by hand with matching thread.

## Mitered Borders

1. Mark the centers of each side of the quilt top with a pin.
2. Mark the centers of the border strips with a pin.
3. Match the centers of the border strips to the sides of the quilt and pin, RST. Sew together, starting and stopping 1/4" away from the edges of the quilt top. Backstitch to secure. Press seams toward borders.
4. Repeat to sew the top and bottom border strips to the quilt top.



5. Fold each border end back at a 45 degree and press, creating a crisp crease.



6. Fold the quilt on a diagonal, RST. Line up the raw edges of the border strips and pin in place along the crease. Stitch together on the crease, stopping at the 1/4" seam. Backstitch to secure. Double check that your corner lays flat when you open it up. Trim seam allowance to 1/4" and press open.

## Plan Your Quilt Top

Use this diagram to plan this design or color up one of your own.

