

# TOGETHER PANEL QUILT

# FINISHED QUILT SIZE 52" x 59"

©2022 Riley Blake Designs. Fabric: At First Sight by Dani Mogstad for Riley Blake Designs

# INSTRUCTIONS

Please read through all the directions first before starting. Assume 1/4" seam allowance. Sew with right-sides together unless otherwise stated. Press all seams in the direction of the arrows on the diagrams. Yardage is based on a 42" width of fabric.

WOF: Width of Fabric RST: Right Sides Together SNF: Stitch and Flip

This quilt pattern is beginner friendly. Basic knowledge of quilt piecing techniques, basic paper piecing and terminology is required. Please visit our website at www.rileyblakedesigns. com/pattern-updates to check for any updates before beginning this project. Have fun!

# FABRIC REQUIREMENTS

(1) At First Sight Panel (SP12688-BLACK)
1 yard Black Main (C12680-BLACK)
1 Fat Quarter Cream Hearts (SC12681-CREAM)
1 yard Pine Plaid (C12685-PINE) (includes binding)
1 Fat Quarter Coral Circles (SC12687-CORAL)

### CUTTING DIRECTIONS

Please read instructions first before cutting. WOF- width of fabric.

### At First Sight Panel

Fussy cut (1)  $35\%'' \times 42\%''$  rectangle centering the At First Sight Panel. Note this measurement includes the %'' seam allowance around the panel perimeter.

# **Coral Circles**

Cut (4)  $6\frac{1}{2}$ " x  $3\frac{1}{2}$ " rectangles (Label as A) Cut (4)  $6\frac{1}{2}$ " x 2" rectangles (Label as B) Cut (8)  $3\frac{1}{2}$ " x 2" rectangles (Label as C)

# **Cream Hearts**

Cut (8) 3½" x 3½" squares (Label as D) Cut (16) 2" x 2" squares (Label as E)

#### Pine Plaid

Cut (5) 3" x WOF strips (For Borders F & G) Cut (5) 2½" WOF strips (Binding)

### Black Main


Cut (5) 6½" x WOF strips (For Borders H & I)

## ASSEMBLY DIRECTIONS

Assemble the quilt in order shown. Trim directions are given often to ensure accurate piecing. All angled pieces are constructed using the Stitch and Flip method. This method is described below and referenced throughout the pattern. Press towards the darker fabrics, unless otherwise stated.

# Stitch and Flip Method (SNF)

Place the (2) pieces, RST, matching the raw edges in one corner. Draw a diagonal line on the wrong side of the top piece across the corner. Sew on the drawn line. Trim the seam allowance above the sewn line to  $\frac{1}{2}$ ". Flip the top piece away from the bottom piece and press.




# TOGETHER PANEL QUILT

1. Sew together all (5) Border F & G - 3" strips end-to-end to make (1) long strip. Press. Sub-cut this strip into (2)  $3" \times 42\%"$  border strips and label as F, and (2)  $3" \times 40\%"$  border strips and label as G.


 Pin and sew (2) F-strips to either vertical side of the trimmed At First Sight panel. Press seams outwards. Next pin and sew (2) G-strips to either horizontal side of the panel. Press seams outwards. Set aside.




3. Gather (8) D-squares and (4) A-rectangles. Using the SNF method described above, sew (1) D-square to either side of the A-rectangle to make (1) flying geese unit. The unit should measure  $3\frac{1}{2}$ " x  $6\frac{1}{2}$ ". Make (4) units in total. Set aside.



4. Next, gather (16) E-squares and (8) C-rectangle. Using the SNF method, make flying geese units as shown. Each unit should measure  $2'' \times 3\frac{1}{2}''$ . Make (8) units in total.




5. Layout (1) B-rectangle, (2) CE-units and (1) AD-unit as shown. Pin and press seams towards the B-rectangle. The heart block should measure  $6\frac{1}{2}$ " x  $6\frac{1}{2}$ " unfinished. Make (4) heart blocks in total. Set aside.



6. Prepare the outer border by sewing all (5)  $6\frac{1}{2}$ " H & I strips, end-to-end, to make (1) long strip. Press. Sub-cut this strip into (2)  $6\frac{1}{2}$ " x 40  $\frac{1}{2}$ " border strips and label as H, and (2)  $6\frac{1}{2}$ " x 47 $\frac{1}{2}$ " border strips and label as I.

7. Layout (1) H-strip and (2) heart blocks as shown. Pin and sew together. Press seams towards the H-strip. Make 2.



# **TOGETHER PANEL QUILT**

8. Pin and sew (2) prepared border I-strips to either vertical side of the quilt top. Press. Next, pin and sew (2) H-strips to either top and bottom lengths of the quilt. Press seams. The quilt top should measure 52" x 59".



Your quilt top is complete!!!

Layer your backing, batting and quilt top. Quilt as desired. Bind the edges with your favorite binding method using the prepared binding. Enjoy and share your quilt using the hashtags #atfirstsightfabric #togetherpanelquilt #rileyblakedesigns #iloverileyblake.

