





Sweet Liberty

Quilt designed by Janet Houts for Blank Quilting

Fabric Requirements:

Fabric A:	1/2 yd	6913 Red
Fabric B:	1 yd	6916 White
Fabric C:	1-5/8 yds	6916 Navy
Fabric D:	1/3 yd	6918 Red
Fabric E:	5/8 yd	6915 White
Fabric F:	5/8 yd	6914 White
Fabric G:	7/8 yd	6915 Red
Fabric H:	3/4 yd	6916 Red
Backing:	4-1/2 yds	6918 White

Cutting Instructions:

WOF indicates cutting strips across the width of the fabric.


- **Fabric A:** Cut (2) 6-1/2" x WOF strips and recut into: (7) 6-1/2" squares
- **Fabric B:** Cut (6) 3-1/2" x WOF strips and recut into: (56) 3-1/2" squares Cut (3) 3-7/8" x WOF strips and recut into:
 - (28) 3-7/8" x WOF strips and recut in (28) 3-7/8" squares
- **Fabric C:** Cut (8) 3-1/2" x WOF strips and recut into: (28) 3-1/2" squares (28) 3-1/2" x 6-1/2" strips Cut (3) 3-7/8" x WOF strips and recut into: (28) 3-7/8" squares
 - Cut (7) 2-1/4" x WOF strips and sew together end-to-end for binding
- **Fabric D:** Cut (3) 3-1/2" x WOF strips and recut into: (28) 3-1/2" squares
- **Fabric E:** Cut (5) 3-1/2" x WOF strips and recut into: (28) 3-1/2" x 6-1/2" strips
- **Fabric F:** Cut (3) 6-1/2" x WOF strips and recut into: (16) 6-1/2" squares
- **Fabric G:** Cut (4) 6-1/2" x WOF strips and recut into: (20) 6-1/2" squares
- **Fabric H:** Cut (7) 3-1/2" x WOF strips. Sew together end-to-end and recut into: (2) 3-1/2" x 60-1/2" strips (2) 3-1/2" x 66-1/2" strips
- Backing: Cut and piece backing fabric to measure 68" x 80".

Making the Blocks:

Draw a diagonal line on the wrong side of all 3-1/2" Fabric B squares. Sew one of these squares on the diagonal to
one side of a 3-1/2" x 6-1/2" Fabric C rectangle. Trim 1/4" from stitched line, fold out and press. Trim away and
discard excess fabric. Repeat on the opposite side of the rectangle to make a flying geese unit (Fig. 1). Make 28.



2. Draw a diagonal line on the wrong side of all 3-7/8" Fabric B squares. Place a marked Fabric B square on a 3-7/8" Fabric C square, right sides together. Sew 1/4" seam on each side of the marked line; cut apart on the marked line. Press open to make two half-square triangles (Fig. 2). Make 56 HST units.



3. Sew a flying geese unit to opposite sides of a 6-1/2" Fabric A square. Sew two 3-1/2" Fabric D squares to opposite sides of a flying geese unit. Repeat. Assemble the sewn units to complete the block center (Fig. 3). Make 7.






Figure 3

Making the Blocks: (continued)

4. Watching orientation, sew a Fabric B/C HST to opposite sides of all 3-1/2" x 6-1/2" Fabric E rectangles. Sew two of these units to opposite sides of block center. Sew a 3-1/2" Fabric C square to remaining Fabric E/HST units and attach to top and bottom to complete the block (Fig. 4). Make 7.



5. Sew two 6-1/2" Fabric F squares to opposite sides of a 6-1/2" Fabric G square. Make 4 F/G/F strips. Sew two 6-1/2" Fabric G squares to opposite sides of a 6-1/2" Fabric F square to make a G/F/G strip. Make 8. (Fig. 5).






Assembling the Quilt:

Refer to the Quilt Assembly Diagram to assemble the quilt top center. Quilt top is assembled in vertical rows.

- 6. Center Row: Sew a G/F/G strip to top and bottom of a block. Sew two blocks to this unit to complete the center row.
- 7. Side Rows: Sew two blocks to opposite sides of a G/F/G strip. Sew a F/G/F strip to a G/F/G strip. Repeat to make 4 units. Watching orientation of squares, sew to top and bottom of sewn center strip and blocks. Repeat to make two side rows.
- 8. Referring to the Quilt Assembly Diagram, sew center and side rows together.
- **9.** Sew 3-1/2" x 66-1/2" Fabric H strips to sides of quilt center. Sew 3-1/2" x 60-1/2" Fabric H strips to top and bottom of quilt center.
- 10. Layer, quilt and bind as desired to finish.



Quilt Assembly Diagram

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.



© 2014 Blank Quilting • All rights reserved 2 Bridge Street, Suite 220, Irvington, NY 10533 • Toll Free: 888-442-5265 • Fax 914-478-4278 • www.BlankQuilting.com