
Featuring Paul's Pond Fabrics by the World of Susybee





60" x 70"



Featuring Paul's Pond by Susybee

Finished quilt size: 60" x 70" Finished block size: 10" x 10"

Backing: 68" x 78" (3 7/8y of 42" wide fabric)

Prior to starting this project, please check our website for updates: www.clothworks.com.

Fabric & Cutting Chart

Fabric	Yardage	Cutting Directions
9 6 0	5/8y	a. Inner border #1
0 0 0		(2) 1 1/2" x WOF strips.
@ 0 6 0		Subcut two 1 1/2" x 37 1/2" strips.
Fabric A		(2) 2" x WOF strips.
SB20053-101		Subcut two 2" x 30 1/2" strips.
		b. Inner border #2 lilypad blocks
		(2) 2 ½" x WOF strips.
		Subcut (20) 2 ½" x 2 ½" squares.
		c. Inner border alphabet blocks
		(3) 2 ½" x WOF strips.
		Subcut for F block:
		(1) 2 ½" x 4 ½", (1) 2 ½" x 6 ½" and
		(1) 2 ½" x 8 ½" rectangles.
		Subcut for R block:
		(1) 2 ½" x 5", (2) 2 ½" x 6 ½",
		(1) 2 ½" x 8 ½" rectangles and
		(1) 2 ½" x 2 ½" and (2) 1 ¼" x 1 ¼" squares.
		Subcut for G block: (2) 2 1/" x 8 1/" (4) 2" x 4 1/2" and (1) 2" x 4 1/2"
		(2) 2 ½" x 8 ½", (1) 2" x 4 1/2" and (1) 2" x 4 1/2" rectangle; (1) 2" x 2", (2) 1 ½" x 1 ½" and (2) 1" x
		1" squares.
	3/8y	Inner border #2 lilypad blocks
\$1000 BBS	-/,	(1) 2 ½" x WOF strip.
		Subcut (6) 2 ½" x 2 ½" squares and
Fabric B Fabric F		(3) 2 ½" x 6 ½" rectangles.
SB20053-310 SB20171-815		(2) 3 ½" x WOF strips.
		Subcut (3) 3 ½" x 4", (3) 2" x 3 ½",
		(3) 3 ½" x 8 ½" rectangles and (2) 3" x 3" squares.
1975 60 00 975	1/2y	Inner border #2 lilypad blocks
200000000		(2) 2 ½" x WOF strips.
₹ <u>₼</u> ৣ00,9 <u>~</u> Z\$₼ৣ0′		Subcut (8) 2 ½" x 2 ½" squares and
Fabric C		(4) 2 ½" x 6 ½" rectangles.
SB20103-850		(2) 3 ½" x WOF strips. Subcut (4) 3 ½" x 4", (4) 2" x 3 ½",
		(4) 3 ½ x 8 ½ rectangles and (2) 3 x 3 squares.
	3/4y	Outer border
	,	(7) 3 ½" x WOF strips.
		Piece strips and subcut (2) 3 ½" x 60 ½" and (2) 3 ½" x
Fabric D		64 ½" strips.
Fabric D SB20268-820		
3DZUZ00-0ZU	<u> </u>	


Fabric E SB20171-780	1 7/8y	a. Inner border #2 lilypad blocks (3) 1 1/2" x WOF strips.
Fabric G SB20197-100	2/3y	For O block (1) 4 ½" x WOF strip.

Fabric H SB20405-780	1y	Quilt center (1) 28 1/2" x 37 1/2" rectangle from panel, centering design. This should be 1/4" to the outside of thin, green panel frame.
Fabric I SB20408-950	3/8y	Inner border #2 lilypad blocks (1) 2 ½" x WOF strip. Subcut (4) 2 ½" x 6 ½" rectangles. (1) 3" x WOF strip. Subcut (4) 3" x 3" squares. (1) 6 ½" x WOF strip. Subcut (4) 6 ½" x 8 ½" rectangles.

pinwheel unit.

Constructing Lilypad Blocks With Pinwheel Unit


1. Draw a diagonal line on the wrong side of (1) 2 1/2" x 2 1/2" Fabric A square. Place square, right sides together, on (1) 2 ½" x 2 ½" print square. Sew ¼" away from both sides of drawn line. Cut along drawn line to yield (2) HST units. Open and press. Square and trim units to measure 2" x 2" unfinished. Make a total of (4) HST units. Sew units to make a pinwheel unit.



Use the same method to make (2) HST units using (1) 3" x 3" print and (1) 3" x 3" Fabric E squares.

line. Trim 1/4" away from sewn line. Sew unit

to the left of (1) step 1 Fabric E/print HST



unit, as shown (see next page).


5. Sew units made in steps 2-4 together to make a lilypad unit. Units measure $8 \frac{1}{2}$ " x $8 \frac{1}{2}$ " unfinished. Sew (2) $1 \frac{1}{2}$ " x $8 \frac{1}{2}$ " Fabric E rectangles to the opposite sides of lilypad unit, followed by (2) 1 1/2" x 10 1/2" Fabric E rectangles to the remaining opposite sides to complete (1) lilypad block. Block

2. Sew (1) 3 ½" x 4" print rectangle to the left,

and (1) 2" x 3 ½" print rectangle to the right of




Step 4 Diagram




Step 5 Diagram

6. Make a total number of blocks for the following fabrics:







Constructing Lilypad Blocks Without Pinwheel Unit

1. Draw a diagonal line on the wrong side of (1) 3" x 3" Fabric E square. Place square, right sides together, on (1) 3" x 3" Fabric I square. Sew ¼" away from both sides of drawn line. Cut along drawn line to yield (2) HST units. Open and press. Square and trim units to measure 2 ½" x 2 ½" unfinished.



Draw a diagonal line on the wrong side of (1) 1 ½" x 1 ½" Fabric E square. Place square, right sides together, at a corner of (1) 2 ½" x 6 ½" Fabric I rectangle. Sew on drawn line. Trim ¼" away from sewn line. Open and press to reveal corner triangle. Sew to the right of one of HST units to make a row unit.



3. Sew step 1 unit on top of step 2 unit.

2. Draw a diagonal line on the wrong side of (1) 1 ½" x 1 ½" Fabric E square. Place square, right sides together, at the bottom left corner of (1) 6 ½" x 8 ½" Fabric I rectangle. Sew on drawn line. Trim ¼" away from sewn line. Open and press to reveal corner triangle. Repeat with another 1 ½" x 1 ½" Fabric E square at the bottom right corner of the same Fabric I rectangle.



4. Sew (2) 1 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " Fabric E rectangles to the opposite sides of step 3 unit, followed by (2) 1 $\frac{1}{2}$ " x 10 $\frac{1}{2}$ " Fabric E rectangles to the remaining opposite sides to complete (1) lilypad block. Block measures 10 $\frac{1}{2}$ " x 10 $\frac{1}{2}$ " unfinished. Make a total of (4) blocks.




Step 3 Diagram



Step 4 Diagram

Constructing F block

1. Sew together (1) $2\frac{1}{2}$ " x $4\frac{1}{2}$ " Fabric A rectangle and (1) $2\frac{1}{2}$ " x $2\frac{1}{2}$ " Fabric E square to make a row unit. Sew unit to the bottom, and (1) $2\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric A rectangle to the top of (1) 2" x $6\frac{1}{2}$ " Fabric E rectangle, followed by (1) 3" x $6\frac{1}{2}$ " Fabric E rectangle to the bottom.



2. Sew (1) 2 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " Fabric A rectangle to the left of step 1 unit.



3. Sew (2) 1 ½" x 8 ½" Fabric E rectangles to the opposite sides of step 2 unit, followed by (2) 1 ½" x 10 ½" Fabric E rectangles to the remaining opposite sides to complete F block. Block measures 10 ½" x 10 ½" unfinished.




Constructing R block


1. Draw a diagonal line on the wrong side of (1) 1 ½" x 1 ½" Fabric A square. Place square, right sides together, at the top right corner of (1) 2 ½" x 4 ½" Fabric E rectangle. Sew on drawn line. Trim ½" away from sewn line. Open and press to reveal corner triangle. Repeat with another 1 ½" x 1 ½" Fabric A square at the bottom right corner of the same Fabric E rectangle.

Add (1) 2 ½" x 2 ½" Fabric A square to the

right of sewn unit.




2. Sew (2) 2 ½" x 6 ½" Fabric A rectangles to the opposite long sides of step 1 unit. Draw a diagonal line on the wrong side of (1) 1 ½" x 1 ½" Fabric E square. Place square, right sides together at the top right corner of sewn unit. Sewn on drawn line. Trim ¼" away from sewn line. Open and press to reveal corner triangle. Repeat with another 1 ½" x 1 ½" Fabric E square t the bottom left corner of the same sewn unit.



3. Draw a diagonal line on the wrong side of (1) $2\frac{1}{2}$ " x $2\frac{1}{2}$ " Fabric E square. Place square, right sides together, at a corner of (1) $2\frac{1}{2}$ " x 5" Fabric A rectangle. Sew on drawn line. Trim $\frac{1}{4}$ " away from sewn line. Open and press to reveal corner triangle. Repeat with another $2\frac{1}{2}$ " x $2\frac{1}{2}$ " Fabric E square at the diagonally opposite corner of the same Fabric A rectangle. Sew (1) 2" x $2\frac{1}{2}$ " Fabric E rectangle to the sewn unit.



4. Sew step 3 unit to the bottom of step 2 unit, followed by (2) 2 ½" x 8 ½" Fabric A rectangle to the left.




5. Sew (2) 1 ½" x 8 ½" Fabric E rectangles to the opposite sides of step 4 unit, followed by (2) 1 ½" x 10 ½" Fabric E rectangles to the remaining opposite sides of step 4 unit to complete R block. Block measures 10 ½" x 10 ½" unfinished.




Constructing O block

1. Draw a diagonal line on the wrong side of (1) 1 ½" x 1 ½" Fabric G square. Place square, right sides together, at a corner of (1) 4 ½" x 4 ½" Fabric E square. Sew on drawn line. Trim ¼" away from sewn line. Open and press to reveal corner triangle. Repeat with (3) addition 1 ½" x 1 ½" Fabric G squares at the remaining corners of the same


Fabric E square.



2. Sew (2) 2 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " Fabric G rectangles to the opposite sides of step 1 unit, followed by (2) 2 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " Fabric G rectangles to the remaining opposite sides of step 1 unit.



3. Draw a diagonal line on the wrong side of (1) 1 ½" x 1 ½" Fabric E square. Place square, right sides together, at a corner of the sew unit. Sew on drawn line. Trim ¼" away from sewn line. Open and press to reveal corner triangle. Repeat with (3) additional 1 ½" x 1 ½" Fabric E squares at the remaining corners of the sew unit.



4. Sew (2) 1 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " Fabric E rectangles to the opposite sides of step 3 unit, followed by (2) 1 $\frac{1}{2}$ " x 10 $\frac{1}{2}$ " Fabric E rectangles to the remaining opposite sides to complete O block.



Constructing G block

1. Draw a diagonal line on the wrong side of (1) 1 ½" x 1 ½" Fabric A square. Place square, right sides together, at a corner of (1) 1 ½" x 6 ½" Fabric E rectangle. Sew on drawn line. Trim ¼" away from sewn line. Open and press to reveal corner triangle.




2. Draw a diagonal line on the wrong side of (1) 1 ½" x 1 ½" Fabric E square. Place square, right sides together, at a corner of (1) 2" x 4 ½" Fabric A rectangle. Trim ¼" away from sewn line. Open and press to reveal corner triangle. Sew sewn unit to the right of (1) 2" x 2 ½" Fabric E rectangle.



3. Draw a diagonal line on the wrong side of (1) 1 ½" x 1 ½" Fabric A square. Place square, right sides together, at the bottom left corner of (1) 2" x 5" Fabric E rectangle. Sew on drawn line. Trim ¼" away from sewn line. Open and press to reveal corner triangle. Repeat with (2) 1" x 1" Fabric A squares at the top and bottom right corners of the same Fabric E rectangle. Sew sewn unit to the left of (1) 2" x 2" Fabric A square.



4. Sew together units made in steps 1-3, followed by (1) 2 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " Fabric A to the left.



5. Draw a diagonal line on the wrong side of (1) 1 ½" x 1 ½" Fabric E square. Place square, right sides together, at the top left corner of (1) 2 ½" x 8 ½" Fabric A rectangle. Sew on drawn line. Trim ¼" away from sewn line. Open and press to reveal corner triangle. Make another unit by sewing (2) 1 ½" x 1 ½" Fabric E squares to the bottom left and right corners of (1) 2 ½" x 8 ½" Fabric A rectangle. Sew both units to the top and bottom of step 4 unit.



6. Sew (2) 1 ½" x 8 ½" Fabric E rectangles to the opposite sides of step e unit, followed by (2) 1 ½" x 10 ½" Fabric E rectangles to the remaining opposite sides of step 5 unit to complete G block. Block measures 10 ½" x 10 ½" unfinished.




Quilt Assembly

1. Inner border #1. Sew (2) 1 1/2" x 37 1/2" Fabric A strips to the opposite long sides of (1) 28 1/2" x 37 1/2" Fabric H panel rectangle, followed by (2) 2" x 30 1/2" Fabric A strips to the top and bottom of the rectangle.



- 2. Inner border #2. Refer to quilt image for block placement and orientation guide, arrange and sew together (4) pieced blocks to make a column unit. Make (2) column units and sew to the opposite long sides of quilt center. Then, arrange (5) pieced blocks to make a row unit. Make (2) row units and sew to the remaining opposite short sides of quilt center.
- 3. Inner border 3. Sew (2) $2\frac{1}{2}$ " x 60 $\frac{1}{2}$ " Fabric G strips to the opposite long sides of quilt center, followed by (2) $2\frac{1}{2}$ " x 54 $\frac{1}{2}$ " Fabric G strips to the remaining opposite sides.
- 4. Outer border. Sew (2) 3 ½" x 64 ½" Fabric D strips to the opposite long sides of quilt center, followed by (2) 3 ½" x 60 ½" Fabric D strips to the remaining opposite short sides to complete quilt top.



Finishing

- 1. Layer backing, batting and quilt top.
- 2. Baste the layers together. Quilt as desired.
- 3. Bind to complete the quilt.



