03.10.2023 windhamfabrics.com



FREE BATIK PROJECT

### A Question of Balance

Designed by Marsha Evans Moore
Featuring Moody Blues specialty collection
SIZE: 62" x 76"



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.







**PROJECT DISCLAIMER:** Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check **windhamfabrics.com** for pattern updates and to test the pattern prior to making the project. Test templates first, before cutting all the pieces. Free projects are not for resale.

**CUTTING NOTES:** Read entire pattern before beginning. Flip templates on strip when subcutting to conserve fabric. Templates are found on pages 4, 6, and 7.

WOF = WIDTH OF FABRIC LOF = LENGTH OF FABRIC

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
Α		2458Q-X Navy	5/8	FOR BINDING: (8) 2-1/4" x WOF strips; sew ends together.
В		2460Q-X Blue	1/2	<ul> <li>(5) 2-1/2" x WOF strips; subcut</li> <li>(10) Template 7, (10) Template 8,</li> <li>(3) 2-7/8" squares and (2) 2-1/4" squares.</li> <li>Cut squares in half diagonally once to make</li> <li>(6) and (4) Triangles respectively.</li> </ul>
С		2461Q-X Blue	1	<ul> <li>(12) 2-1/4" x 35" LOF strips, sew ends together.</li> <li>(4) 2-1/4" x LOF strips; sew ends together. Subcut (2) 2-1/4" x 51".</li> <li>(2) 2-7/8" squares; cut squares in half diagonally once to make (4) triangles.</li> </ul>
D		2462Q-X Blue	7/8	(7) 2-1/4" x WOF strips, sew ends together. (3) 2-1/2" x WOF strips. Subcut (5) Template 7, (5) Template 8 and (6) 2-1/4" squares. Cut squares in half diagonally once to make (12) triangles.
E		2463Q-X Cobalt	5/8	(6) 2-1/2" x WOF strips. Subcut (2) Template 3, (2) Template 4, (11) Template 7, (7) Template 8 and (4) Template 9.
F		2464Q-X Sky	1/3	(4) 2-1/2" x WOF strips. Subcut (3) Template 3, (3) Template 4, (6) Template 7 and (6) Template 8.
G	CONTRACTOR OF THE PARTY OF THE	2465Q-X Sky	1/2	(5) 2-1/2" x WOF strips. Subcut (10) Template 7, (7) Template 8, and (3) Template 9.
Н		2466Q-X Sky	3/8	(4) 2-1/2" x WOF strips. Subcut (8) Template 7, (5) Template 8, and (3) Template 9.



KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
ı		2467Q-X Sky	3/8	(4) 2-1/2" x WOF strips. Subcut (3) Template 3, (3) Template 4, (7) Template 7 and (7) Template 8.
J		2468Q-X White	1	<ul> <li>(7) 2-1/4" x WOF strips, sew ends together.</li> <li>(5) 2-1/2" x WOF strips. Subcut (2) Template 3,</li> <li>(2) Template 4, (8) Template 7, (8) Template 8 and</li> <li>(2) 2-1/4" squares. Cut squares in half diagonally once to make (4) triangles .</li> </ul>
K		100Q-1046 White	1-1/8	(7) 1-1/2" x WOF strips, sew ends together. (14) 1-3/8" x WOF strips; subcut (5) Template 1, (5) Template 2, (35) Template 5 and (35) Template 6.
L		100Q-1542 Chambray	7/8	(15) 1-3/8" x WOF strips; subcut (5) Template 1, (5) Template 2, (30) Template 5, (30) Template 6 and (20) Template 10.
		Backing	4-3/4	70" x 84" batting.

#### **ADDITIONAL MATERIALS**

Thread to match fabrics Basic sewing supplies


Sewing machine Rotary cutter, ruler and mat

Template plastic

#### **VERTICAL ROWS**

- 1. Sew (1) L Template 1 to the right edge of (1) B 2-7/8" triangle. Sew (1) L Template 2 to the left side of the L/B triangle to make a triangle unit.
- 2. Sew (1) J Template 3 to the right side of the triangle unit. Sew (1) J triangle 4 to the left side to start the strip.
- **3.** Sew (1) **K** Template 5 to the right side of the strip. Sew (1) **K** Template 6 to the left side.
- **4.** Sew (1) **F** Template 7 to right side of the strip. Sew (1) **F** Template 8 to the left side.






Step 2



Step 3



Step 4



- 5. Following the Strip Piecing on page 3, repeat steps 3-4 alternating L and K Templates 5 and 6 and using the fabrics indicated for Templates 7-8.
- 6. After the sixth addition of K Templates 5 and 6, add (1) H Template 7 and (1) H Template 9.




- 7. Sew (1) L Template 10 to each diagonal edge of strip. Sew (1) D 2-1/4" triangle to the corner of the strip to complete the upper strip. Make 1.
- **8.** Repeat steps 1-7 to make the lower strip using the fabrics indicated. Make 1.
- **9.** Repeat steps 1-8 to make upper and lower strips for rows 2-5. Make 1 each. Sew the upper and lower strips together. Vertical rows should measure approximately 8-1/2" x 61" including seam allowance; your measurement may vary slightly. Average the (5) row measurements and use number for step 10.





#### **QUILT ASSEMBLY**

- **10.** Cut the **C** pieced 2-1/4" strip into (6) strips using the measurement from step 9. Sew together these **C** strips with the (5) patchwork vertical rows. Sew (1) **C** 2-1/4" x 51" strip to top and bottom of quilt.
- **11.** Measure the length of the quilt. Cut (2) **J** 3-1/4" strips to that measurement. Sew to each side of the quilt. Measure the width of the quilt. Cut (2) **J** 3-1/4" strips to that measurement. Sew to the top and bottom of quilt.
- **12.** In the same way, use the pieced **K** 1-1/2" strip to add the narrow border.
- **13.** In the same way, use the pieced **D** 2-1/4" strip to add the outer border.





QUILT LAYOUT



**FINISHING:** Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **A** 2-1/4" strips.



#### Templates

