



Fall into Autumn

• A Free Project Sheet •
• NOT FOR RESALE •

QUILT 2



Featuring fabrics from the **Fall into Autumn** collection by **Art Loft** for 

Fabric Requirements

- (A) 7251-33 ¼ yard
- (B) 7254-38 2 ⅓ yards*
- (C) Vanilla-46** 2 ⅝ yards
- (D) Green Tea-22** ⅞ yard
- (E) 7255-88 ½ yard
- (F) 7256-44 ¼ yard
- (G) 7255-44 ⅓ yard
- (H) 7249-33 ⅝ yard

- (I) 7250-38 ⅞ yard
- (J) 7251-68 ¼ yard
- (K) 7253-88 ⅔ yard
- (L) 7257-33 2 ¾ yard
- Backing
7252-35 7 ⅛ yards

* Includes Binding
** Peppered Cottons Collection

Additional Supplies Needed

- Batting 85" x 97" (Recommended:
Air Lite® Colour Me 100% Cotton)
- Piecing and sewing thread
- Quilting and sewing supplies
- Quilt designed by Heidi Pridemore
- Finished Quilt Size 77" x 89"
- Skill Level: Intermediate

Please check our website for pattern updates before starting this project.

Fabrics in the Collection



Tossed Autumn Crates
Cream - 7249-33



Harvest Toss
Brown - 7250-38



Tossed Leaves
Cream - 7251-33



Tossed Leaves
Forest - 7251-68



Paisley
Rust - 7252-35



Medallion
Red - 7253-88



Flourish
Brown - 7254-38



Flourish Mini
Gold - 7255-44



Flourish Mini
Red - 7255-88



Sunflowers
Gold - 7256-44



Border Stripe
Cream - 7257-33



Placemat
Cream - 7258P-33



Harvest Panel 24 Inches x 44 Inches
Brown - 7259P-38

Select Fabrics from
Peppered Cottons



Green Tea
Green Tea-22



Marine Blue
Marine Blue-11



Vanilla
Vanilla-46

Cutting

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (7251-33 Tossed Leaves – Cream), cut:

- (1) 4 ½" x WOF strip, sub-cut (3) 4 ½" squares.

Fabric B (7254-38 Flourish – Brown), cut:

- (6) 2 ½" x WOF strips, sub-cut (96) 2 ½" squares.
- (3) 2 ½" x WOF strips, sub-cut (24) 2 ½" x 4 ½" strips.
- (4) 2 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2 ½" x 72 ½" strips.
- (4) 2 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2 ½" x 64 ½" strips.
- (3) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 46 ½" strips.
- (4) 1 ½" x 36 ½" WOF strips.
- (2) 1 ½" x 26 ½" WOF strips.
- (9) 2 ½" x WOF strips for the binding.

Fabric C (Vanilla-46 Peppered Cottons – Vanilla), cut:

- (7) 2 ½" x WOF strips, sub-cut (60) 2 ½" x 4 ½" strips.
- (28) 2 ½" x WOF strips, sub-cut (444) 2 ½" squares.

Fabric D (Green Tea-22 Peppered Cottons – Green Tea), cut:

- (11) 2 ½" x WOF strips, sub-cut (96) 2 ½" x 4 ½" strips.

Fabric E (7255-88 Flourish Mini – Red), cut:

- (5) 2 ½" x WOF strips, sub-cut (72) 2 ½" squares.

Fabric F (7256-44 Sunflowers – Gold), cut:

- (1) 4 ½" x WOF strip, sub-cut (3) 4 ½" squares.

Fabric G (7255-44 Flourish Mini – Gold), cut:

- (3) 2 ½" x WOF strips, sub-cut (48) 2 ½" squares.

Fabric H (7249-33 Tossed Autumn Crates – Cream), cut:

- (2) 4 ½" x 38 ½" WOF strips.
- (2) 4 ½" x 34 ½" WOF strips.

Fabric I (7250-38 Harvest Toss – Brown), cut:

- (3) 8 ½" x WOF strips, sub-cut (9) 8 ½" squares.

Fabric J (7251-68 Tossed Leaves – Forest), cut:

- (1) 4 ½" x WOF strip, sub-cut (9) 4 ½" squares.

Fabric K (7253-88 Medallion – Red), cut:

- (8) 2 ½" x WOF strips, sub-cut (72) 2 ½" x 4 ½" strips.

Fabric L (7257-33 Borer Stripe – Cream), cut:

- (2) 7" x 93" LOF strips.
- (2) 7" x 81" LOF strips.

Backing (7252-35 Paisley – Rust), cut:

- (3) 85" x WOF strips. Sew the strips together and trim to 85" x 97" to make the back.

Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.


Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.


1. Place (1) 2 ½" Fabric B square on the left side of (1) 2 ½" x 4 ½" Fabric C strip, right sides together (Fig. 1). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 1). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance (Fig. 2).

2. Place another 2 ½" Fabric B square on the right side of the 2 ½" x 4 ½" Fabric C strip, right sides together (Fig. 3). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 3). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1) Unit 1 strip (Fig. 4).


3. Repeat Steps 1-2 to make (48) Unit 1 strips total.




4. Repeat Steps 1-2 and refer to Figures 5-8 for fabric identification, placement and seam direction to make (96) Unit 2 strips, (12) Unit 3 strips, (24) Unit 4 strips and (72) Unit 5 strips.




5. Sew together (2) Unit 2 strips end to end to make (1) 2 ½" x 8 ½" Unit 6 strip (Fig. 9). Repeat to make (48) Unit 6 strips total.



6. Sew together (2) Unit 4 strips end to end to make (1) 2 ½" x 8 ½" Unit 7 strip (Fig. 10). Repeat to make (12) Unit 7 strips total.



7. Sew together (2) Unit 5 strips end to end to make (1) 2 ½" x 8 ½" Unit 8 strip (Fig. 11). Repeat to make (36) Unit 8 strips total.



8. Sew (1) 2 ½" Fabric C square to each end of (1) Unit 1 strip to make the top row. Repeat to make the bottom row. Sew (1) Unit 1 strip to each side of (1) 4 ½" Fabric A square to make the middle row. Sew together the (3) rows lengthwise to make (1) 8 ½" Unit 9 square (Fig. 12). Repeat to make (3) Unit 9 squares total.




Fig. 12

9. Sew (1) 2 ½" Fabric C square to each end of (1) Unit 3 strip to make the top row. Repeat to make the bottom row. Sew (1) Unit 3 strip to each side of (1) 4 ½" Fabric F square to make the middle row. Sew together the (3) rows lengthwise to make (1) 8 ½" Unit 10 square (Fig. 13). Repeat to make (3) Unit 10 squares total.




Fig. 13

10. Sew (1) 2 ½" Fabric E square to each end of (1) Unit 6 strip to make the top row. Repeat to make the bottom row. Sew (1) Unit 6 strip to each side of (1) Unit 9 square to make the middle row. Sew together the (3) rows lengthwise to make 12 ½" Block One square (Fig. 14). Repeat to make (3) Block One squares total.




Fig. 14




Fig. 15

12. Sew (1) Block One square to the left side of (1) Block Two square to make the top row. Repeat to make the bottom row. Sew (1) Block Two square to the left side of (1) Block One square to make the middle row. Sew together the (3) rows lengthwise to make 24 ½" x 36 ½" Center Block (Fig. 16).




Fig. 16

13. Sew (1) 2 ½" Fabric E square to each end of (1) Unit 6 strip to make the top row. Repeat to make the bottom row. Sew (1) Unit 6 strip to each side of (1) 8 ½" Fabric I square to make the middle row. Sew together the (3) rows lengthwise to make (1) 12 ½" Block Three square (Fig. 17). Repeat to make (9) Block Three squares total.




Fig. 17

14. Sew (1) 2 ½" Fabric C square to each end of (1) Unit 1 strip to make the top row. Repeat to make the bottom row. Sew (1) Unit 1 strip to each side of (1) 4 ½" Fabric J square to make the middle row. Sew together the (3) rows lengthwise to make (1) 8 ½" Unit 11 square (Fig. 18). Repeat to make (9) Unit 11 squares total.




Fig. 18

15. Sew (1) 2 ½" Fabric G square to each end of (1) Unit 8 strip to make the top row. Repeat to make the bottom row. Sew (1) Unit 8 strip to each side of (1) Unit 11 square to make the middle row. Sew together the (3) rows lengthwise to make (1) 12 ½" Block Four square (Fig. 19). Repeat to make (9) Block Four squares total.




Fig. 19

16. Sew together (2) Block Four squares and (2) Block Three squares, alternating them from top to bottom, to make the Left Side Border (Fig. 20).




Fig. 20

17. Sew together (2) Block Four squares and (2) Block Three squares, alternating them from top to bottom, to make the Right Side Border (Fig. 21).




Fig. 21

18. Sew together (3) Block Three squares and (2) Block Four squares, alternating them from left to right, to make the Top Border (Fig. 22).

19. Sew together (3) Block Four squares and (2) Block Three squares, alternating them from left to right, to make the Bottom Border (Fig. 23).



Fig. 22



Fig. 23

Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)

20. Sew (1) 1 ½" x 36 ½" Fabric B strip to each side of the Center Block. Sew (1) 1 ½" x 26 ½" Fabric B strip to the top and to the bottom of the Center Block.

21. Sew (1) 4 ½" x 38 ½" Fabric H strip to each side of the Center Block. Sew (1) 4 ½" x 34 ½" Fabric H strip to the top and to the bottom of the Center Block.

22. Sew (1) 1 ½" x 46 ½" Fabric B strip to each side of the Center Block. Sew (1) 1 ½" x 36 ½" Fabric B strip to the top and to the bottom of the Center Block.

23. Sew the Left Side Border and Right Side Border to the left and to the right sides of the Center Block.

24. Sew the Top Border and the Bottom Border to the top and to the bottom of the Center Block.

25. Sew (1) 2 ½" x 72 ½" Fabric B strip to each side of the Center Block. Sew (1) 2 ½" x 64 ½" Fabric B strip to the top and to the bottom of the Center Block.

26. Center (1) 7" x 93" Fabric L strip on (1) side of the Center Block and pin in place. Start sewing the strip a ¼" from the top edge of the block and stop a ¼" from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

27. Repeat Step 26 to sew (1) 7" x 81" Fabric L strip to the top and to the bottom of the Center Block, making sure to stop and start ¼" away from each end of the block. To miter each corner, fold the Center Block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 24).

28. Starting at the sewn seam (represented by the arrow in Figure 24), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a ¼" seam. Repeat this step with the remaining corners to make the quilt top.




Fig. 24


Layering, Quilting and Finishing

29. Press the quilt top and 85" x 97" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

30. Cut the ends of the (9) Fabric B binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

31. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout

*Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.studioefabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.*