

FINISHED QUILT SIZE 73" x 74"

Measurements include ¼" seam allowance. Sew with right sides together unless otherwise stated.

Please check our website www.rileyblakedesigns.com/Patternupdates for any revisions before starting this project. This pattern requires a basic knowledge of quilting techniques and terminology. The quilt and block diagrams portrayed are virtual images. The layout and look of your project may differ when using actual fabric.

WOF = Width of Fabric

RST = Right Sides Together

SNF = Stitch and Flip

HST = Half Square Triangle

FABRIC REQUIREMENTS

- 1 Legends of the National Parks FQ Bundle (FQ-13280-13)
- 3 yards of Cream Dapple Dot Tone-on-Tone (C650-CREAM)
- 1 ¼ yards Multi Legends Postcard Toss (CD13280-MULTI)
- 1 1/2 yards Charcoal Legends Footprints (C13285-CHARCOAL)includes binding

OTHER SUPPLIES

Basic Sewing Supplies 2 ¼ yards WIDEBACK Backing 81" x 82" piece of batting

CUTTING REQUIREMENTS

- Please read instructions before cutting fabrics.
- Cutting Instructions are based on a 42" WOF.
- Refer to the quilt photo for the placement of each of the fabrics.
- Use a straight edge ruler and rotary cutter to cut your fabrics.



(5) FQ Prints cut from each (Label as Fabric A - Bear Paw) Cut (4) 2 ½" x 2 ½" squares

(1) 5 ½" x 5 ½" square



(5) FQ Prints cut from each (Label as Fabric B - Maple Leaf) Cut (2) 4" x 4" squares (1) 6 ½" x 6 ½" square

(5) FQ Prints cut from each (Label as Fabric C - Hoof) Cut (2) 3 ½" x 7 ½" rectangles (2) 2" x 2" squares



Cut (3) 3 ½" x 3 ½" squares

(3) 2 ³/₄" x 2 ³/₄" squares



(8) FQ Prints cut from each (Label as Fabric E - Foot Print)

Cut (2) 1" x 1" squares

- (2) 1" x 1 ¼" rectangles (1) 1 ½" x 1 ½" square
- (1) 4 ½" x 3 ½" rectangle
- (1) 3" x 5 ¼" rectangle

Dapple Dot Tone-On-Tone Cream (Background Fabric - Label

each cut as noted below)

Cut (3) 12 ¹/₂" x WOF strips; subcut:

- (8) 2 ½" x 12 ½" rectangles, label PIECE A
- (2) 3 ½" x 12 ½" rectangles, label **PIECE B**
- (10) 4" x 12 ½" rectangles, label PIECE C
- (3) 4 ½" x 12 ½" rectangles, label PIECE D
- (2) 4 ³/₄" x 12 ¹/₂" rectangles, label **PIECE E**
- (4) 5" x 12 ½" rectangles, label PIECE F
- Cut (1) 5" x WOF strips; subcut:
 - (5) 5" x 5" squares, label PIECE G
- Cut (1) 4" x WOF strips; subcut:
 - (10) 4" x 4" squares, label PIECE H
- Cut (8) 3 ½" x WOF strips; subcut:
 - (15) 3 ½" x 9 ½" rectangles, label PIECE I
 - (5) 3 ½" x 7" rectangles, label PIECE J
 - (8) 3 ½" x 4 ½" rectangles, label PIECE K
 - (30) 3 ½" x 3 ½" squares, label PIECE L

Cut (1) 2 ³/₄" x WOF strips; subcut:

(15) 2 ³/₄" x 2 ³/₄" squares, label **PIECE M**

Cut (3) 2 ¹/₂" x WOF strips; subcut:

- (5) 1 ½" x 2 ½" rectangles, label **PIECE N**
- (10) 2 ½" x 2 ½" squares, label PIECE O
- (15) 2 ½" x 5 ½" rectangles, label PIECE P

Cut (4) 2" x WOF strips; subcut: (13) 1" x 2" rectangles, label PIECE Q (38) 2" x 2" squares, label PIECE R (8) 2" x 5 ¼" rectangles, label PIECE S (8) ³/₄" x 2" rectangles, label **PIECE T** Cut (2) 1 ½" x WOF strips; subcut: (40) 1 ½" x 1 ½" squares, label PIECE U Cut (3) 1" x WOF strips; subcut: (16) ³/₄" x 1" rectangles, label **PIECE V** (24) 1" x 1" squares, label PIECE W (5) 1" x 7" rectangles, label PIECE X (5) 1" x 7 ½" rectangles, label PIECE Y Cut (2) ³/₄" x WOF strips; subcut: (16) ³/₄" x 1 ¹/₄" rectangles, label **PIECE Z** (8) ³/₄" x 4 ¹/₂" rectangles, label **PIECE AA**

Charcoal Legends Footprints (Label each cut as noted below) Cut (6) 2 1/2" x WOF strips, label BORDER 1 Cut (8) 2 ½" x WOF strips, label BINDING



Multi Legends Postcard (Label as Border 2) Cut (7) 5 1/2" x WOF strips

BACKGROUND FABRIC MARKING INSTRUCTIONS


Draw a diagonal line on the wrong side of (10) 4" x 4" Piece H squares, (25) 3 ¹/₂" Piece L squares, (28) 2" Piece **R** squares, (40) 1 ½" **Piece U** squares, and (24) 1" **Piece W** squares. Set squares aside until needed.

BEAR PAW BLOCK




- 1. Using the SNF method, place (1) 1 ½" Piece U square onto the top left corner of (1) 2 1/2" Fabric A square, RST and edges aligned. Note the orientation of the drawn diagonal line in the diagram.
- 2. Sew along the drawn diagonal line. Trim excess corner fabric to a ¼". Press toward the corner.

3. Repeat SNF techniques to attach an additional Piece U square to the top right corner of the same Fabric A square to make (1) small SNF Unit measuring $2 \frac{1}{2}$ x $2 \frac{1}{2}$, unfinished.




Make (4) small SNF Units


- 4. Repeat to make a total of (4) small SNF Units.
- 5. Take (2) small SNF units and (1) 1 ½" x 2 ½" Piece N rectangle. Sew a small SNF unit on each side of the Piece N rectangle. Then sew (1) 5 ½" x 2 ½" rectangle **Piece P**, RST along the bottom of the unit, along the long edge. Press seams toward background fabric. Unit should measure 5 1/2" x 4 1/2", unfinished.




6. Take (1) small SNF unit and (1) 2 ½" Piece O square. Sew Piece O along the top of small SNF unit. Press seam towards **Piece O**. Unit will measure 2 ½" x 4 ½", unfinished. Repeat to make a total of (2) units.




7. Take unit made in Step 5 and sew units made in Step 6 to each side. Press seams open. Unit will measure 9 ½" x 4 ½", unfinished.




8. Take (1) 5 ¹/₂" Fabric A square and (4) 2" Piece S squares. Using the SNF method found in Steps 1 and 2, place each Piece S square in each corner of the Fabric A square. Press seams towards each corner. Make (1) large SNF unit that measures 5 ½" x 5 ½".




9. Take (2) 2 ½" x 5 ½" **Piece P** rectangle and sew on each side of large SNF unit. Press seams towards Piece P. Unit will measure 9 ½" x 5 ½", unfinished.



 Following the figure below, sew (1) unit from Step 7, RST, to (1) unit from Step 9. Press seams open. Unit will measure 9 ½" x 9 ½", unfinished.



- 11. Repeat Steps 1-10 for each of the remaining (4) FQs. You will have a total of (5) Bear Paw Blocks.
- 12. Take (3) 3 ½" x 9 ½" Piece I rectangles. Sew (1) rectangle each to the bottom of (3) Bear Paw Blocks. Take (2) 3 ½" x 9 ½" Piece I rectangles. Sew (1) rectangle each to the top of (2) remaining Bear Paw Blocks. Press seams towards Piece I. All Bear Paw Blocks will measure 9 ½" x 12 ½", unfinished.




MAPLE LEAF BLOCK




13. Take (1) 4" Piece H square, RST, on (1) 4" Fabric B square. Sew a ¼"seam along each side of the drawn diagonal line. Trim on drawn line to create (2) HSTs. Press seams towards darker fabric. Trim HSTs to 3 ½" x 3 ½". Repeat to make a total of (4) HSTs.




14. Take (1) 3 ½" **Piece L** square and (2) HSTs. Sew together in a row. Note orientation of HSTs. Press seams open. Unit will measure 3 ½" x 9 ½", unfinished.




15. Take (2) HSTs and sew them RST. Note orientation of HSTs. Then sew HST unit to (1) 6 ½" Fabric B square. Press seams towards Fabric B. Unit will measure 9 ½" x 6 ½", unfinished.



16. Take unit in Step 14 and sew, RST, along the top long edge of unit in Step 15. Note orientation of Step 14 unit. Press seams open. Maple Leaf Block will measure 9 ½" x 9 ½", unfinished.



- 17. Repeat Steps 13-16 with remaining (4) FQs. You will have a total of (5) Maple Leaf Blocks.
- 18. Take (3) 3 ½" x 9 ½" Piece I rectangles. Sew (1) rectangle each to the bottom of (3) Maple Leaf Blocks, noting rotation of Maple Leaf. Take (2) 3 ½" x 9 ½" Piece I rectangles. Rotate (2) remaining Maple Leaf blocks as shown below and sew (1) rectangle each to the top. Press seams towards Piece I. All Maple Leaf Blocks will measure 9 ½" x 12 ½", unfinished.



HOOF BLOCK



19. Take (2) 3 ½" x 7 ½" Fabric C rectangle and (2) 3 ½" Piece L squares. Referring to the SNF method found in Steps 1 and 2, place each Piece L square in the top corner of the Fabric C rectangle. Note drawn diagonal line will be mirrored for the (2) Fabric C rectangles. Press seams towards Piece L. Unit will measures 3 ½" x 7 ½", unfinished.


© 2023 Riley Blake Designs. Riley Blake All Rights Reserved.



20. Sew a unit to each side of (1) $1'' \times 7 \frac{1}{2}''$ Piece Y rectangle. Note orientation of each unit. Press seams open. Unit will measure 7 ½" x 7 ½", unfinished.




21. Take (2) 2" Piece R squares, (2) 2" Fabric C squares, and (1) 1" x 2" Piece Q rectangle. Arrange as shown below, and sew pieces together in a row. Press seams open. Then sew (1) $1" \times 7"$ **Piece X** rectangle to the top of the row. Unit will measure 2 1/2" x 7", unfinished.



22. Take unit from Step 20 and sew, RST, along the top of unit from Step 21. Press seams open. Hoof Block will measure 9 ½" x 7", unfinished.




- 23. Repeat Steps 19-22 with remaining (4) FQs. You will have a total of (5) Hoof Blocks.
- 24. Take (3) 3 ¹/₂" x 7" **Piece J** rectangles. Sew (1) rectangle each to the bottom of (3) Hoof Blocks. Take (2) 3 1/2" x 7" **Piece J** rectangles. Sew (1) rectangle each to the top of (2) remaining Hoof Blocks. Press seams towards Piece J. All Hoof Blocks will measure 7" x 12 ½", unfinished.




STAR BLOCK



25. Take (1) 3 ½" Piece L square, RST, on (1) 3 ½" Fabric D square. Sew a ¼" seam along each side of the drawn diagonal line. Trim on drawn line to create (2) HSTs. Press seams towards darker fabric. Trim HSTs to 2 ³/₄" x 2 ³/₄". Repeat to make a total of (6) HSTs.




26. Take (2) 2 ³/₄" **Piece M** squares, (2) 2 ³/₄" **Fabric D** squares, and (4) HSTs. Arrange pieces as shown below and sew together first in rows, then sew rows together. Note orientation of HSTs. Press seams open. Unit will measure 9 ½" x 5", unfinished.




27. Take (1) 2 ³/₄" **Piece M** square, (1) 2 ³/₄" **Fabric D** square, and (2) HSTs. Arrange squares as shown below and sew together first in rows, then sew rows together. Note orientation of HSTs. Press seams open. Then sew unit to (1) 5" Piece G square. Press seams towards Piece G. Unit will measure 5" x 9 ½", unfinished.



28. Take unit from Step 26 and sew, RST to the top of unit made in Step 27. Press seams open. Star Block will measure 9 ½" x 9 ½", unfinished.




- 29. Repeat Steps 25-28 with remaining (4) FQs. You will have a total of (5) Star Blocks.
- 30. Take (3) 3 ½" x 9 ½" **Piece I** rectangles. Sew (1) rectangle each to the bottom of (3) Star Blocks, noting rotation of Star. Take (2) 3 ½" x 9 ½" Piece I rectangles. Rotate (2) remaining Star Blocks as shown on the next page and sew (1) rectangle each to the top. Press seams towards Piece I. All Star Blocks will measure 9 1/2" x 12 1/2", unfinished.




LEFT FOOTPRINT BLOCK




31. Take (2) 1" Fabric E squares and (2) ¾" x 1" Piece V rectangles. Arrange as shown below, and sew pieces together in a row. Press seams open. Then sew (1) 2" x 1" Piece Q rectangle to the top of the row. Unit will measure 2 x 1 ½", unfinished.



32. Take (2) 1" x 1 ¼" Fabric E rectangles and (2) ¾" x 1 ¼"
Piece Z rectangles. Arrange as shown below, and sew pieces together in a row. Press seams open. Then sew (1) 2" x ¾" Piece T rectangle to the top of the row. Unit will measure 2" x 1 ½", unfinished.




33. Take (1) unit from Step 31, (1) unit from Step 32 and (1)
1 ½" Fabric E square. Arrange as shown below, and sew pieces together in a row. Press seams open. Then sew (1)
4 ½" x ¾" Piece AA rectangle to the bottom of the row. Unit will measure 4 ½" x 1 ¾", unfinished.




34. Take (1) 4 ½" x 3 ½" Fabric E rectangle, (1) 2" Piece R square, and (1) 1" Piece W square. Referring to the SNF method found in Steps 1 and 2, place the Piece R square


and the **Piece W** square in the corners of the **Fabric E** rectangle as indicated below. Note orientation of drawn diagonal lines. Press seams towards corners. Unit will measure $4 \frac{1}{2}$ " x $3 \frac{1}{2}$ ", unfinished.



35. Take (1) 3" x 5 ¼" **Fabric E** rectangle and (2) 1" **Piece W** squares. Referring to the SNF method found in Steps 1 and 2, place the **Piece W** squares in the bottom corners of the **Fabric E** rectangle as indicated below. Note orientation of drawn diagonal lines. Press seams towards corners. Then sew (1) 2" x 5 ¼" **Piece S** rectangle to the right of the unit. Unit will measure 4 ½" x 5 ¼", unfinished.



36. Take units from Step 33, Step 34, Step 35 and (1) 4 ½" x
3 ½" Piece K rectangle. Arrange as shown below and sew pieces together in a row. Press seams open. Left Footprint Block will measure 4 ½" x 12 ½", unfinished.




37. Repeat Steps 31-36 with remaining (3) FQs. You will have a total of (4) Left Footprint blocks.

RIGHT FOOTPRINT BLOCK



 To make the Right Footprint Blocks, you will mirror the instructions from the Left Footprint Block. Follow Steps 31-36 and the illustrations below to make a total of (4) Right Footprint Blocks.





BLOCK ROWS - Each row will measure 12 $\frac{12}{2}$ " x 59 $\frac{12}{2}$ "

39. To make the Bear Paw row, Take (2) 3 ½" x 12 ½" Piece **B** rectangles, (4) 2 ½" x 12 ½" **Piece A** rectangles, and (5) Bear Paw Blocks. Arrange as shown below and sew together in a row. Press seams open.



40. To make the Maple Leaf row, Take (4) 4" x 12 $\frac{1}{2}$ " Piece C rectangles and (5) Maple Leaf Blocks. Arrange as shown below and sew together in a row. Press seams open.



41. To make the Hoof row, Take (2) 4 ³/₄" x 12 ¹/₂" Piece E rectangles, (4) 5" x 12 ½" Piece F rectangles, and (5) Hoof Blocks. Arrange as shown below and sew together in a row. Press seams open.



42. To make the Star row, Take (4) 4" x 12 1/2" Piece C rectangles and (5) Star blocks. Arrange as shown below and sew together in a row. Press seams open.



43. To make the Footprint row, Take (2) 4" x 12 1/2" Piece C rectangles, (4) 2 ½" x 12 ½" Piece A rectangles, (3) 4 ½" x 12 ½" Piece D rectangles, (4) Left Footprint Blocks, and (4) Right Footprint Blocks. Arrange as shown below and sew together in a row. Press seams open.



QUILT TOP ASSEMBLY + BORDERS

44. Take all (5) rows and arrange as shown below. Sew rows together, pressing seams open. Quilt top will measure 59 ½" x 60 ½", unfinished.



45. Sew (6) 2 ¹/₂" x WOF **Border 1** strips end to end. Subcut strips into (2) 2 1/2" x 60 1/2" strips. Attach one strip to each side of the quilt top. Press seams towards Border 1. Then subcut remaining Border 1 strips into (2) 2 1/2" x 63 1/2" strips. Attach one strip to the top and bottom of the quilt top. Press seams towards Border 1. Quilt top will measure 63 ½" x 64 ½", unfinished.



46. Sew (7) 5 1/2" x WOF Border 2 strips end to end. Subcut Border 2 strips into (2) 5 1/2" x 64 1/2" strips. Attach one strip to each side of the quilt top. Press seams towards Border 2. Then subcut Border 2 strips into (2) 5 1/2" x 73 1/2" strips. Attach one strip to the top and bottom of the quilt top. Press seams towards Border 2. Quilt top will measure 73 ½" x 74 ½", unfinished.



FINISHING THE QUILT

Layer the backing, batting and quilt top. Quilt as desired. Bind with (7) 2 1/2" x WOF **Binding** strips. Have fun and enjoy the journey of making your quilt!

